

List Price Guide - January 15, 2024



American Standard

Fixture Colors and Finishes

The color availability of each product is shown beneath the product categories in this chart. This guide also provides the color codes assigned to each color or finish.



	1						
Color	Color Code						
Trim & Accessory Finishes [§]							
Polished Chrome	002						
Arctic	011						
Polished Nickel	013						
White	020						
Bone	021						
Brushed Stainless Steel	073						
Polished Brass	099						
Matte Black	243						
Legacy Bronze	278						
Brushed Nickel	295						
Shower Door F	Finishes [‡]						
Brushed Nickel	006						
Silver	213						
Oil Rubbed Bronze	224						

- * For bathtubs & whirlpools only
- † For kitchen sinks only
- ‡ Not pictured
- § Available for select products only
- \parallel See shower door description for specific glass availability in that style.

Color samples may vary slightly from the actual colors. Not all colors and finishes are available on all products.

American Standard

LIFE.LOVE.HOME

Icons	
Kitchen Sinks	
Inspired Possibili	ties
Kitchen Sinks Ov	
Country Kitchen	Sink
Cast Iron Sinks	
Stainless Steel Si	inks
Sink/Faucet Syst	
Kitchen and Bar Fa	ucets
Selectronic® Han	ds-Free Technology
	Function Spray Technology
	Faucets Overview
Pull-Down Fauce	
Pull-Out Faucets	
Touchless Fauce	
Beale® MeasureF	
Single-Handle Fa	
2-Handle Faucets	
Single-Handle Ba	
2-Handle Bar Fau	
Semi-Professiona	
Pot Filler	
Laundry Faucet	
Accessories	
Bathing	
Safer and Access	sible Livina
	fer and Comfortable Bathing
Acrylic Walk-In B	
Gelcoat Walk-In I	
Walk-In Bath Acc	
Seated Shower	
Safety Tubs	
Freestanding Bat	htubs
Freestanding Bat	
Drains and Acces	
Bathtubs Overvie	
Bathtub Systems	
EverClean® Syste	
Bathtubs – Soake	
Bathtubs – Whirlp	
Bathtubs – Air Ba	
Bathtubs - Comb	
Americast® Enam	

Continued on next page.

AmericanStandard.com List Price Guide 2024-1

Shower and Tub Walls

Shower and Tub Doors

Shower and Tub Doors Overview

How to Measure the Perfect Shower Door

Frameless Shower Doors

Semi-Frameless Shower Doors

Framed Shower Doors

Shower and Tub Enclosure/Bathing Fixture Cross Reference

Shower Bases

Acrylic Shower Bases

Solid Surface Shower Bases

Bathroom Furniture

Furniture Overview

Consoles

Washstands

Vanities

American Standard® Furniture for Townsend®

Bathroom Sinks

Bathroom Sinks Overview

Pedestal Sinks

Above Counter Sinks

Drop-In Sinks

Under Counter Sinks

Wall-Hung Sinks

Toilets

No-Touch Flush for Home and Business

Studio® S Low Profile One-Piece Toilet

Colony®3 Two-Piece Toilets

Two-Piece Toilet Ladder - Good, Better, Best

Standard Toilets Overview

One-Piece Toilets

Two-Piece Toilets

Bidets

Advanced Clean® SpaLet® Bidet Toilet

SpaLet Bidet Seats

Toilet Seats

Toilet Trip Levers

Optional Toilet Tanks

Residential Faucets

Warranties

Icons

Look for these symbols throughout our **List Price Guide** to quickly identify key information and important features of our products. Each symbol is prominently displayed to make your purchasing decision easier and ensure your choice of product meets your requirements.



Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

CALGreen® is a registered trademark of California Building Standards Commission.

Images throughout the price guide are for illustrative purpose only – actual features may vary.

AmericanStandard.com List Price Guide 2024-1

From the sleek luster of stainless steel to the charm of a farmhouse style, every kitchen sink in the American Standard collection is crafted for superior performance and lasting durability.

Meticulously designed for the busiest kitchens, when only the best will do.



Inspired Possibilities

The kitchen has changed dramatically over the years. It has become automated, wired and built to ease the stress of today's family on the go. But, just as it was 100 years ago, and will likely be 100 years from now, the kitchen remains the heart of the home; for that reason, our sinks and accessories are designed with you and your everyday life in mind.

The kitchen sink is likely one of the most used appliances in your home.

Whether it's washing dishes, prepping food or just cleaning your hands – through it all, you expect your sink to last and look good while doing so. American Standard is dedicated to providing kitchen sinks and accessories that work hard for you while still boasting the quality and timeless style that you deserve.

Why Choose American Standard Sinks?

Our sinks are made with you in mind, with multiple materials and designs to choose from and several installation options for both replacement and custom solutions.

Performance

Our use of long-lasting, solid materials and our flawless attention to detail creates dependable performance for life.



Durable – Stainless steel comes in many different shapes, sizes and thicknesses. American Standard offers 16, 18 and 20-gauge T304 stainless steel.



Eco-Friendly – All of our sinks are lead-free, and our Fine Fireclay models are crafted from recyclable, eco-friendly materials.

Sustainable – Our cast iron sinks are crafted from over 80% recycled or reclaimed iron, making them a great choice for the environmentally conscious home owner.

Technology

Our innovations make life easier and more enjoyable by solving the little and not so little problems of everyday living.



Quiet

SoundSecure™ – Rubber sound pads on the bottom of the sink help to reduce excess sound and vibration during use.



SoundSecure+™ – Exceptional sound deadening with rubber sound pads on both the bottom and sides of the underside of the sink.



Protected

StoneLock™ – Our multilayer spray insulation covers the underside of your sink to further help with sound absorption and to minimize condensation.



Pekoe® 33" Stainless Steel Apron Sink 18SB.9332200A.075




Delancey® 39" Cast Iron Sink 77DB30190.308

AmericanStandard.com List Price Guide 2024-1

Kitchen Sinks Overview

Country Kitchen Sink



Delancey® Cast Iron



Quince® Cast Iron





Kitchen Sinks Overview

Edgewater® Stainless Steel







Portsmouth® Stainless Steel















Hillsdale® Stainless Steel



Reliant® Stainless Steel







Colony® Kitchen Sinks and Faucet Systems









AmericanStandard.com List Price Guide 2024-1

Country Sink Kitchen Sinks



30 x 22-Inch Vitreous China 2-Hole Single Bowl Country Kitchen Sink

- High splash back
- Vitreous china
- Faucet holes on 8" (203 mm) centers for wall-mounted sink faucet
 3-½" (89 mm) drain with strainer included
 Requires support framing in cabinetry

Nominal Dimensions:

22 in x 30 in x 9-1/2 in (558 mm x 762 mm x 241 mm)

18 in (wide) 26-1/2 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
30 x 22-Inch Vitreous China 2-Hole Single-Bowl Country Kitchen Sink	100 lb 45.4 kg	9062008.020	White	1,168





Delancey® 36 x 22-Inch Cast Iron 4-Hole Undermount Single Bowl Apron Front Kitchen Sink

- Cast Iron Single Bowl Apron Front Sink
- 8-7/8" (225 mm) depth
- Undermount installation
- 4 oversized holes
- Lustrous Brilliant White finish
- 39" minimum cabinet base required Limited Lifetime Warranty

Nominal Dimensions:

22-1/16 in x 36 in x 8-13/16 in (560 mm x 914 mm x 223 mm)

Bowl Size:

32-9/16 in (wide) 15-3/8 in (front to back) 8-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Delancey® 36 x 22-Inch Cast Iron 4-Hole Undermount Single-Bowl Apron Front Kitchen Sink	165 lb 75.3 kg	77SB36220A.308	Brilliant White	1,549
Optional Components:				
Delancey® 36-Inch Single Bowl Apron Front Kitchen Sink Grid	3 lb 1.4 kg	8430000.075	Stainless Steel	210
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Delancey® 33 x 22-Inch Cast Iron 4-Hole Undermount Single Bowl Apron Front Kitchen Sink

- Cast Iron Single Bowl Apron Front Sink
- 8-7/8" (225 mm) depth
- Undermount installation
- 4 oversized holes
- Lustrous Brilliant White finish
- 36" minimum cabinet base required
- Limited Lifetime Warranty

Nominal Dimensions:

22-3/16 in x 33-1/16 in x 8-13/16 in (563 mm x 839 mm x $\,$ 223 mm)

Bowl Size:

29-1/8 in (wide) 15 in (front to back) 8-3/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Delancey® 33 x 22-Inch Cast Iron 4-Hole Undermount Single-Bowl Apron Front Kitchen Sink	176 lb 79.9 kg	77SB33220A.308	Brilliant White	1,493
Optional Components:				
Delancey® 33-Inch Single Bowl Apron Front Kitchen Sink Grid	2 lb 1.1 kg	8418000.075	Stainless Steel	183
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33

Delancey®



Delancey® 30 x 22-Inch Cast Iron 4-Hole Undermount Single Bowl Apron Front Kitchen Sink

- Single bowl sink
- 8-7/8" (25 mm) depth
- Undermount installation
- 4 oversized holes
- Lustrous Brilliant White finish
- 33" minimum cabinet base required
- Cast Iron Single Bowl Apron Front Sink
- Brilliant White Finish
- Undermount Installation
- Limited Lifetime Warranty

Nominal Dimensions:

22-1/16 in x 30 in x 8-13/16 in (560 mm x 762 mm x 223 mm)

Bowl Size:

26-1/16 in (wide) 15-3/8 in (front to back) 8-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Delancey® 30 x 22-Inch Cast Iron 4-Hole Undermount Single-Bowl Apron Front Kitchen Sink	139 lb 63.1 kg	77SB30220A.308	Brilliant White	1,442
Optional Components:				
Delancey® 30-Inch Single Bowl Kitchen Sink Grid	2 lb 1.1 kg	8432000.075	Stainless Steel	171
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Delancey® 36 x 22-Inch Cast Iron 4-Hole Undermount Double Bowl Apron Front Kitchen Sink

- Cast Iron Double Bowl Apron Front Sink
- 8-7/8" (225 mm) depth
- Under mount installation
- 4 oversized holes
- Lustrous Brilliant white finish
- •39" (991 mm) minimum cabinet base required
- Limited Lifetime Warranty

Nominal Dimensions:

22-1/16 in x 36 in x 8-13/16 in (560 mm x 914 mm x 223 mm)

Bowl Size:

32-9/16 in (wide) 15-3/8 in (front to back) 8-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Delancey® 36 x 22-Inch Cast Iron 4-Hole Undermount Double-Bowl Apron Front Kitchen Sink	182 lb 82.9 kg	77DB36220A.308	Brilliant White	1,725
Optional Components:				
Delancey® 36-Inch Double Bowl Apron Front Kitchen Sink Grid – Pack of 2	2 lb 1.4 kg	8431000.075	Stainless Steel	235
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33

Delancey®



Delancey® 33 x 22-Inch Cast Iron 4-Hole Undermount Double Bowl Apron Front Kitchen Sink

- Cast Iron Double Bowl Apron Front Sink
- 8-7/8" (225 mm) depth
- Undermount installation
- 4 oversized holes
- · Lustrous Brilliant white finish
- 36" (914 mm) minimum cabinet base required
 Limited Lifetime Warranty

Nominal Dimensions:

22-1/16 in x 33-1/16 in x 8-13/16 in (560 mm x 839 mm x 223 mm)

Bowl Size:

13-7/16 in (wide) 15-1/16 in (front to back) 8-11/16 in (deep)



Net Wt	SKU	Color	List Price
176 lb 79.9 kg	77DB33220A.308	Brilliant White	1,656
2 lb 1.1 kg	8419000.075	Stainless Steel	210
0 lb 0.3 kg	9028000.075	Stainless Steel	33
	176 lb 79.9 kg 2 lb 1.1 kg 0 lb	176 lb 77DB33220A.308 79.9 kg 77DB33220A.308 2 lb 8419000.075 1.1 kg 0 lb 9028000.075	176 lb 77DB33220A.308 Brilliant White 79.9 kg 2 lb 8419000.075 Stainless Steel 1.1 kg 0 lb 9028000.075 Stainless Steel



Delancey® 30 x 19-Inch Cast Iron Undermount Single Bowl Kitchen Sink

- Single bowl sink
- Undermount installation
- Lustrous Brilliant White finish
- 33" (838 mm) minimum cabinet base required
- Limited Lifetime Warranty

Nominal Dimensions:

19 in x 30 in x 8-3/4 in (482 mm x 762 mm x 222 mm)

Bowl Size:

26-1/16 in (wide) 15-3/8 in (front to back) 8-11/16 in (deep)



Description	Net Wt	SKU	Color	List Price
Delancey® 30 x 19-Inch Cast Iron Undermount Single-Bowl Kitchen Sink	97 lb 44.2 kg	77SB30190.308	Brilliant White	998
Optional Components:				
Delancey® 30-Inch Single Bowl Kitchen Sink Grid	2 lb 1.1 kg	8432000.075	Stainless Steel	171
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33

Delancey®



Delancey® 18 x 16-Inch Cast Iron Undermount Single Bowl Kitchen Sink

- Single bowl sink
- Undermount installation
- Lustrous Brilliant White finish
- •21" (533 mm) minimum cabinet base required
- •8" deep bowl
- Undermount Installation
 Minimum 21" (533mm) cabinet required
 Limited Lifetime Warranty

Nominal Dimensions:

16 in x 18 in x 8 in (406 mm x 457 mm x 203 mm)

Bowl Size:

14-13/16 in (wide) 12-13/16 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Delancey® 18 x 16-Inch Cast Iron Undermount Single-Bowl Kitchen Sink	51 lb 23.4 kg	77SB16180.308	Brilliant White	638
Optional Components:				
Delancey® 16 x 18-Inch Single Bowl Cast Iron Kitchen Sink Grid	1 lb 0.5 kg	8422000.075	Stainless Steel	132
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Delancey® 30 x 19-Inch Cast Iron Undermount Double Bowl Kitchen Sink

- Cast Iron Double Bowl Sink
- Under mount installation
- Lustrous Brilliant White finish
 33" (838 mm) minimum cabinet base required
- 8-7/8" deep bowls
- Limited Lifetime Warranty

Nominal Dimensions:

19-1/16 in x 30-1/16 in x 8.85 in (484 mm x 763 mm x 224 mm)

Bowl Size:

11-11/16 in (wide) 15-3/8 in (front to back) 8-11/16 in (deep)





Description	Net Wt	SKU	Color	List Price
Delancey® 30 x 19-Inch Cast Iron Undermount Double-Bowl Kitchen Sink	90 lb 41.0 kg	77DB30190.308	Brilliant White	1,008
Optional Components:				
Delancey® 30 x 19-Inch Double Bowl Kitchen Sink Grid – Pack of 2	2 lb 1.0 kg	8433000.075	Stainless Steel	210
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33





Quince® 33 x 22-Inch Cast Iron 3-Hole Drop-In Single Bowl Kitchen Sink

- Cast Iron Single Bowl Sink
- Convenient drop-in installation
- Lustrous Brilliant White finish
- 3-hole
- Offset drain
- 36" (914 mm) minimum cabinet base required
 9-3/8" deep bowl
- Limited Lifetime Warranty

Nominal Dimensions:

22-1/16 in x 33 in x 9-15/16 in (560 mm x 838 mm x 252 mm)

Bowl Size:

30-1/4 in (wide) 19-5/16 in (front to back) 9-3/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Quince® 33 x 22-Inch Cast Iron 3-Hole Drop-In Single-Bowl Kitchen Sink	105 lb 47.7 kg	77SB33223.308	Brilliant White	769
Optional Components:				
Quince® 33 x 22-Inch Single Bowl Kitchen Sink Grid	3 lb 1.4 kg	8415000.075	Stainless Steel	171
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Quince $^{\circ}$ 25 x 22-Inch Cast Iron 3-Hole Drop-In Single Bowl Kitchen Sink

- Single bowl sink
- Convenient drop-in installation
 Lustrous Brilliant White finish
- 3-hole drop-in sink
- •27" (686 mm) minimum cabinet base required
- Cast Iron Single Bowl Sink
- 3 hole
- •9" deep bowl
- Limited Lifetime Warranty

Nominal Dimensions:

21-15/16 in x 25 in x 8-7/8 in (557 mm x 635 mm x 225 mm)

21-7/16 in (wide) 15-3/4 in (front to back) 8-7/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Quince® 25 x 22-Inch Cast Iron 3-Hole Drop-In Single-Bowl Kitchen Sink	73 lb 33.2 kg	77SB25223.308	Brilliant White	668
Optional Components:				
Quince® 25 x 22-Inch Single Bowl Kitchen Sink Grid	1 lb 0.8 kg	8414000.075	Stainless Steel	157
Waste Fitting	0 lb 0.3 ka	9028000.075	Stainless Steel	33



Quince® 25 x 22-Inch Cast Iron 4-Hole Drop In Single Bowl Kitchen Sink

- Single bowl sink
- Convenient drop-in installation
- Lustrous brilliant white finish
- 4-hole drop-in sink
- •27" (686 mm) minimum cabinet base required
- Cast iron single bowl sink
- 4 hole
- •9" deep bowl
- Limited Lifetime Warranty

Nominal Dimensions:

25 in x 21-15/16 in x 8-7/8 in (635 mm x 557 mm x 225 mm)

Bowl Size:

21-7/16 in (wide) 15-3/4 in (front to back)



Description	Net Wt	SKU	Color	List Price
Quince® 25 x 22-Inch Cast Iron 4-Hole Drop-In Single-Bowl Kitchen Sink	73 lb 33.2 kg	77SB25224.308	Brilliant White	668
Optional Components:				
Quince® 25 x 22-Inch Single Bowl Kitchen Sink Grid	1 lb 0.8 kg	8414000.075	Stainless Steel	157
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Quince® 33 x 22-Inch Cast Iron 3-Hole Drop In or Undercounter Double Bowl Kitchen Sink

- Cast Iron Double Bowl Sink
- Convenient drop-in or undercounter installation
- Lustrous Brilliant White finish
- 3-hole drop-in or undercounter
- Offset drain
- •36" (914 mm) minimum cabinet base required
- •9" deep bowls
- Limited Lifetime Warranty

Nominal Dimensions:

22-1/4 in x 32-15/16 in x 9 in (565 mm x 836 mm x 228 mm)

Bowl Size:

13-1/2 in (wide) 16-1/8 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Quince® 33 x 22-Inch Cast Iron 3-Hole Drop-In or Undercounter Double-Bowl Kitchen Sink	108 lb 49.2 kg	77DB33223.308	Brilliant White	897
Optional Components:				
Quince® 33 x 22-Inch Double Bowl Kitchen Sink Grid – Set of 2	2 lb 1.2 kg	8416000.075	Stainless Steel	210
Waste Fitting	0 lb 0.3 ka	9028000.075	Stainless Steel	33





Quince® 33 x 22-Inch Cast Iron 4-Hole Drop In or Undercounter Double Bowl Kitchen Sink

- Cast iron double bowl sink
- Convenient drop-in or undercounter installation
- Lustrous brilliant white finish
- 4-hole drop-in or undercounter sink
- Offset drain
- 36" (914 mm) minimum cabinet base required
- •9" deep bowls
- Limited Lifetime Warranty

Nominal Dimensions:

32-15/16 in x 22-1/4 in x 9 in (836 mm x 565 mm x 228 mm)

Bowl Size:

13-1/2 in (wide) 16-1/8 in (front to back)



Description	Net Wt	SKU	Color	List Price
Quince® 33 x 22-Inch Cast Iron 4-Hole Drop-In or Undercounter Double-Bowl Kitchen Sink	108 lb 49.2 kg	77DB33224.308	Brilliant White	897
Optional Components:				
Quince® 33 x 22-Inch Double Bowl Kitchen Sink Grid – Set of 2	2 lb 1.2 kg	8416000.075	Stainless Steel	210
Waste Fitting	0 lb 0.3 ka	9028000.075	Stainless Steel	33

AmericanStandard.com List Price Guide 2024-1



Chive® 33 x 22-Inch Stainless Steel Workstation Kitchen Sink

- 18 gauge stainless steel
- 33" x 22" x 9" (838 x 558 x 229 mm)
- Single Bowl Sink with 2-step design to slide accessories side to side
- Undermount or flush mount installation
- •36" (914 mm) cabinet required
- Includes bamboo cutting board, stainless steel colander and second bowl with drain, waste fitting, bottom grid, mounting hardware and installation instructions
 SoundSecure™ sound pads
 StoneLock™ multi-layer spray insulation covers the underside to further help with sound absorption and to minimize
- condensation and vibration
- Limited Lifetime Warranty

Nominal Dimensions:

33 in x 22 in x 9 in (838 mm x 558 mm x 228 mm)

Bowl Size:

30-1/4 in (wide) 16-1/2 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Chive® 33 x 22-Inch Stainless Steel Workstation Kitchen Sink	35 lb 15.9 kg	18SB9332211WS.075	Stainless Steel	1,049
Separate Components:				
16 x 29-Inch Stainless Steel Kitchen Sink Grid	2 lb 1.0 kg	7434000.075	Stainless Steel	199
Undermount Sink Clips	0 lb	>791676-100.0070A	No Finish	13
Waste Fitting	– 0.3 kg -	9028000.075	Stainless Steel	33



Pekoe® 33 x 22-Inch Stainless Steel Single Bowl Farmhouse Apron Front Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl apron sink
- 10 mm radius corners
- •9" (229 mm) deep bowl
- Undermount or flush mount installation
- SoundSecure[™] sound pads
- StoneLock™ undercoating
- Bottom grid included
 Waste fitting included
- Limited Lifetime Warranty

Nominal Dimensions:

22 in x 33 in x 9 in (558 mm x 838 mm x 228 mm)

Bowl Size:

30-1/4 in (wide) 16-1/2 in (front to back) 9 in (deep)



Net Wt	SKU	Color	List Price
35 lb 16.2 kg	18SB.9332200A.075	Stainless Steel	981
2 lb 1.0 kg	7434000.075	Stainless Steel	199
0 lb 0.3 kg	9028000.075	Stainless Steel	33
	35 lb 16.2 kg 2 lb 1.0 kg 0 lb	35 lb 18SB.9332200A.075 16.2 kg 18SB.9332200A.075 2 lb 7434000.075 1.0 kg 0 lb 9028000.075	35 lb 18SB.9332200A.075 Stainless Steel 2 lb 7434000.075 Stainless Steel 1.0 kg 0 lb 9028000.075 Stainless Steel



Pekoe® 30 x 22-Inch Stainless Steel Single Bowl Farmhouse Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl apron sink
- 10 mm radius corners
- •9" (229 mm) deep bowl
- Undermount or flush mount installation
- SoundSecure[™] sound pads
- StoneLock[™] undercoating
- Bottom grid included
- Waste fitting included
- Limited Lifetime Warranty

Nominal Dimensions:

22 in x 30 in x 9 in (558 mm x 762 mm x 228 mm)

27-1/4 in (wide) 16-1/2 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Pekoe® 30 x 22-Inch Stainless Steel Single-Bowl Farmhouse Kitchen Sink	33 lb 15.2 kg	18SB.9302200A.075	Stainless Steel	948
Separate Components:				
Pekoe® 30-Inch Single Bowl Kitchen Sink Grid	4 lb 2.0 kg	>7302361-401.0750A	Stainless Steel	141
Waste Fitting	0 lb 0.3 ka	9028000.075	Stainless Steel	33



Pekoe® 35 x 18-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl
- 10 mm radius corners
- Extra deep 10" (254 mm) bowl
- Undermount sink
- SoundSecure[™] sound pads
 StoneLock[™] undercoating
- Bottom grid included
- Waste fitting included
- Sink clips Included

Nominal Dimensions:

18 in x 35 in x 10 in (457 mm x 889 mm x 254 mm)

Bowl Size:

33 in (wide) 16 in (front to back) 10 in (deep)



Description	Net Wt	SKU	Color	List Price
Pekoe® 35 x 18-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink	27 lb 12.5 kg	18SB.10351800.075	Stainless Steel	901
Separate Components:				
Pekoe® 35-Inch Single Bowl Kitchen Sink Grid	5 lb 2.6 kg	>7302286-401.0750A	Stainless Steel	90
Undermount Sink Clips	0 lb	>791676-100.0070A	No Finish	13
Waste Fitting	- 0.3 kg -	9028000.075	Stainless Steel	33



Pekoe® 23 x 18-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl
- 10 mm radius corners
- Extra deep 10" (254 mm) bowl
- Undermount sink
- SoundSecure[™] sound pads
- StoneLock[™] undercoating
- Bottom grid included
- Waste fitting included
- Sink clips Included

Nominal Dimensions:

18 in x 23 in x 10 in (457 mm x 584 mm x 254 mm)

21 in (wide) 16 in (front to back) 10 in (deep)



Description	Net Wt	SKU	Color	List Price
Pekoe® 23 x 18-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink	20 lb 9.2 kg	18SB.10231800.075	Stainless Steel	798
Separate Components:				
Pekoe® 23-Inch Single Bowl Kitchen Sink Grid	2 lb 1.2 kg	>7302282-401.0750A	Stainless Steel	69
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	- 0.3 kg -	9028000.075	Stainless Steel	33



Pekoe® 17 x 17-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl
- 10 mm radius corners
- •8" (203 mm) deep bowl
- Undermount sink
- SoundSecure™ sound pads
- StoneLock[™] undercoating
- Bottom grid included
 Waste fitting included
- Sink clips Included

Nominal Dimensions:

17 in x 17 in x 8 in (431 mm x 431 mm x 203 mm)

Bowl Size:

15 in (wide) 15 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Pekoe® 17 x 17-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink	14 lb 6.4 kg	18SB.8171700.075	Stainless Steel	666
Separate Components:				
Pekoe® 17-Inch Single Bowl Kitchen Sink Grid	1 lb 0.8 kg	>7302288-401.0750A	Stainless Steel	58
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	- 0.3 kg -	9028000.075	Stainless Steel	33



Pekoe® 35 x 18-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated double bowl
- 10 mm radius corners
- •9" (229 mm) deep bowls
- Undermount sink
- SoundSecure+[™] sound pads
 StoneLock[™] undercoating
- Two bottom grids included
- Two waste fittings included
- Sink clips included
- Includes (2) 9028000.075 Drains
- Installation hardware, cutout template and instructions included

Nominal Dimensions:

18 in x 35 in x 9 in (457 mm x 889 mm x 228 mm)

33 in (wide) 16 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Pekoe® 35 x 18-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink	30 lb 13.9 kg	18DB.9351800.075	Stainless Steel	926
Separate Components:				
Pekoe® 35-Inch Double Bowl Kitchen Sink Grid	4 lb 1.8 kg	>7302285-401.0750A	No Finish	117
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	- 0.3 kg -	9028000.075	Stainless Steel	33



Pekoe® 35 x 18-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated offset double bowls
- 10 mm radius corners
- •9" (229 mm) deep bowls
- Undermount sink
- SoundSecure+[™] sound pads
- StoneLock™ undercoating
 Two bottom grids included
- Two waste fittings included
- Includes (2) 9028000.075 Drains
- Installation hardware, cutout template and instructions included

Nominal Dimensions:

18 in x 35 in x 9 in (457 mm x 889 mm x 228 mm)

Bowl Size:

21 in (wide) 16 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Pekoe® 35 x 18-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink	31 lb 14.2 kg	18CR.9351800.075	Stainless Steel	926
Separate Components:				
Pekoe® 35-Inch Combination Bowl Kitchen Sink Grid	4 lb 1.9 kg	>7302298-401.0750A	No Finish	117
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	- 0.3 kg -	9028000.075	Stainless Steel	33



Pekoe® 29 x 18-Inch Stainless Steel Undermount Double Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated double bowl
- 10 mm radius corners
- 9" (229 mm) deep bowls
- Undermount sink
 SoundSecure+™ sound pads
- StoneLock™ undercoating
- Two bottom grids included
- Two waste fittings included Sink clips included
- Includes (2) 9028000.075 Drains
- Installation hardware, cutout template and instructions included

Nominal Dimensions:

18 in x 29 in x 9 in (457 mm x 736 mm x 228 mm)

Bowl Size:

13 in (wide) 16 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Pekoe® 29 x 18-Inch Stainless Steel Undermount Double Bowl Kitchen Sink	27 lb 12.3 kg	18DB.9291800.075	Stainless Steel	867
Separate Components:				
Pekoe® 29-Inch Double Bowl Kitchen Sink Grid	3 lb 1.6 kg	>7302287-401.0750A	Stainless Steel	96
Undermount Sink Clips	0 lb	>791676-100.0070A	No Finish	13
Waste Fitting	- 0.3 kg -	9028000.075	Stainless Steel	33



Pekoe® 29 x 18-Inch Stainless Steel Undermount Double Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Fabricated double bowl
- 10 mm radius corners
- Offset drains
- •6" (152 mm) deep bowls

- Undermount sink
 SoundSecure+™ sound pads
 StoneLock™ undercoating
 Two bottom grids included
 Includes: 7302287-401.0750A Bottom Grid Set (2) 9028000.075 Waste Fittings 791676-100.0070A Undermount Sink Clips - Cutout template - Installation Instructions

Nominal Dimensions:

18 in x 29 in x 6 in (457 mm x 736 mm x 152 mm)

Bowl Size:

27 in (wide) 16 in (front to back) 6 in (deep)



21 m (mas) 10 m (mant to basis) 5 m (dosp)				
Description	Net Wt	SKU	Color	List Price
Pekoe® 29 x 18-Inch Stainless Steel Undermount Double-Bowl ADA Kitchen Sink	22 lb 10.4 kg	18DB6291800.075	Stainless Steel	836
Separate Components:				
Pekoe® 29-Inch Double Bowl Kitchen Sink Grid	3 lb 1.6 kg	>7302287-401.0750A	Stainless Steel	96
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	- 0.3 kg -	9028000.075	Stainless Steel	33

Edgewater®



Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl sink
- 9" (229 mm) deep bowl
- Dual mount sink (top or under)
- Zero radius corners
- SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- Bottom grid included
- Waste fitting included
- •36" (914 mm) cabinet required

Nominal Dimensions:

22 in x 33 in x 9 in (558 mm x 838 mm x 228 mm)

30-1/4 in (wide) 16-1/2 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Single-Bowl Kitchen Sink	28 lb 12.7 kg	18SB.9332211.075	Stainless Steel	705
Separate Components:				
16 x 29-Inch Stainless Steel Kitchen Sink Grid	2 lb 1.0 kg	7434000.075	Stainless Steel	199
Undermount Sink Clips	0 lb 0.3 kg	>791676-100.0070A	No Finish	13
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Single Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl
- •6" (152 mm) deep bowl
- Offset drain
- Dual mount sink (top or under)
- Zero radius corners
 SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- Bottom grid included
- •36" (914 mm) cabinet required

Nominal Dimensions:

22 in x 33 in x 6 in (558 mm x 838 mm x 152 mm)

30-1/4 in (wide) 16-9/16 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Single-Bowl ADA Kitchen Sink	24 lb 11.2 kg	18SB6332211.075	Stainless Steel	692
Separate Components:				
16 x 29-Inch Stainless Steel Kitchen Sink Grid	2 lb 1.0 kg	7434000.075	Stainless Steel	199
Undermount Sink Clips	0 lb 0.3 kg	⊳791676-100.0070A	No Finish	13
Top Mount Sink Clips	0 lb 0.2 kg	⊳791637-100.0070A	No Finish	13
Waste Fitting	0 lb	9028000.075	Stainless Steel	33

Edgewater®



Edgewater® 25 x 22-Inch Stainless Steel 1-Hole Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl sink
- •9" (229 mm) deep bowl
- Dual mount sink (top or under)
- Zero radius corners
- SoundSecure+[™] sound pads
 StoneLock[™] undercoating
- Bottom grid included
- Waste fitting included
- •27" (686 mm) cabinet required

Nominal Dimensions:

22 in x 25 in x 9 in (558 mm x 635 mm x 228 mm)

22-1/4 in (wide) 16-1/2 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgewater® 25 x 22-Inch Stainless Steel 1-Hole Undermount Single-Bowl Kitchen Sink	23 lb 10.5 kg	18SB.9252211.075	Stainless Steel	666
Separate Components:				
Edgewater® 25-Inch Single Bowl Kitchen Sink Grid	2 lb 1.0 kg	>7302289-401.0750A	Stainless Steel	73
Undermount Sink Clips	0 lb 0.3 kg	>791676-100.0070A	No Finish	13
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Edgewater® 25 x 22-Inch Stainless Steel 1-Hole Dual Mount Single Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl
- •6" (152 mm) deep bowl
- Offset drain
- Dual mount sink (top or under)
- Zero radius corners
 SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- Waste fitting included
- •29" (737 mm) cabinet required

Nominal Dimensions:

22 in x 25 in x 6 in (558 mm x 635 mm x 152 mm)

Bowl Size:

22-1/4 in (wide) 16-9/16 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgewater® 25 x 22-Inch Stainless Steel 1-Hole Dual Mount Single-Bowl ADA Kitchen Sink	20 lb 9.1 kg	18SB6252211.075	Stainless Steel	720
Separate Components:				
Edgewater® 25-Inch Single Bowl Kitchen Sink Grid	2 lb 1.0 kg	>7302289-401.0750A	Stainless Steel	73
Undermount Sink Clips	0 lb 0.3 kg	⊳791676-100.0070A	No Finish	13
Top Mount Sink Clips	0 lb 0.2 kg	⊳791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33

Parts Program (Non-Premier)

Edgewater®



Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Double-Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated double bowl
- 9" (229 mm) deep bowls
- Dual mount sink (top or under)
- Zero radius corners
- SoundSecure[™] sound pads
- StoneLock[™] undercoating
- Two bottom grids included Two waste fittings included
- •36" (914 mm) cabinet required

Nominal Dimensions:

22 in x 33 in x 9 in (558 mm x 838 mm x 228 mm)

14-5/8 in (wide) 16-5/8 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Double-Bowl Kitchen Sink	33 lb 15.0 kg	18DB.9332211.075	Stainless Steel	728
Separate Components:				
Edgewater® 25-Inch Double Bowl Kitchen Sink Grid	3 lb 1.7 kg	>7302290-401.0750A	Stainless Steel	155
Undermount Sink Clips	0 lb 0.3 kg	>791676-100.0070A	No Finish	13
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Double Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Fabricated double bowl
- •6" (152 mm) deep bowls
- Offset drain
- Dual mount sink (top or under)
- Zero radius corners
- SoundSecure[™] sound pads
- StoneLock[™] undercoating
- Two bottom grids included
- •36" (914 mm) cabinet required

Nominal Dimensions:

22 in x 32-11/16 in x 6 in (558 mm x 830 mm x 152 mm)

30-1/4 in (wide) 16-9/16 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Double-Bowl ADA Kitchen Sink	29 lb 13.3 kg	18DB6332211.075	Stainless Steel	765
Separate Components:				
Edgewater® 25-Inch Double Bowl Kitchen Sink Grid	3 lb 1.7 kg	>7302290-401.0750A	Stainless Steel	155
Undermount Sink Clips	0 lb 0.3 kg	>791676-100.0070A	No Finish	13
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33

▷ Parts Program (Non-Premier)



Portsmouth® 30 x 18-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Stamped single bowl
- •9" (229 mm) deep bowl
- Undermount sink
- SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- Waste fitting included
- Sink clips included
- Includes 9028000.075 drain
- •36" (914 mm) cabinet required

Nominal Dimensions:

18 in x 30 in x 9 in (457 mm x 762 mm x 228 mm)

Bowl Size:

27-3/4 in (wide) 16-1/4 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 30 x 18-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink	13 lb 6.3 kg	18SB.9301800S.075	Stainless Steel	666
Separate Components:				
Undermount Sink Clips	0 lb 0.3 kg -	>791676-100.0070A	No Finish	13
Waste Fitting		9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Bottom Sink Grid 30 x 18-In.	2 lb 1.1 kg	8459.301800.075	Stainless Steel	161



Portsmouth® 30 x 18-Inch Stainless Steel Undermount Single Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Stamped single bowl
 6" (152 mm) deep bowl
 Offset drain
- Undermount sink
- SoundSecure+[™] sound pads
- StoneLock™ undercoating
- Waste fitting included
- Sink clips included
- •33" (838 mm) cabinet required

Nominal Dimensions:

18 in x 29-3/4 in x 6 in (457 mm x 755 mm x 152 mm)

Bowl Size:

27-3/4 in (wide) 16-1/8 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 30 x 18-Inch Stainless Steel Undermount Single-Bowl ADA Kitchen Sink	12 lb 5.8 kg	18SB6301800S.075	Stainless Steel	621
Separate Components:				
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	— 0.3 kg —	9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Bottom Sink Grid 30 x 18-In.	2 lb 1.1 kg	8459.301800.075	Stainless Steel	161



Portsmouth® 23 x 18-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Stamped single bowl
- 9" (229 mm) deep bowl
- Undermount sink can be reveal or flush
- SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- Waste fitting included
- Sink clips included
- Includes 9028000.075 drain
- •30" (762 mm) cabinet required

Nominal Dimensions:

17-3/4 in x 23-3/8 in x 9-1/16 in (450 mm x 593 mm x 230 mm)

21-7/16 in (wide) 15-3/4 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 23 x 18-Inch Stainless Steel	10 lb	18SB.9231800S.075	Stainless Steel	533
Undermount Single-Bowl Kitchen Sink	4.9 kg			
Separate Components:				
Undermount Sink Clips	0 lb 0.3 kg	>791676-100.0070A	No Finish	13
Waste Fitting		9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Bottom Sink Grid 23 x 18-In.	1 lb 0.9 kg	8452.231700.075	Stainless Steel	140



Portsmouth® 23 x 18-Inch Stainless Steel Undermount Single Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Stamped single bowl
- •6" (152 mm) deep bowl
- Undermount sink
- SoundSecure+[™] sound pads
 StoneLock[™] undercoating
- Waste fitting included
- Sink clips included
- •26" (660 mm) cabinet required
- Cutout template and instructions included

Nominal Dimensions:

17-3/4 in x 23-3/8 in x 6 in (450 mm x 593 mm x 152 mm)

Bowl Size:

21-7/16 in (wide) 15-13/16 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 23 x 18-Inch Stainless Steel Undermount Single-Bowl ADA Kitchen Sink	9 lb 4.1 kg	18SB6231800S.075	Stainless Steel	495
Separate Components:				
Undermount Sink Clips	0 lb 0.3 kg	⊳791676-100.0070A	No Finish	13
Waste Fitting		9028000.075	Stainless Steel	33



Portsmouth® 23 x 21-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Stamped single bowl
- 9" (229 mm) deep bowl
- Undermount sink
- SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- Waste fitting included
- Sink clips included
- Includes 9028000.075 drain
- •30" (762 mm) cabinet required

Nominal Dimensions:

21 in x 23 in x 8 in (533 mm x 584 mm x 203 mm)

Bowl Size:

18-7/8 in (wide) 21-1/4 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 23 x 21-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink	11 lb 5.1 kg	18SB.9232100S.075	Stainless Steel	560
Separate Components:				
Undermount Sink Clips	0 lb	>791676-100.0070A	No Finish	13
Waste Fitting	—— 0.3 kg	9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Bottom Sink Grid 23 x 21-In.	2 lb 1.0 kg	8449.232100D.075	Stainless Steel	126



Portsmouth® 18 x 16-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steelStamped single bowl9" (229 mm) deep bowl
- Undermount sink
 SoundSecure+™ sound pads
 StoneLock™ undercoating
- Waste fitting included
- Sink clips included
- Includes 9028000.075 drain
- •21" (533 mm) cabinet required

Nominal Dimensions:

15-15/16 in x 17-13/16 in x 9 in (404 mm x 452 mm x 228 mm)

Bowl Size:

15-13/16 in (wide) 13-15/16 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 18 x 16-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink	8 lb 3.8 kg	18SB.9181600S.075	Stainless Steel	507
Separate Components:				
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	—— 0.3 kg	9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Bottom Sink Grid 16 x 18-In.	1 lb 0.6 kg	8448.181600.075	Stainless Steel	126



Portsmouth® 18 x 16-Inch Stainless Steel Undermount Single Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Stamped single bowl
- 6" (152 mm) deep bowl
- Undermount sink
- SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- Waste fitting included
- Sink clips included
- •21" (533 mm) cabinet required
- Cutout template and instructions included

Nominal Dimensions:

15-15/16 in x 17-13/16 in x 6 in (404 mm x 452 mm x 152 mm)

15-7/8 in (wide) 13-15/16 in (front to back) 6 in (deep)



Net Wt	SKU	Color	List Price
7 lb 3.3 kg	18SB6181600S.075	Stainless Steel	471
0 lb	⊳791676-100.0070A	No Finish	13
— 0.3 кg -	9028000.075	Stainless Steel	33
1 lb 0.6 kg	8448.181600.075	Stainless Steel	126
	7 lb 3.3 kg 0 lb 0.3 kg	7 lb 18SB6181600S.075 3.3 kg	7 lb 3.3 kg 18SB6181600S.075 Stainless Steel 0 lb



Portsmouth® 16 x 16-Inch Stainless Steel Undermount Round Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Stamped single bowl
- 7" (178 mm) deep bowl
- Undermount sink
- SoundSecure+[™] sound pads StoneLock[™] undercoating
- Waste fitting included
- Sink clips included
- Includes drain and strainer
- Limited Lifetime warranty on sink 1 year Limited warranty on all accessories

Nominal Dimensions:

16-3/8 in x 16-3/8 in x 7 in (415 mm x 415 mm x 177 mm)

Bowl Size:

14-1/4 in (wide) 14-1/4 in (front to back) 7 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 16 x 16-Inch Stainless Steel Undermount Round Single-Bowl Kitchen Sink	6 lb 3.0 kg	18SB.7001600S.075	Stainless Steel	400
Separate Components:				
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	— 0.3 kg	9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth® 16-Inch Round Bar Sink Grid	1 lb 0.5 ka	8442.001600.075	Stainless Steel	112



Portsmouth® 32 x 18-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink

- 18 gauge stainless steel
- Stamped double bowl
- 9" (229 mm) deep bowls
- Undermount sink
- SoundSecure[™] sound pads
- StoneLock[™] undercoating
- Two waste fittings included
- Sink clips included
- Includes (2) 9028000.075 drains
- •36" (914 mm) cabinet required

Nominal Dimensions:

18-1/2 in x 32-1/4 in x 9 in (469 mm x 819 mm x 228 mm)

Bowl Size:

14-5/8 in (wide) 16-5/8 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 32 x 18-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink	14 lb 6.6 kg	18DB.9311800S.075	Stainless Steel	733
Separate Components:				
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	—— 0.3 kg -	9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Bottom Sink Grid 32 x 18-In.	1 lb 0.6 kg	8447.311800.075	Stainless Steel	107



Portsmouth® 32 x 18-Inch Stainless Steel Undermount Double Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Stamped double bowl
- •6" (152 mm) deep bowls
- Offset drain
- Undermount sink
- SoundSecure[™] sound pads
- StoneLock[™] undercoating
- Two waste fittings included
- Sink clips included
- •36" (914 mm) cabinet required

Nominal Dimensions:

18-1/2 in x 32-5/16 in x 6 in (469 mm x 820 mm x 152 mm)

Bowl Size:

14-3/4 in (wide) 16-5/8 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 32 x 18-Inch Stainless Steel Undermount Double-Bowl ADA Kitchen Sink	13 lb 6.3 kg	18DB6311800S.075	Stainless Steel	647
Separate Components:				
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	— 0.3 kg	9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Bottom Sink Grid 32 x 18-In.	1 lb 0.6 ka	8447.311800.075	Stainless Steel	107

Portsmouth®



Portsmouth® 32 x 21-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink

- 18 gauge stainless steel
- Stamped offset double bowl
- 9" (229 mm) deep bowl (left)
- 7-1/2" (191 mm) deep bowl (right)
- Undermount sink
- SoundSecure[™] sound pads
- StoneLock™ undercoating Two waste fittings included Sink clips included

- •36" (914 mm) cabinet required

Nominal Dimensions:

20-1/2 in x 31-1/2 in x 9 in (520 mm x 800 mm x 228 mm)

15-1/2 in (wide) 18-5/8 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 32 x 21-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink	15 lb 6.9 kg	18CR.9322100S.075	Stainless Steel	733
Separate Components:				
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	—— 0.3 kg -	9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Left Side Sink Grid 32-Inch	1 lb 0.8 kg	8446.312000L.075	Stainless Steel	107
Portsmouth Right Side Sink Grid 32-Inch	1 lb 0.6 kg	8446.312000S.075	Stainless Steel	93



Hillsdale® 33 x 22-Inch Stainless Steel Drop-In or Undermount Single-Bowl Kitchen Sink

- Single bowl sink
- Coordinating pull-down faucet, sold separately
 Installation instructions and cutout template
- Top mount installation hardware
 Ogauge Stainless Steel
 18-10 Chrome Nickel content
 Dual mount installation

- 36" (914 mm) cabinet required Limited lifetime warranty

Nominal Dimensions:

22 in x 33 in (558 mm x 838 mm)

29-9/16 in (wide) 18-9/16 in (front to back) 9 in (deep)

Description	Net Wt	SKU	Color	List Price
Hillsdale® 33 x 22-Inch Stainless Steel Drop-In or Undermount Single-Bowl Kitchen Sink	14 lb 6.5 kg	20SB.332211B.075	Stainless Steel	506
Separate Components:				
Top Mount Sink Clips	0 lb 0.2 kg	⊳791637-100.0070A	No Finish	13
Optional Components:				
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Reliant® 30 x 18-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Stamped single bowl
- •9" (229 mm) deep bowl
- Undermount sink
- SoundSecure+[™] sound pads
- StoneLock™ undercoating Waste fitting included
- Sink clips included
- Includes 9028000.075 drain
- •36" (914 mm) cabinet required

Nominal Dimensions:

18 in x 30 in x 9 in (457 mm x 762 mm x 228 mm)

Bowl Size:

30 in (wide) 15-15/16 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Reliant® 30 x 18-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink	13 lb 6.1 kg	18SB.9301800T.075	Stainless Steel	400
Separate Components:				
Undermount Sink Clips	0 lb	>791676-100.0070A	No Finish	13
Waste Fitting	0.3 kg	9028000.075	Stainless Steel	33

Reliant® 32 x 18-Inch Stainless Steel Undermount Double Bowl Kitchen Sink





- 9" (229 mm) deep bowls
- Undermount sink
- SoundSecure[™] sound pads


- StoneLock™ undercoating Two waste fittings included
- Sink clips included
- Includes (2) 9028000.075 drains
- 36" (914 mm) cabinet required

Nominal Dimensions:

18 in x 32 in x 9 in (457 mm x 812 mm x 228 mm)

28-7/8 in (wide) 16 in (front to back) 9 in (deep)

Description	Net Wt	SKU	Color	List Price
Reliant® 32 x 18-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink	14 lb 6.6 kg	18DB.9321800T.075	Stainless Steel	434
Separate Components:				
Undermount Sink Clips	0 lb 0.3 kg	791676-100.0070A	No Finish	13
Waste Fitting		9028000.075	Stainless Steel	33







Reliant® 31 x 20-Inch Stainless Steel Undermount Double Bowl Kitchen Sink

- 18 gauge stainless steelStamped offset double bowl9" (229 mm) deep bowls
- Undermount sink
- SoundSecure[™] sound pads

- StoneLock™ undercoating
 Sink clips included
 Includes (2) 9028000.075 drains
 36" (914 mm) cabinet required

Nominal Dimensions:

20 in x 31 in x 9 in (508 mm x 787 mm x 228 mm)

15-5/16 in (wide) 18 in (front to back) 7-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Reliant® 31 x 20-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink	15 lb 6.9 kg	18CR.9312000T.075	Stainless Steel	434
Separate Components:				
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	0.3 kg -	9028000.075	Stainless Steel	33
Optional Components:				
Stainless Steel Kitchen Sink Grid - Pack of 2	2 lb 0.9 kg	7433000.075	Stainless Steel	215



Colony® 25 x 22-Inch Stainless Steel Single Bowl Kitchen Sink With Colony® PRO Single Control Faucet System

- 20 gauge stainless steel
- Stamped single bowl
- •8" (203 mm) deep bowl
- Top mount 3-hole sink
- SoundSecure+[™] sound pads
- StoneLock™ undercoating
- Waste fitting & sink clips included
- •27" (686mm) cabinet required

Nominal Dimensions:

22-1/16 in x 25 in x 8 in (560 mm x 635 mm x 203 mm)

Bowl Size:

15-3/4 in (wide) 21-1/4 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 25 x 22-Inch Stainless Steel Single-Bowl Kitchen Sink With Colony® PRO Single Control Faucet System	13 lb 6.0 kg	20SB.8252283C.075	Stainless Steel	441
Separate Components:				
Colony® 25 x 22-Inch Stainless Steel 3-Hole Topmount Single-Bowl Kitchen Sink	10 lb 4.7 kg	20SB.8252283S.075	Stainless Steel	327
Colony® PRO Single-Handle Kitchen Faucet 1.5 gpm/5.7 L/min	3 lb 1.5 kg	7074000.075	Stainless Steel	186
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Colony® 25 x 22-Inch Stainless Steel Single Bowl ADA Kitchen Sink With Colony® PRO Single Control Faucet System

- 22 gauge stainless steel
- Stamped single bowl
- •6" (152 mm) deep bowl
- Top mount 3-hole sink
- SoundSecure+[™] sound pads
 StoneLock[™] undercoating
- Waste fitting & sink clips included
- •27" (686 mm) cabinet required

Nominal Dimensions:

22 in x 25 in x 6 in (558 mm x 635 mm x 152 mm)

15-3/4 in (wide) 21-1/4 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 25 x 22-Inch Stainless Steel Single- Bowl ADA Kitchen Sink With Colony® PRO Single Control Faucet System	11 lb 5.2 kg	22SB.6252283C.075	Stainless Steel	394
Separate Components:				
Colony® 25 x 22-Inch Stainless Steel 3-Hole Top Mount Single-Bowl ADA Kitchen Sink	8 lb 3.8 kg	22SB.6252283S.075	Stainless Steel	268
Colony® PRO Single-Handle Kitchen Faucet 1.5 gpm/5.7 L/min	3 lb 1.5 kg	7074000.075	Stainless Steel	186
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Colony® 33 x 22-Inch Stainless Steel 3-Hole Top Mount Double Bowl Kitchen Sink With Colony® PRO Single Control Faucet System

- 20 gauge stainless steel
- Stamped double bowl
- •8" (203 mm) deep bowls •Top mount 3-hole sink
- SoundSecure[™] sound pads
- StoneLock™ undercoating
 Two waste fittings & sink clips included
- •36" (914 mm) cabinet required

Nominal Dimensions:

21-15/16 in x 32-15/16 in x 8 in (557 mm x 836 mm x 203 mm)

16 in (wide) 14 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 33 x 22-Inch Stainless Steel 3-Hole Topmount Double-Bowl Kitchen Sink With Colony® PRO Single Control Faucet System	18 lb 8.5 kg	20DB.8332283C.075	Stainless Steel	486
Separate Components:				
Colony® 33 x 22-Inch Stainless Steel 3-Hole Topmount Double-Bowl Kitchen Sink	15 lb 7.1 kg	20DB.8332283S.075	Stainless Steel	347
Colony® PRO Single-Handle Kitchen Faucet 1.5 gpm/5.7 L/min	3 lb 1.5 kg	7074000.075	Stainless Steel	186
Top Mount Sink Clips	0 lb 0.2 kg	⊳791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Colony® 33 x 22-Inch Stainless Steel 3-Hole Top Mount Double Bowl ADA Kitchen Sink With Colony® PRO Single Control Faucet System

- 20 gauge stainless steel
- Stamped double bowl
- •6" (152 mm) deep bowls
- Top mount 3-hole sink SoundSecure™ sound pads StoneLock™ undercoating

- Two waste fittings and sink clips included
- •36" (914 mm) cabinet required

Nominal Dimensions:

21-15/16 in x 32-15/16 in x 6 in (557 mm x 836 mm x 152 mm)

16 in (wide) 14 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 33 x 22-Inch Stainless Steel 3-Hole Top Mount Double-Bowl ADA Kitchen Sink With Colony® PRO Single Control Faucet System	14 lb 6.4 kg	22DB.6332283C.075	Stainless Steel	446
Separate Components:				
Colony® 33 x 22-Inch Stainless Steel 3-Hole Top Mount Double-Bowl ADA Kitchen Sink	11 lb 5.1 kg	22DB.6332283S.075	Stainless Steel	305
Colony® PRO Single-Handle Kitchen Faucet 1.5 gpm/5.7 L/min	3 lb 1.5 kg	7074000.075	Stainless Steel	186
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33

Parts Program (Non-Premier)



Colony® 25 x 22-Inch Stainless Steel 3-Hole Top Mount Single Bowl Kitchen Sink

- 20 gauge stainless steel
 - Stamped single bowl
 - •8" (203 mm) deep bowl
 - Top mount sink
 - SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- Waste fitting & sink clips included
- •27" (686 mm) cabinet required

Nominal Dimensions:

22-1/16 in x 25 in x 8 in (560 mm x 635 mm x 203 mm)

21-3/8 in (wide) 15-11/16 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 25 x 22-Inch Stainless Steel 3-Hole Topmount Single-Bowl Kitchen Sink	10 lb 4.7 kg	20SB.8252283S.075	Stainless Steel	327
Separate Components:				
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Colony® 25 x 22-Inch Stainless Steel 4-Hole Top Mount Single Bowl Kitchen Sink

- 20-gauge stainless steel
- Stamped single bowl
- •8" (203 mm) deep bowl
- Top mount sink SoundSecure+™ sound pads
- StoneLock™ undercoating
- Waste fitting & sink clips included
 27" (686 mm) cabinet required

Nominal Dimensions:

25 in x 22 in x 8 in (635 mm x 558 mm x 203 mm)

21-3/4 in (wide) 15-3/4 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 25 x 22-Inch Stainless Steel 4-Hole Topmount Single-Bowl Kitchen Sink	10 lb 4.7 kg	20SB.8252284S.075	Stainless Steel	327

Colony®



Colony® 25 x 22-Inch Stainless Steel 3-Hole Top Mount Single Bowl ADA Kitchen Sink

- 22 gauge stainless steel
- Stamped single bowl
- •6" (152 mm) deep bowl
- Top mount sink
- SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- · Waste fitting & sink clips included
- •27" (686 mm) cabinet required

Nominal Dimensions:

22-1/16 in x 25 in x 6 in (560 mm x 635 mm x 152 mm)

Bowl Size:

21-1/4 in (wide) 15-1/8 in (front to back) 6 in (deep)



Net Wt	SKU	Color	List Price
8 lb 3.8 kg	22SB.6252283S.075	Stainless Steel	268
0 lb 0.2 kg	⊳791637-100.0070A	No Finish	13
0 lb 0.3 kg	9028000.075	Stainless Steel	33
	8 lb 3.8 kg 0 lb 0.2 kg 0 lb	8 lb 22SB.6252283S.075 3.8 kg 0 1b 2791637-100.0070A 0.2 kg 0 1b 9028000.075	8 lb 22SB.6252283S.075 Stainless Steel 0 lb >791637-100.0070A No Finish 0.2 kg 0 lb 9028000.075 Stainless Steel



Colony® 25 x 22-Inch Stainless Steel 4-Hole Top Mount Single Bowl ADA Kitchen Sink

- 20-gauge stainless steel
- Stamped single bowl
- •6" (152 mm) deep bowl
- Top mount sink
- SoundSecure+™ sound pads
- · Waste fitting & sink clips included
- •27" (686 mm) cabinet required

Nominal Dimensions:

22 in x 25 in x 6 in (558 mm x 635 mm x 152 mm)

21-1/4 in (wide) 15-1/8 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 25 x 22-Inch Stainless Steel 4-Hole Top Mount Single-Bowl ADA Kitchen Sink	8 lb 3.8 kg	22SB.6252284S.075	Stainless Steel	268



Colony® 15 x 15-Inch Stainless Steel 1-Hole Top Mount Single Bowl ADA Kitchen Sink

- 22 gauge stainless steel
- Stamped single bowl6" (152 mm) deep bowl

- Top mount sink SoundSecure+™ sound pads
- StoneLock[™] undercoating
- · Waste fitting & sink clips included
- 18" (457 mm) cabinet required

Nominal Dimensions:

15 in x 15 in x 6 in (381 mm x 381 mm x 152 mm)

Bowl Size:

12-3/8 in (wide) 10-1/8 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 15 x 15-Inch Stainless Steel 1-Hole Top Mount Single-Bowl ADA Kitchen Sink	7 lb 3.4 kg	22SB.6151511S.075	Stainless Steel	200
Separate Components:				
Top Mount Sink Clips	0 lb 0.2 kg	⊳791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33

Parts Program

□ Parts Program (Non-Premier)

americanstandard.com List Price Guide 2024-1

Colony®



Colony® 33 x 22-Inch Stainless Steel 3-Hole Top Mount Double Bowl Kitchen Sink

- 20 gauge stainless steel
- Stamped double bowl
- •8" (203 mm) deep bowls
- Top mount sink
- SoundSecure[™] sound pads
- StoneLock™ undercoating Two waste fittings included
- Sink clips included Includes (2) 9028000.075 drains
- •36" (914 mm) cabinet required

Nominal Dimensions:

21-15/16 in x 32-15/16 in x 8 in (557 mm x 836 mm x 203 mm)

Bowl Size:

14 in (wide) 15-15/16 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 33 x 22-Inch Stainless Steel 3-Hole Topmount Double-Bowl Kitchen Sink	15 lb 7.1 kg	20DB.8332283S.075	Stainless Steel	347
Separate Components:				
Top Mount Sink Clips	0 lb 0.2 kg	⊳791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Colony® 33 x 22-Inch Stainless Steel 4-Hole Top Mount Double Bowl Kitchen Sink

- 20-gauge stainless steel
- Stamped double bow
- •8" (203 mm) deep bowls
- Top mount sink
- SoundSecure[™] sound pads
- StoneLock[™] undercoating
- Two waste fittings included
- Sink clips included
- Includes (2) 9028000.075 drains
- •36" (914 mm) cabinet required

Nominal Dimensions:

32-15/16 in x 21-15/16 in x 8 in (836 mm x 557 mm x 203 mm)

14 in (wide) 15-15/16 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 33 x 22-Inch Stainless Steel 4-Hole Topmount Double-Bowl Kitchen Sink	15 lb 7.1 kg	20DB.8332284S.075	Stainless Steel	347
Separate Components:				
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33

Colony®



Colony® 33 x 22-Inch Stainless Steel 3-Hole Top Mount Double Bowl ADA Kitchen Sink

- 20 gauge stainless steel
- Stamped double bowl
- •6" (152 mm) deep bowls
- Top mount sink
- SoundSecure[™] sound pads
- StoneLock™ undercoating Two waste fittings included
- Sink clips included Includes (2) 9028000.075 drains
- •36" (914 mm) cabinet required

Nominal Dimensions:

21-15/16 in x 32-15/16 in x 6 in (557 mm x 836 mm x 152 mm)

Bowl Size:

14 in (wide) 16 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 33 x 22-Inch Stainless Steel 3-Hole Top Mount Double-Bowl ADA Kitchen Sink	11 lb 5.1 kg	22DB.6332283S.075	Stainless Steel	305
Separate Components:				
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Colony® 33 x 22-Inch Stainless Steel 4-Hole Top Mount Double Bowl ADA Kitchen Sink

- 20 gauge stainless steel
- Stamped double bowl
- •6" (152 mm) deep bowls
- Top mount sink
- SoundSecure™ sound pads StoneLock™ undercoating
- Two waste fittings included
- Sink clips included
- Includes (2) 9028000.075 drains
- •36" (914 mm) cabinet required

Nominal Dimensions:

32-15/16 in x 21-15/16 in x 6 in (836 mm x 557 mm x 152 mm)

14 in (wide) 16 in (front to back) 6 in (deep)



· · · · · · · · · · · · · · · · · · ·				
Description	Net Wt	SKU	Color	List Price
Colony® 33 x 22-Inch Stainless Steel 4-Hole Top Mount Double-Bowl ADA Kitchen Sink	11 lb 5.1 kg	22DB.6332284S.075	Stainless Steel	314
Separate Components:				
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 ka	9028000.075	Stainless Steel	33

Beale® Selectronic® - Hands-Free Technology

Our hands-free, Selectronic technology is now featured on the Beale kitchen faucet. This touchless model offers the unique option of switching to manual operation by simply sliding a movable door to cover the sensor.



Beale Touchless Single-Handle Pull-Down Dual Spray Kitchen Faucet

Hygienic

Helps reduce the risk of cross-contamination while handle and spout remain untouched.

Convenient

Easily access water when hands are full or dirty.

Long lasting

Equipped with 4 AA long-life batteries. AC adaptor available separately.



A movable door changes the faucet from touchless to manual operation in one quick movement. This allows the user to choose when they want to use the touchless option and when they don't.

Beale - MeasureFill® Technology

The Beale MeasureFill Touch kitchen faucet delivers an adjustable set volume of water, on demand, due to its unique MeasureFill technology. Simply set the measuring dial to the desired volume of water (ounces or cups) and activate the water flow via a simple touch on the dial window.



Beale MeasureFill Pull-Down Kitchen Faucet

Ease of use

Makes cooking and baking easier and more convenient.

Less clutter

Helps to reduce clutter in the kitchen by eliminating the need for additional tools.

Touch or manual faucet activation

Activation of regular water flow through a simple touch on the faucet dial or manually via the faucet lever.



MeasureFill Detail

SelectFlo® Multi-Function Spray Technology

With geometric styling and impressive functionality, Edgewater® pull-down kitchen faucets feature an intuitive multi-function sprayer that allows the user to efficiently manage common kitchen tasks. The five-function SelectFlo® spray head includes a stream, spray, jet, mist and pause function. Optional scrub brushes are available to attach directly to the spray head with a simple twist for added cleaning convenience.

Increased functionality

- Four spray functions and pause
- Toggle down into spray mode
- Rotate dial to select spray
- Water will always turn on in STREAM mode

Luxury look and feel

Optional brush attachment

- Connects directly to spray head
- Assists with tough cleaning tasks



Edgewater® SelectFlo Pull-Down Kitchen Faucet



Edgewater Semi-Professional Kitchen Faucet

Select a Spray













AmericanStandard.com List Price Guide 2024-1

Traditional, contemporary or transitional, there's an American Standard faucet to complement every kitchen. Combining superior functionality and design, each is equipped with ceramic disc valves for drip-free performance and is available in beautiful scratch- and tarnish-resistant finishes.













Kitchen and Bar Faucets Overview

Pull-Down Kitchen	Faucets		Pull-Out Kitchen Faucets			
Touchless Kitchen	Faucets		Beale® Measure	Fill™		
Single-Handle Kitcl	hen Faucets		2-Handle Kitchen Faucets			
					ALAI	
Single-Handle Bar	Faucets		2-Handle Bar Faucets			
Semi-Pro	Pot Filler	Laundry	Accessories			

AmericanStandard.com List Price Guide 2024-1



Beale® Single-Handle Pull-Down Dual Spray Kitchen Faucet 1.5 gpm/5.7 L/min

- Features Re-Trax® spray head retraction system
- Standard manual operation
- 2-function spray

Description

- Spout height: 17-9/16" (446 mm)
- Spout clearances: 10-1/2" (267 mm)
- Washerless (35 mm) ceramic disc valve cartridge
- 1.5 gpm/5.7 L/min maximum flow
- Metal body, handle and mounting hardware
- Brass swivel spout



4931300.002 4931300.075

SKU#

Polished Chrome Stainless Steel

Color/Finish



List Price

496



- 1.5 gpm/5.7 L/min maximum flow
- Metal deck plate and metal lever handle
- Pull-down spray with adjustable spray pattern: pause, spray, aerator
 • Integrated 35" braided stainless steel supply lines

- Metal swivel spoutSpout height: 16-9/20" (417 mm)



7077300.002	Polished Chrome	341
7077300.075	Stainless Steel	410
7077300.243	Matte Black	472



Delancey® Single-Handle Pull-Down Dual Spray Function Kitchen Faucet 1.5 gpm/5.7 L/min

- Washerless ceramic disc valve cartridge • 1.5 gpm/5.7 L/min maximum flow
- Brass body and swivel spout
- Metal lever handle
- 28-3/4" (730 mm) long braided flexible supply hoses with 3/8" (10 mm) compression connectors
 • Spout height: 16-11/16" (424 mm)
- Spout clearance: 9-5/16" (237 mm)
- Features Re-Trax® spray head retraction system




4279300.00	2 Polishe	ed Chrome	527
4279300.01	3 Polishe	ed Nickel	633
4279300.07	5 Stainle	ss Steel	633
4279300.27	8 Legacy	/ Bronze	682
4279300.GN	10 Brushe	ed Cool	791









- Ceramic disc valve cartridge assures smooth, precise valve control and a lifetime of drip-free, maintenance-free performance
- Metal body and handle
- 1.5 gpm/5.7 L/min maximum flow
- Features Re-Trax® retraction system
- · Brass swivel spout
- Spout height: 17-7/16" (443 mm)
- Spout clearance: 9" (228 mm)



4932300.002 4932300.075

Polished Chrome Stainless Steel



533






Hillsdale™ Single-Handle Pull-Down Dual Spray Kitchen Faucet

- Ceramic disc valve cartridge (35 mm)
- 1.8 gpm/6.8 L/min maximum flow
- Metal swivel spout

Description

- Metal lever handle
- Includes optional deck plate
- Pull-down spray with adjustable spray pattern
- Integrated braided stainless steel supply lines





Renate™ Single-Handle Pull-Down Single Spray Kitchen Faucet 1.5 gpm/5.7 Lpm

- Washerless ceramic disc valve cartridge
 1.5 gpm/5.7 L/min maximum flow
- · Brass body and swivel spout
- Metal lever handle
- 28-¾" (730 mm) long braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Spout height: 16-11/16" (424 mm)
- Spout clearance: 9-5/16" (237 mm)
- Features Re-Trax® spray head retraction system





Saybrook® Single-Handle Pull-Down Dual Spray Kitchen Faucet 1.5 gpm/5.7 L/min With Filter

- Quick and easy filter replacement from countertop
- Reduces chlorine, lead and particles while improving taste & odor
- Instant cold filtered water with a press of a button
- · Separate cold waterway means immediate filtered H20 that never mixes with unfiltered water
- · Can be installed at countertop level or inside
- 300 gallon filter life
- Filter indicators take out the guesswork and identify the following: Low Filter, Very Low Filter, Replace Filter, Replace Batteries
- Dual spray function for ease of cleaning
- Re-Trax feature ensures smooth retraction of spray head after use
- Limited Lifetime Guarantee





Studio® S Pull-Down Dual Spray Kitchen Faucet 1.5 gpm/5.7 L/min

- High 18" (457 mm) design makes it easy to fill large pots and lends a professional look
- Wipe-clean, one-piece lever handle eliminates tiny crevices where build-up hides
- Dual-function 1.5GPM spray head with pause easily toggles from a powerful spray to a smooth stream with one hand
- Re-Trax® feature ensures smooth retraction of spray head after use
- Swivel spout rotates 360° for optimal reach and range of motion in and around the sink
- Rubber spray nozzles wipe clean easily with your fingertip
- Drip-free performance with high quality ceramic disc valve
- Durable metal construction
- Pre-installed braided nylon supply lines
- · Limited lifetime warranty

4803300.002	Polished Chrome	434
4803300.075	Stainless Steel	546
4803300.243	Matte Black	563
4803300.GN0	Brushed Cool Sunrise	651





AmericanStandard.com List Price Guide 2024-1

Kitchen Faucets

Pull-Out Faucets



Colony® PRO Single-Handle Pull-Out Dual Spray Kitchen Faucet 1.5 gpm/5.7 L/min



SKU#	GUIUI/FIIIISII	LIST FIIC
7074100.002	Polished Chrome	279
7074100.075	Stainless Steel	335

Color/Finish

- Ceramic disc valve cartridge (40 mm) • 1.5 gpm/5.7 L/min maximum flow
- Brass swivel spout

Description


- Metal deck plate and metal lever handle
- Pull-out spray with adjustable spray pattern
- Spout height: 7-3/4" (197 mm)
- Spout reach: 8-5/8" (220 mm) • Spout clearance: 5-1/2" (139 mm)
- Integrated braided stainless steel supply lines



CVII #



Studio® S Pull-Out Dual Spray Kitchen Faucet



- Profile is designed to accommodate many kitchen configurations
- Wipe-clean, one-piece lever handle eliminates tiny crevices where build-up hides
- · Swivel spout for added functionality and convenience rotates 120°
- Rubber spray nozzles wipe clean easily with your fingertip
- Drip-free performance with high quality ceramic
- Durable brass and metal construction
- Pre-installed braided nylon supply lines
- Limited lifetime warranty





360





Beale® Touchless Single-Handle Pull-Down Dual Spray Kitchen Faucet 1.5 gpm/5.7 L/



4931380.002 4931380.075

SKU#

Polished Chrome Stainless Steel

Color/Finish

712 868

512

List Price



- Selectronic® Touchless operation turns water flow on and off what a wave of the hand
- · Place faucet into manual mode by closing the sliding door
- 2-function spray

Description

- Features Re-Trax® spray head retraction system
 Comes with 4 AA long-life batteries. AC adaptor available separately
- Washerless (35 mm) ceramic disc valve cartridge
- 1.5 gpm/5.7 L/min maximum flow
- Metal body, handle and mounting hardware
- Brass swivel spout
- Spout height: 17-9/16" (446 mm)
- Spout clearance: 10-1/2" (267 mm)




Colony® PRO Touchless Single-Handle Pull-Down Dual Spray Kitchen Faucet 1.5 gpm/5.7 L/min



 Selectronic® Hands-Free Technology featuring a front facing wave on/off IR sensor

- Ceramic disc valve cartridge (28 mm)
- 1.5 gpm/5.7 L/min maximum flow
- Includes deck plate
- Pull-down spray with adjustable spray pattern:
- Pause, spray, aerator
 Integrated 35" braided stainless steel supply lines
- Metal swivel spout and lever handle
 Spout height: 16-9/20" (417 mm)
- Powered by 4 AA batteries which are included



7077380.243

615 Stainless Steel 708 Matte Black




MeasureFill Faucets





Beale MeasureFill™ 2-Handle Pull-Down Dual Spray Kitchen Faucet 1.5 gpm/5.7 L/ min With MeasureFill™ Dial



- Spout height: 17 5/8" (448 mm); Spout clearance: 9 - 5/8" (244 mm)
- Use faucet manually via faucet lever
 Features Re-Trax® spray head retraction system
- 2-function spray with pause button
- Comes with 4 AA long-life batteries. AC adaptor available separately
- Washerless (35 mm) ceramic disc valve cartridge
- 1.5 gpm/5.7 L/min maximum flow
- Metal body, handle and mounting hardware
- Brass swivel spout



4931360.002 4931360.075 Polished Chrome Stainless Steel

744 930



AmericanStandard.com List Price Guide 2024-1

Kitchen Faucet	S		Si	ngle-Handle Fa	aucets
	Description		SKU #	Color/Finish	List Price
	Colony® PRO Single-Handle Kitchen Faucet 1.5 gpm/5.7 L/min	ADA	7074000.002 7074000.075	Polished Chrome Stainless Steel	155 186
	Ceramic disc valve cartridge (35 mm) 1.5 gpm/5.7 L/min maximum flow Brass swivel spout Metal deck plate and metal lever handle Spout height: 5-7/8" (150 mm) Spout reach: 8-½" (216 mm) Spout clearance: 4-7/8" (125 mm) Integrated braided stainless steel supply lines	œ	7074000.070	otaliiloss oteoi	100
	Colony® PRO Single-Handle Kitchen Faucet 1.5 gpm/5.7 L/min	ÁDA	7074010.002	Polished Chrome	155
	Ceramic disc valve cartridge (35 mm) 1.5 gpm/5.7 L/min maximum flow Brass swivel spout Metal lever handle Spout height: 5-7/8" (150 mm) Spout reach: 8-½" (216 mm) Spout clearance: 4-7/8" (125 mm) Integrated braided stainless steel supply lines				
	Colony® PRO Single-Handle Kitchen Faucet 1.5 gpm/5.7 L/min With Side Spray	ADA	7074030.002	Polished Chrome	186
	Ceramic disc valve cartridge (35 mm) 1.5 gpm/5.7 L/min maximum flow Brass swivel spout Metal deck plate and metal lever handle With side spray through deck plate Spout height: 5-7/8" (150 mm) Spout reach: 8-½" (216 mm) Spout clearance: 4-7/8" (125 mm) Integrated braided stainless steel supply lines	•			
	Colony® PRO Single-Handle Kitchen Faucet	ADA	7074040.002	Polished Chrome	186
	1.5 gpm/5.7 L/min With Side Spray Ceramic disc valve cartridge (35 mm) 1.5 gpm/5.7 L/min maximum flow Brass swivel spout Metal deck plate and metal lever handle With side spray Spout height: 5-7/8" (150 mm) Spout reach: 8-½" (216 mm) Spout clearance: 4-7/8" (125 mm)	©	7074040.075	Stainless Steel	223



List Price Description SKU# Color/Finish Colony® PRO 2-Handle Kitchen Faucet 1.5 7074500.002 Polished Chrome 149 gpm/5.7 L/min Ceramic disc valve cartridges • 1.5 gpm/5.7 L/min maximum flow Brass swivel spout Metal deck plate and metal lever handles • Low arc spout



Colony® PRO 2-Handle Kitchen Faucet 1.5 gpm/5.7 L/min Without Side Spray

· Ceramic disc valve cartridges

• Spout height: 6" (153 mm) Spout reach: 8-½" (216 mm) • Spout clearance: 5" (128 mm)

- 1.5 gpm/5.7 L/min maximum flow
- Brass swivel spout
- Metal deck plate and metal lever handles
- High arc spout

- LESS side spray Spout height: 12-½" (318 mm) Spout reach: 7-5/8" (195 mm)
- Spout clearance: 7-1/4" (183 mm)




7074550.002

Polished Chrome

179



gpm/5.7 L/min With Side Spray



- 1.5 gpm/5.7 L/min maximum flow
- Brass swivel spout
- Metal deck plate and metal lever handles
- Low arc spout
- With side spray
- Spout height: 6" (153 mm)
- Spout reach: 8-1/2" (216 mm) Spout clearance: 5" (128 mm)




7074501.002

Polished Chrome

179





- 1.5 gpm/5.7 L/min maximum flow
 Brass swivel spout
- Metal deck plate and metal lever handles
- High arc spout

- With side spray Spout height: 12-½" (318 mm) Spout reach: 7-5/8" (195 mm)
- Spout clearance: 7-1/4" (183 mm)



7074551.002

Polished Chrome

211



Delancey® 2-Handle Widespread Kitchen Faucet 1.5 gpm/5.7 L/min With Side Spray

- Washerless ceramic disc valve cartridge
- 1.5 gpm/5.7 L/min maximum flow
- Brass body and swivel spout
- Metal lever handles
- 28-3/4" (730 mm) long braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Color-matched side spray
- Spout height: 13-15/16" (353 mm)
- Spout clearance: 8-7/16" (214 mm)



4279701.002	Polished Chrome	404
4279701.013	Polished Nickel	483
4279701.075	Stainless Steel	483
4279701.278	Legacy Bronze	527
4279701.GN0	Brushed Cool Sunrise	606





AmericanStandard.com List Price Guide 2024-1



Beale® Single-Handle Pull-Down Single Spray Bar Faucet 1.5 gpm/5.7 L/min



- Single function pull-down spray head
- Smaller scales to fit bar/prep sink
- Spout height: 16-1/8" (410 mm); Spout clearance: 11- 7/16" (291 mm)
- Washerless (35 mm) ceramic disc valve cartridge
- 1.5 gpm/5.7 L/min maximum flow
- Metal body, handle and mounting hardware
- Brass swivel spout

Description



SKU#

4931410.002	Polished Chrome	434
4931410.075	Stainless Steel	496

Color/Finish



List Price



Delancey® Single-Handle Pull-Down Bar Faucet 1.5 gpm/5.7 L/min

- Washerless ceramic disc valve cartridge
- 1.5 gpm/5.7 L/min maximum flow
- Brass body and swivel spout
- Metal lever handle
- 28-¾" (730 mm) long braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Pull-down spray
- Spout height: 15-1/8" (383 mm)
- Spout clearance: 10-3/8" (263 mm)
- Features Re-Trax® spray head retraction system



4279410.002	Polished Chrome	434
4279410.013	Polished Nickel	522
4279410.075	Stainless Steel	522
4279410.278	Legacy Bronze	559
4279410.GN0	Brushed Cool Sunrise	651





Edgewater® Single-Handle Pull-Down Single Spray Bar Faucet 1.5 gpm/5.7 L/min

- Single function pull-down spray head
- Ceramic disc valve cartridge assures smooth, precise valve control and a lifetime of drip-free, maintenance-free performance
- Metal body and handle
- 1.5 gpm/5.7 L/min maximum flow
- Features Re-Trax® retraction system
- Brass swivel spout
- Spout height: 14-7/16" (336 mm)
- Spout clearance: 7-5/16" (201 mm)



4932410.002

Polished Chrome

464



Studio® S Pull-Down Bar Faucet 1.5 gpm/5.7 L/min

- Contemporary profile is the perfect height for prep sinks and smaller kitchens
- Wipe-clean, one-piece lever handle eliminates tiny crevices where build-up hides
- Re-Trax® feature ensures smooth retraction of spray head after use
- Swivel spout rotates 360° for optimal reach and range of motion in and around the sink
- Rubber spray nozzles wipe clean easily with your fingertip
- Drip-free performance with high quality ceramic disc valve
- Durable brass and metal construction
- Pre-installed braided nylon supply lines
- Limited lifetime warranty



4803410.002	Polished Chrome	394
4803410.075	Stainless Steel	507
4803410.243	Matte Black	540
4803410.GN0	Brushed Cool Sunrise	591





Colony® PRO 2-Handle Bar Faucet 1.5 gpm/5.7 L/min Ceramic disc valve cartridges • 1.5 gpm/5.7 L/min maximum flow



7074140.002

SKU#

Color/Finish Polished Chrome **List Price** 125



Brass swivel spout

• Metal deck plate and metal lever handles

Aerator end

Description

Low arc spout

• Spout height: 6-7/8" (174 mm)

• Spout reach: 6-1/4" (159 mm)

• Spout clearance: 4-5/8" (117 mm)



7074400.002 Polished Chrome 125 7074400.075 149 Stainless Steel



Colony® PRO 2-Handle Bar Faucet 1.5 gpm/5.7 L/min

- Ceramic disc valve cartridges
- 1.5 gpm/5.7 L/min maximum flow
- Brass swivel spout
- Metal deck plate and metal lever handles
- High arc spout
- Spout height: 10-7/8" (275 mm)
- Spout reach: 5-3/4" (146 mm)
- Spout clearance: 7-3/8" (186 mm)



Delancey® 2-Handle Bar Faucet 1.5 gpm/5.7

- Washerless ceramic disc valve cartridge
- 1.5 gpm/5.7 L/min maximum flow
- Brass body and swivel spout
- Metal lever handles
 28-¾" (730 mm) long braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Spout height: 12-5/8" (321 mm)
- Spout clearance: 6-1/16" (153 mm)







Edgewater® Single-Handle Semi-Pro Multi Spray Kitchen Faucet 1.8 gpm/6.8 L/min



	OE0
е	
n	

ÁDÀ

4932350.002
4932350.075

SKU#







475

570

- SelectFlo® spray head: 4-function spray with pause offers stream, spray, mist and jet sprays to perforn various kitchen tasks
- Ceramic disc valve cartridge assures smooth, precise valve control and a lifetime of drip-free, maintenance-free performance
- Metal body and handle
- 1.5 gpm/5.7 L/min maximum flow
- Features Re-Trax® retraction system
- Swivel spout

Description

- Spout height: 19" (482 mm)
- Spout clearance: 8-11/16" (220 mm)



Grayson™ Semi-Professional Single-Handle Kitchen Faucet • Flexible stainless steel coil spring for full reach and






Stainless Steel Matte Black

- wipe-clean care Dual-function spray head offers stream and
- forceful spray for rinsing • Easy-clean, one-piece lever handle eliminates tiny
- crevices where build-up hides Swivel spout rotates 360° for optimal reach and
- range of motion in and around the sink
- Drip-free performance with high quality ceramic disc valve
- 1.8 gpm/6.8 L/min maximum flow
- Pre-installed braided nylon supply lines
- Includes color-matched soap dispenser
- Includes optional deckplate
- Limited lifetime warranty



Studio® S Semi-Pro Pull-Down Dual Spray **Kitchen Faucet With Spring Spout**



- · Dual-function spray head offers stream and forceful spray for rinsing
- · Easy-clean, one-piece lever handle eliminates tiny crevices where build-up hides
- · Swivel spout rotates 360° for optimal reach and range of motion in and around the sink
- · Rubber spray nozzles wipe clean easily with your fingertip
- Drip-free performance with high quality ceramic disc valve
- Durable brass and metal construction
- Pre-installed braided nylon supply lines
- Limited lifetime warranty




4803350.002	Polished Chrome	577
4803350.075	Stainless Steel	691
4803350.243	Matte Black	732
4803350.GN0	Brushed Cool Sunrise	866



AmericanStandard.com

List Price Guide 2024-1



ÁDA

Laundry Faucets

2-Handle Laundry Faucet




Colony® PRO 2-Handle Laundry Faucet 1.5 gpm/5.7 L/min

- Ceramic disc valve cartridges
- 1.5 gpm/5.7 L/min maximum flow
- Brass swivel spout
- Metal deck plate and metal lever handles
- Hose end
- Low arc spout
- Unrestricted flow
- Spout height: 6-7/8" (174 mm)
- Spout reach: 6-1/4" (159 mm)
- Spout clearance: 4-5/8" (117 mm)



7074240.002 Polished Chrome 125


Accessories





- IP65 water-tight connector
- One power supply can run up to 15 Selectronic products at one time
- Can be used with all Selectronic Base Model Faucets and Flush Valves

Accessories





- For use with American Standard Saybrook Filtered Kitchen Faucet

 Lasts 6 months for a family of 4 with typical usage
 Filters 300 gallons of water with a single filter

- INDEPENDENTLY CERTIFIED TO REDUCE: 99.7% of lead from tap water*, 96.9% of chlorine from tap water**, 92.6% of particulate contamination (Class 1) from tap water**

Safer and Accessible Living

Remodeling a bathroom so you or someone in your family can remain at home? Or is a parent moving in? Or has a new baby arrived? American Standard offers a wide-ranging collection of products designed to provide style, safety and comfort over a lifetime. We've got more than a few patented ideas you won't see elsewhere. Check out our exclusive safer and accessible products.



16-1/2"

Chair Height Toilets

16-1/2" (419 mm) rim height allows for easier and more comfortable use.



Storage

Accessible and functional storage, keeps items out of the way and area free from hazards.



Safe and Easy Faucets

ADA-approved lever faucets allow easy operation without the need to grip.



Independent, Safer and Comfortable Bathing

American Standard, an industry leader and original manufacturer of acrylic Walk-in baths, makes it easy to enter and exit the bath giving the user the freedom to enjoy a luxurious bathing experience in privacy, safety and comfort.

With thoughtful standard features, a variety of sizes and options and high quality craftsmanship, all of our Walk-in baths are expertly designed to provide accessible and comfortable bathing experiences.

Exclusive Innovations

Patented Quick Drain®

- Fast water removal system
- Ties directly into the standard drain system
- · No additional plumbing required

Watertight Door System Technology

- Ergonomic, easy to use handle
- · Lifetime warranty on seal



Fast draining less waiting



Lifetime of trouble-free use



Quality and innovation built into every bath

- Patented Door System Technology with a lifetime warranty on the door's watertight seal
- 2 17" (432 mm) chair height seat
- 3 Freestanding metal support frame self leveling feet
- 4 Built-in grab bar

- 5 Tub extender for easy retrofit into standard tub space
- 6 Plumbing and fixture access panels
- 7 Textured tub floor
- 8 Low threshold



Walk-in bath hydrotherapy options



Soaker Bath Provides a warm relaxing soak



Whirlpool Massage System

Invigorating water jets target key areas



Air Spa System Soothing cascade of warm air bubbles



Combination System

Combines all of the features of the Soaker Tub, the Whirlpool Massage and the Air Spa System for the ultimate therapeutic bathing experience

AmericanStandard.com List Price Guide 2024-1



- Premium cast acrylic construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 15-years on the tub shell, 10-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor
- Color-matched waste and overflow
- Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*
- Premium faucet with handheld shower in polished chrome included

Nominal Dimensions:

59-3/4 in x 32 in x 37-1/2 in (1517 mm x 812 mm x 952 mm) Hand Drain With Fauce

		Tiana Biani Witi i adoc			
Description	Net Wt	SKU	Color	List Price	
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With		3260.219.SLL	Linen	10,865	
Soaker System - Left-Hand Drain With Faucet	138 lb	3260.219.SLW	White	10,865	
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	62.7 kg	3260.219.SRL	Linen	10,865	
Soaker System - Right-Hand Drain With Faucet		3260.219.SRW	White	10,865	
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With		3260.219.WLL	Linen	12,944	
Whirlpool System - Left-Hand Drain With Faucet	162 lb	3260.219.WLW	White	12,944	
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	73.5 kg	3260.219.WRL	Linen	12,944	
Whirlpool System - Right-Hand Drain With Faucet		3260.219.WRW	White	12,944	
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With		3260.219.ALL	Linen	13,498	
Air Spa System - Left-Hand Drain With Faucet	154 lb	3260.219.ALW	White	13,498	
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	69.9 kg	3260.219.ARL	Linen	13,498	
Air Spa System - Right-Hand Drain With Faucet		3260.219.ARW	White	13,498	
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With		3260.219.CLL	Linen	14,497	
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	178 lb	3260.219.CLW	White	14,497	
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	- 80.8 kg	3260.219.CRL	Linen	14,497	
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet	_	3260.219.CRW	White	14,497	

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium cast acrylic construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 15-years on the tub shell, 10-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
 Textured tub floor
- Color-matched waste and overflow
- Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*

Nominal Dimensions:

59-3/4 in x 32 in x 37-1/2 in (1517 mm x 812 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With		3260.215.SLL	Linen	10,346
Soaker System - Left-Hand Drain	224 lb	3260.215.SLW	White	10,346
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	101.7 kg	3260.215.SRL	Linen	10,346
Soaker System - Right-Hand Drain		3260.215.SRW	White	10,346
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With		3260.215.WLL	Linen	12,426
Whirlpool System - Left-Hand Drain	248 lb	3260.215.WLW	White	12,426
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	112.6 kg	3260.215.WRL	Linen	12,426
Whirlpool System - Right-Hand Drain	_	3260.215.WRW	White	12,426
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	240 lb	3260.215.ALL	Linen	12,980
Air Spa System - Left-Hand Drain		3260.215.ALW	White	12,980
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	109.0 kg	3260.215.ARL	Linen	12,980
Air Spa System - Right-Hand Drain	_	3260.215.ARW	White	12,980
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With		3260.215.CLL	Linen	13,978
Combination Air Spa and Whirlpool Systems - Left- Hand Drain	264 lb	3260.215.CLW	White	13,978
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	– 119.9 kg <i>–</i>	3260.215.CRL	Linen	13,978
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet	_	3260.215.CRW	White	13,978

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium cast acrylic construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 15-years on the tub shell, 10-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor
- Color-matched waste and overflow
- Freestanding metal support frame
- In-line water heater*
- Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- · Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space
- Premium faucet with multi-function handheld shower in Polished Chrome included

Nominal Dimensions:

50-1/2 in x 30 in x 37-1/2 in (1282 mm x 762 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.119.SLL	Linen	9,755
Soaker System - Left-Hand Drain With Faucet	186 lb	3051.119.SLW	White	9,755
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With	84.4 kg	3051.119.SRL	Linen	9,755
Soaker System - Right-Hand Drain With Faucet	_	3051.119.SRW	White	9,755
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.119.WLL	Linen	11,974
Whirlpool System - Left-Hand Drain With Faucet	210 lb	3051.119.WLW	White	11,974
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With	95.3 kg	3051.119.WRL	Linen	11,974
Whirlpool System - Right-Hand Drain With Faucet		3051.119.WRW	White	11,974
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.119.ALL	Linen	12,527
Air Spa System - Left-Hand Drain With Faucet	202 lb	3051.119.ALW	White	12,527
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With	91.7 kg	3051.119.ARL	Linen	12,527
Air Spa System - Right-Hand Drain With Faucet		3051.119.ARW	White	12,527
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.119.CLL	Linen	13,526
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	226 lb	3051.119.CLW	White	13,526
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With	102.6 kg	3051.119.CRL	Linen	13,526
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3051.119.CRW	White	13,526

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium cast acrylic construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 15-years on the tub shell, 10-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor
- Color-matched waste and overflow
- Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space

Nominal Dimensions:

50-1/2 in x 30 in x 37-1/2 in (1282 mm x 762 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.115.SLL	Linen	9,237
Soaker System - Left-Hand Drain	198 lb	3051.115.SLW	White	9,237
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With	89.9 kg	3051.115.SRL	Linen	9,237
Soaker System - Right-Hand Drain		3051.115.SRW	White	9,237
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.115.WLL	Linen	11,455
Whirlpool System - Left-Hand Drain	222 lb	3051.115.WLW	White	11,455
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With	100.8 kg	3051.115.WRL	Linen	11,455
Whirlpool System - Right-Hand Drain		3051.115.WRW	White	11,455
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With	214 lb	3051.115.ALL	Linen	12,010
Air Spa System - Left-Hand Drain		3051.115.ALW	White	12,010
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With	97.2 kg	3051.115.ARL	Linen	12,010
Air Spa System - Right-Hand Drain	_	3051.115.ARW	White	12,010
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.115.CLL	Linen	13,008
Combination Air Spa and Whirlpool Systems - Left- Hand Drain	238 lb	3051.115.CLW	White	13,008
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With	108.1 kg	3051.115.CRL	Linen	13,008
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3051.115.CRW	White	13,008

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium cast acrylic construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 15-years on the tub shell, 10-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor
- Color-matched waste and overflow
- Freestanding metal support frame
- In-line water heater*
- Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- · Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space
- Premium faucet with multi-function handheld shower in Polished Chrome included

Nominal Dimensions:

48 in x 28 in x 37-1/2 in (1219 mm x 711 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With		2848.119.SLL	Linen	9,140
Soaker System - Left-Hand Drain With Faucet	138 lb	2848.119.SLW	White	9,140
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With	62.7 kg	2848.119.SRL	Linen	9,140
Soaker System - Right-Hand Drain With Faucet	_	2848.119.SRW	White	9,140
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With		2848.119.WLL	Linen	11,220
Whirlpool System - Left-Hand Drain With Faucet	162 lb	2848.119.WLW	White	11,220
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With	73.5 kg	2848.119.WRL	Linen	11,220
Whirlpool System - Right-Hand Drain With Faucet	_	2848.119.WRW	White	11,220
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With Air		2848.119.ALL	Linen	11,774
Spa System - Left-Hand Drain With Faucet	154 lb	2848.119.ALW	White	11,774
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With Air	69.9 kg	2848.119.ARL	Linen	11,774
Spa System - Right-Hand Drain With Faucet	_	2848.119.ARW	White	11,774
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With		2848.119.CLL	Linen	12,773
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	178 lb	2848.119.CLW	White	12,773
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With	80.8 kg	2848.119.CRL	Linen	12,773
Combination Air Spa and Whirlpool Systems - Right- land Drain With Faucet	_	2848.119.CRW	White	12,773

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium cast acrylic construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 15-years on the tub shell, 10-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor
- Color-matched waste and overflow
- Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space

Nominal Dimensions:

48 in x 28 in x 37-1/2 in (1219 mm x 711 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With		2848.115.SLL	Linen	8,622
Soaker System - Left-Hand Drain	172 lb	2848.115.SLW	White	8,622
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With	78.1 kg	2848.115.SRL	Linen	8,622
Soaker System - Right-Hand Drain		2848.115.SRW	White	8,622
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With		2848.115.WLL	Linen	10,701
Whirlpool System - Left-Hand Drain	196 lb	2848.115.WLW	White	10,701
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With	89.0 kg	2848.115.WRL	Linen	10,701
Whirlpool System - Right-Hand Drain		2848.115.WRW	White	10,701
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With Air	188 lb	2848.115.ALL	Linen	11,256
Spa System - Left-Hand Drain		2848.115.ALW	White	11,256
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With Air	85.4 kg	2848.115.ARL	Linen	11,256
Spa System - Right-Hand Drain		2848.115.ARW	White	11,256
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With		2848.115.CLL	Linen	12,254
Combination Air Spa and Whirlpool Systems - Left- Hand Drain	212 lb	2848.115.CLW	White	12,254
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With	96.2 kg	2848.115.CRL	Linen	12,254
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		2848.115.CRW	White	12,254

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- · Color-matched waste and overflow
- Textured tub floor
- Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*
- Premium faucet with multi-function handheld shower in polished chrome included

Nominal Dimensions:

59-1/2 in x 29-3/4 in x 37-1/2 in (1511 mm x 755 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With		3060.109.SLL	Linen	9,288
Soaker System - Left-Hand Drain With Faucet	141 lb	3060.109.SLW	White	9,288
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With	64.0 kg	3060.109.SRL	Linen	9,288
Soaker System - Right-Hand Drain With Faucet		3060.109.SRW	White	9,288
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With		3060.109.WLL	Linen	10,814
Whirlpool System - Left-Hand Drain With Faucet	165 lb	3060.109.WLW	White	10,814
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With	74.9 kg	3060.109.WRL	Linen	10,814
Whirlpool System - Right-Hand Drain With Faucet		3060.109.WRW	White	10,814
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With		3060.109.ALL	Linen	11,366
Air Spa System - Left-Hand Drain With Faucet	125 lb	3060.109.ALW	White	11,366
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With	56.7 kg	3060.109.ARL	Linen	11,366
Air Spa System - Right-Hand Drain With Faucet		3060.109.ARW	White	11,366
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With		3060.109.CLL	Linen	12,366
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	149 lb	3060.109.CLW	White	12,366
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With	67.6 kg	3060.109.CRL	Linen	12,366
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet	_	3060.109.CRW	White	12,366

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Watertight door system
 Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Color-matched waste and overflow
- Textured tub floor
- Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*

Nominal Dimensions:

59-1/2 in x 29-3/4 in x 37-1/2 in (1511 mm x 755 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With		3060.105.SLL	Linen	8,769
Soaker System - Left-Hand Drain	132 lb	3060.105.SLW	White	8,769
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With	59.9 kg	3060.105.SRL	Linen	8,769
Soaker System - Right-Hand Drain		3060.105.SRW	White	8,769
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With		3060.105.WLL	Linen	10,295
Whirlpool System - Left-Hand Drain	169 lb	3060.105.WLW	White	10,295
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With	76.7 kg	3060.105.WRL	Linen	10,295
Whirlpool System - Right-Hand Drain		3060.105.WRW	White	10,295
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With		3060.105.ALL	Linen	10,849
Air Spa System - Left-Hand Drain	158 lb	3060.105.ALW	White	10,849
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With	71.7 kg	3060.105.ARL	Linen	10,849
Air Spa System - Right-Hand Drain		3060.105.ARW	White	10,849
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub		3060.105.CLL	Linen	11,847
With Combination Air Spa and Whirlpool Systems - Left-Hand Drain	189 lb	3060.105.CLW	White	11,847
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub	85.8 kg	3060.105.CRL	Linen	11,847
With Combination Air Spa and Whirlpool Systems - Hand Drain With Faucet		3060.105.CRW	White	11,847

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

List Price Guide 2024-1 AmericanStandard.com

Walk-In-Baths

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- · Color-matched waste and overflow
- Textured tub floor
- Freestanding metal support frame
- In-line water heater*
- Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- · Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space
- Premium faucet with multi-function handheld shower in Polished Chrome included

Nominal Dimensions:

51-1/2 in x 29-3/4 in x 42 in (1308 mm x 755 mm x 1066 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052.109.SLL	Linen	8,039
Soaker System - Left-Hand Drain With Faucet	141 lb	3052.109.SLW	White	8,039
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	64.0 kg	3052.109.SRL	Linen	8,039
Soaker System - Right-Hand Drain With Faucet	_	3052.109.SRW	White	8,039
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052.109.WLL	Linen	9,713
Whirlpool System - Left-Hand Drain With Faucet	165 lb	3052.109.WLW	White	9,713
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	74.9 kg h	3052.109.WRL	Linen	9,713
Whirlpool System - Right-Hand Drain With Faucet		3052.109.WRW	White	9,713
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052.109.ALL	Linen	10,396
Air Spa System - Left-Hand Drain With Faucet	125 lb	3052.109.ALW	White	10,396
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	56.7 kg	3052.109.ARL	Linen	10,396
Air Spa System - Right-Hand Drain With Faucet		3052.109.ARW	White	10,396
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052.109.CLL	Linen	11,395
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	149 lb	3052.109.CLW	White	11,395
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	67.6 kg	3052.109.CRL	Linen	11,395
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3052.109.CRW	White	11,395

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- · Color-matched waste and overflow
- Textured tub floor
- Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space

Nominal Dimensions:

51-1/2 in x 29-3/4 in x 42 in (1308 mm x 755 mm x 1066 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052.105.SLL	Linen	7,522
Soaker System - Left-Hand Drain	138 lb	3052.105.SLW	White	7,522
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	62.7 kg	3052.105.SRL	Linen	7,522
Soaker System - Right-Hand Drain	_	3052.105.SRW	White	7,522
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052.105.WLL	Linen	9,195
Whirlpool System - Left-Hand Drain	162 lb	3052.105.WLW	White	9,195
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	73.5 kg	3052.105.WRL	Linen	9,195
Whirlpool System - Right-Hand Drain	_	3052.105.WRW	White	9,195
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052.105.ALL	Linen	9,878
Air Spa System - Left-Hand Drain	154 lb	3052.105.ALW	White	9,878
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	69.9 kg	3052.105.ARL	Linen	9,878
Air Spa System - Right-Hand Drain	_	3052.105.ARW	White	9,878
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052.105.CLL	Linen	10,877
Combination Air Spa and Whirlpool Systems - Left- Hand Drain	178 lb	3052.105.CLW	White	10,877
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	80.8 kg —	3052.105.CRL	Linen	10,877
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet	_	3052.105.CRW	White	10,877

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- · Color-matched waste and overflow
- Textured tub floor
- Freestanding metal support frame
- In-line water heater*
- Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- · Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space
- Premium faucet with multi-function handheld shower in Polished Chrome included

Nominal Dimensions:

48 in x 28-1/2 in x 37-1/2 in (1219 mm x 723 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With		2848.109.SLL	Linen	7,684
Soaker System - Left-Hand Drain With Faucet	141 lb	2848.109.SLW	White	7,684
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With	64.0 kg	2848.109.SRL	Linen	7,684
Soaker System - Right-Hand Drain With Faucet		2848.109.SRW	White	7,684
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With		2848.109.WLL	Linen	9,071
Whirlpool System - Left-Hand Drain With Faucet	165 lb	2848.109.WLW	White	9,071
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With	74.9 kg	2848.109.WRL	Linen	9,071
Whirlpool System - Right-Hand Drain With Faucet		2848.109.WRW	White	9,071
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With		2848.109.ALL	Linen	9,626
Air Spa System - Left-Hand Drain With Faucet	125 lb	2848.109.ALW	White	9,626
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With	56.7 kg	2848.109.ARL	Linen	9,626
Air Spa System - Right-Hand Drain With Faucet		2848.109.ARW	White	9,626
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With		2848.109.CLL	Linen	10,761
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	149 lb	2848.109.CLW	White	10,761
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With	67.6 kg	2848.109.CRL	Linen	10,761
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet	_	2848.109.CRW	White	10,761

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- · Color-matched waste and overflow
- Textured tub floor
- Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space

Nominal Dimensions:

48 in x 28-1/2 in x 37-1/2 in (1219 mm x 723 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Soaker System - Left-Hand Drain	125 lb 56.7 kg	2848.105.SLL	Linen	7,165
		2848.105.SLW	White	7,165
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Soaker System - Right-Hand Drain		2848.105.SRL	Linen	7,165
		2848.105.SRW	White	7,165
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Whirlpool System - Left-Hand Drain	149 lb 67.6 kg	2848.105.WLL	Linen	8,553
		2848.105.WLW	White	8,553
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Whirlpool System - Right-Hand Drain		2848.105.WRL	Linen	8,553
		2848.105.WRW	White	8,553
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Air Spa System - Left-Hand Drain	141 lb 64.0 kg	2848.105.ALL	Linen	9,107
		2848.105.ALW	White	9,107
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Air Spa System - Right-Hand Drain		2848.105.ARL	Linen	9,107
		2848.105.ARW	White	9,107
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Combination Air Spa and Whirlpool Systems - Left- Hand Drain	165 lb 74.9 kg	2848.105.CLL	Linen	10,243
		2848.105.CLW	White	10,243
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		2848.105.CRL	Linen	10,243
		2848.105.CRW	White	10,243

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor
- Freestanding metal support frame
- Color-matched cable driven drain assembly
- In-line water heater*
- 8 Water jets*
- •21 Air jets†
- Legs-only massage setting*
- Premium faucet with handheld shower in polished chrome included

Nominal Dimensions:

59-1/2 in x 29-3/4 in x 37-1/2 in (1511 mm x 755 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Soaker System - Left-Hand Drain With Faucet	150 lb _ 68.1 kg _	3060.509.SLL	Linen	6,978
		3060.509.SLW	White	6,978
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Soaker System - Right-Hand Drain With Faucet		3060.509.SRL	Linen	6,978
		3060.509.SRW	White	6,978
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Whirlpool System - Left-Hand Drain With Faucet	174 lb 79.0 kg	3060.509.WLL	Linen	7,667
		3060.509.WLW	White	7,667
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Whirlpool System - Right-Hand Drain With Faucet		3060.509.WRL	Linen	7,667
		3060.509.WRW	White	7,667
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Air Spa System - Left-Hand Drain With Faucet	166 lb 75.4 kg	3060.509.ALL	Linen	8,144
		3060.509.ALW	White	8,144
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Air Spa System - Right-Hand Drain With Faucet		3060.509.ARL	Linen	8,144
		3060.509.ARW	White	8,144
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	190 lb 86.3 kg —	3060.509.CLL	Linen	8,777
		3060.509.CLW	White	8,777
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3060.509.CRL	Linen	8,777
		3060.509.CRW	White	8,777

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor
- Freestanding metal support frame
- Extension kit to fit 60" (1524 mm) space Color-matched cable driven drain assembly
- In-line water heater*
- 8 Water jets*
- •21 Air jets†
- Legs-only massage setting*
- Premium faucet with handheld shower in polished chrome included

Nominal Dimensions:

51-1/2 in x 29-3/4 in x 42 in (1308 mm x 755 mm x 1066 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With		3052.509.SLL	Linen	6,461
Soaker System - Left-Hand Drain With Faucet	152 lb	3052.509.SLW	White	6,461
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With	69.0 kg	3052.509.SRL	Linen	6,461
Soaker System - Right-Hand Drain With Faucet		3052.509.SRW	White	6,461
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With		3052.509.WLL	Linen	7,277
Whirlpool System - Left-Hand Drain With Faucet	176 lb	3052.509.WLW	White	7,277
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With	79.9 kg	3052.509.WRL	Linen	7,277
Whirlpool System - Right-Hand Drain With Faucet		3052.509.WRW	White	7,277
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With Air		3052.509.ALL	Linen	7,866
Spa System - Left-Hand Drain With Faucet	168 lb	3052.509.ALW	White	7,866
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With Air	76.3 kg	3052.509.ARL	Linen	7,866
Spa System - Right-Hand Drain With Faucet		3052.509.ARW	White	7,866
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With		3052.509.CLL	Linen	8,502
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	192 lb	3052.509.CLW	White	8,502
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With	87.2 kg	3052.509.CRL	Linen	8,502
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3052.509.CRW	White	8,502

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor

- Freestanding metal support frame
 Extension kit to fit 60" (1524 mm) space
 Color-matched cable driven drain assembly
- In-line water heater*
- 8 Water jets*
- 21 Air jets†
- Legs-only massage setting*
- Premium faucet with handheld shower in polished chrome included

Nominal Dimensions:

48 in x 28-1/2 in x 37-1/2 in (1219 mm x 723 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With		2848.509.SLL	Linen	6,156
Soaker System - Left-Hand Drain With Faucet	125 lb	2848.509.SLW	White	6,156
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With	56.7 kg	2848.509.SRL	Linen	6,156
Soaker System - Right-Hand Drain With Faucet		2848.509.SRW	White	6,156
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With		2848.509.WLL	Linen	6,904
Whirlpool System - Left-Hand Drain With Faucet	149 lb	2848.509.WLW	White	6,904
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With	67.6 kg	2848.509.WRL	Linen	6,904
Whirlpool System - Right-Hand Drain With Faucet		2848.509.WRW	White	6,904
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With Air		2848.509.ALL	Linen	7,425
Spa System - Left-Hand Drain With Faucet	141 lb	2848.509.ALW	White	7,425
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With Air	64.0 kg	2848.509.ARL	Linen	7,425
Spa System - Right-Hand Drain With Faucet		2848.509.ARW	White	7,425
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With		2848.509.CLL	Linen	8,022
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	165 lb	2848.509.CLW	White	8,022
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With	74.9 kg	2848.509.CRL	Linen	8,022
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet	_	2848.509.CRW	White	8,022

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems

List Price

Bathing Walk-In-Baths



Gelcoat Walk-In-Baths With Outward Opening Door

Providing a safer and comfortable way for adults to bathe.

The watertight door swings outward to provide more room when entering and exiting the bath.

Allows for immediate access to the bather in the event of a medical emergency.



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Outward opening door
- Water tight door system
- Built-in chair height seat
- · Built-in polished chrome grab bar
- Textured tub floor
- Freestanding metal support frame
 In-line water heater*
- Extension kit to fit 60" (1524 mm) space
- Neck pillow
- Chromatherapy multi-colored light system[†]
- 12 Water jets*
- 26 Air jets‡

Description

- Ozone sanitation*
- Legs-only massage setting*
- Premium faucet with multi-function handheld shower in Polished Chrome included

Nominal Dimensions:

52 in x 32 in x 40 in (1320 mm x 812 mm x 1016 mm)

Boothplion		ONO	00.0.	2.0111100
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With		3252OD.109.SLL-PC	Linen	9,066
Soaker System - Left-Hand Drain With Faucet	138 lb	3252OD.109.SLW-PC	White	9,066
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With	62.7 kg	3252OD.109.SRL-PC	Linen	9,066
Soaker System - Right-Hand Drain With Faucet		3252OD.109.SRW-PC	White	9,066
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With		3252OD.109.WLL-PC	Linen	10,988
Whirlpool System - Left-Hand Drain With Faucet	162 lb	3252OD.109.WLW-PC	White	10,988
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With	73.5 kg	3252OD.109.WRL-PC	Linen	10,988
Whirlpool System - Right-Hand Drain With Faucet		3252OD.109.WRW-PC	White	10,988
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With		3252OD.109.ALL-PC	Linen	11,603
Air Spa System - Left-Hand Drain With Faucet	154 lb	3252OD.109.ALW-PC	White	11,603
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With	69.9 kg	3252OD.109.ARL-PC	Linen	11,603
Air Spa System - Right-Hand Drain With Faucet	_	3252OD.109.ARW-PC	White	11,603
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With		3252OD.109.CLL-PC	Linen	11,867
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	178 lb	3252OD.109.CLW-PC	White	11,867
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With	80.8 kg	3252OD.109.CRL-PC	Linen	11,867
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3252OD.109.CRW-PC	White	11,867

Net Wt

SKU

Color

NOTE: American Standard Walkin Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs.

For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

- *Only available on Whirlpool and **Combination Systems**
- †Only available on **Combination Systems**
- ‡Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Outward opening door
- Water tight door system
- Built-in chair height seat
 Built-in polished chrome grab bar
- Textured tub floor
- Freestanding metal support frame
- In-line water heater*
- Extension kit to fit 60" (1524 mm) space
- Neck pillow
- Chromatherapy multi-colored light system[†]
- 12 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*

Nominal Dimensions:

52 in x 32 in x 40 in (1320 mm x 812 mm x 1016 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With		3252OD.105.SLL-PC	Linen	8,525
Soaker System - Left-Hand Drain		3252OD.105.SLW-PC	White	8,525
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With	68.1 kg	3252OD.105.SRL-PC	Linen	8,525
Soaker System - Right-Hand Drain		3252OD.105.SRW-PC	White	8,525
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With		3252OD.105.WLL-PC	Linen	10,446
Whirlpool System - Left-Hand Drain	174 lb	3252OD.105.WLW-PC	White	10,446
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With	79.0 kg	3252OD.105.WRL-PC	Linen	10,446
Whirlpool System - Right-Hand Drain	_	3252OD.105.WRW-PC	White	10,446
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With		3252OD.105.ALL-PC	Linen	11,059
Air Spa System - Left-Hand Drain	166 lb	3252OD.105.ALW-PC	White	11,059
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With	75.4 kg	3252OD.105.ARL-PC	Linen	11,059
Air Spa System - Right-Hand Drain		3252OD.105.ARW-PC	White	11,059
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With		3252OD.105.CLL-PC	Linen	11,325
Combination Air Spa and Whirlpool Systems - Left- Hand Drain	223 lb	3252OD.105.CLW-PC	White	11,325
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With	101.2 kg	3252OD.105.CRL-PC	Linen	11,325
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3252OD.105.CRW-PC	White	11,325

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Outward opening door
- Watertight door system
- Built-in chair height seat
 Built-in Polished Chrome grab bar
- Textured tub floor
 Freestanding metal support frame
- In-line water heater* • Extension kit to fit 60" (1524 mm) space
- Neck pillow
- Chromatherapy multi-colored light system[†]
- 12 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*
- Premium faucet with multi-function handheld shower in Polished Chrome included

Nominal Dimensions:

52 in x 30 in x 40 in (1320 mm x 762 mm x 1016 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.109.SLL-PC	Linen	8,397
Soaker System - Left-Hand Drain With Faucet	138 lb	3052OD.109.SLW-PC	White	8,397
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	62.7 kg	3052OD.109.SRL-PC	Linen	8,397
Soaker System - Right-Hand Drain With Faucet	_	3052OD.109.SRW-PC	White	8,397
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.109.WLL-PC	Linen	10,317
Whirlpool System - Left-Hand Drain With Faucet	162 lb	3052OD.109.WLW-PC	White	10,317
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	73.5 kg	3052OD.109.WRL-PC	Linen	10,317
Whirlpool System - Right-Hand Drain With Faucet	-	3052OD.109.WRW-PC	White	10,317
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.109.ALL-PC	Linen	10,933
Air Spa System - Left-Hand Drain With Faucet	154 lb	3052OD.109.ALW-PC	White	10,933
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	69.9 kg	3052OD.109.ARL-PC	Linen	10,933
Air Spa System - Right-Hand Drain With Faucet	_	3052OD.109.ARW-PC	White	10,933
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.109.CLL-PC	Linen	11,198
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	178 lb	3052OD.109.CLW-PC	White	11,198
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	80.8 kg —	3052OD.109.CRL-PC	Linen	11,198
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet	_	3052OD.109.CRW-PC	White	11,198

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Outward opening door
- Watertight door system
- Built-in chair height seat
 Built-in Polished Chrome grab bar
- Textured tub floor
- Freestanding metal support frame
- In-line water heater*
- Extension kit to fit 60" (1524 mm) space
- Neck pillow
- Chromatherapy multi-colored light system[†]
- 12 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- · Legs-only massage setting*

Nominal Dimensions:

52 in x 30 in x 40 in (1320 mm x 762 mm x 1016 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.105.SLL-PC	Linen	7,856
Soaker System - Left-Hand Drain	138 lb	3052OD.105.SLW-PC	White	7,856
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	62.7 kg	3052OD.105.SRL-PC	Linen	7,856
Soaker System - Right-Hand Drain		3052OD.105.SRW-PC	White	7,856
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.105.WLL-PC	Linen	9,776
Whirlpool System - Left-Hand Drain	162 lb	3052OD.105.WLW-PC	White	9,776
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With Whirlpool System - Right-Hand Drain	73.5 kg	3052OD.105.WRL-PC	Linen	9,776
		3052OD.105.WRW-PC	White	9,776
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.105.ALL-PC	Linen	10,391
Air Spa System - Left-Hand Drain	154 lb	3052OD.105.ALW-PC	White	10,391
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	69.9 kg	3052OD.105.ARL-PC	Linen	10,391
Air Spa System - Right-Hand Drain		3052OD.105.ARW-PC	White	10,391
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.105.CLL-PC	Linen	10,655
Combination Air Spa and Whirlpool Systems - Left- Hand Drain	178 lb	3052OD.105.CLW-PC	White	10,655
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	80.8 kg	3052OD.105.CRL-PC	Linen	10,655
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3052OD.105.CRW-PC	White	10,655

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Outward opening door
- Water tight door system

- Water tight door system
 Built-in chair height seat
 Built-in polished chrome grab bar
 Textured tub floor
 Extension kit to fit 60" (1524 mm) space
 Freestanding metal support frame
 Polished chrome jets

- In-line water heater included*
- 6 Water jets*
- •21 Air jets†
- · Legs-only massage
- Premium faucet with handheld shower in chrome included

Nominal Dimensions:

52 in x 32 in x 40 in (1320 mm x 812 mm x 1016 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With		3252OD.709.SLL-PC	Linen	8,215
Soaker System - Left-Hand Drain With Faucet	150 lb	3252OD.709.SLW-PC	White	8,215
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With	68.1 kg	3252OD.709.SRL-PC	Linen	8,215
Soaker System - Right-Hand Drain With Faucet		3252OD.709.SRW-PC	White	8,215
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With		3252OD.709.WLL-PC	Linen	9,595
Whirlpool System - Left-Hand Drain With Faucet	174 lb	3252OD.709.WLW-PC	White	9,595
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With	79.0 kg	3252OD.709.WRL-PC	Linen	9,595
Whirlpool System - Right-Hand Drain With Faucet		3252OD.709.WRW-PC	White	9,595
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With Air		3252OD.709.ALL-PC	Linen	10,210
Spa System - Left-Hand Drain With Faucet	166 lb	3252OD.709.ALW-PC	White	10,210
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With Air	75.4 kg	3252OD.709.ARL-PC	Linen	10,210
Spa System - Right-Hand Drain With Faucet		3252OD.709.ARW-PC	White	10,210
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With		3252OD.709.CLL-PC	Linen	10,881
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	190 lb	3252OD.709.CLW-PC	White	10,881
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With	86.3 kg	3252OD.709.CRL-PC	Linen	10,881
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3252OD.709.CRW-PC	White	10,881

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Outward opening door
- Water tight door system
- Built-in chair height seat
- Built-in polished chrome grab bar
- Textured tub floor
- Freestanding metal support frame
 Extension kit to fit 60" (1524 mm) space
- Polished chrome jets
- In-line water heater included*
- 6 Water jets*
- •21 Air jets†
- · Legs-only massage
- Premium faucet with handheld shower in chrome included

Nominal Dimensions:

52 in x 30 in x 40 in (1320 mm x 762 mm x 1016 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With		3052OD.709.SLL-PC	Linen	7,516
Soaker System - Left-Hand Drain With Faucet	138 lb	3052OD.709.SLW-PC	White	7,516
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With	62.7 kg	3052OD.709.SRL-PC	Linen	7,516
Soaker System - Right-Hand Drain With Faucet		3052OD.709.SRW-PC	White	7,516
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With		3052OD.709.WLL-PC	Linen	8,896
Whirlpool System - Left-Hand Drain With Faucet	162 lb	3052OD.709.WLW-PC	White	8,896
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With	73.5 kg	3052OD.709.WRL-PC	Linen	8,896
Whirlpool System - Right-Hand Drain With Faucet		3052OD.709.WRW-PC	White	8,896
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With Air		3052OD.709.ALL-PC	Linen	9,511
Spa System - Left-Hand Drain With Faucet	154 lb	3052OD.709.ALW-PC	White	9,511
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With Air	69.9 kg	3052OD.709.ARL-PC	Linen	9,511
Spa System - Right-Hand Drain With Faucet		3052OD.709.ARW-PC	White	9,511
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With		3052OD.709.CLL-PC	Linen	10,181
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	178 lb	3052OD.709.CLW-PC	White	10,181
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With	80.8 kg =	3052OD.709.CRL-PC	Linen	10,181
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3052OD.709.CRW-PC	White	10,181

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems

Bathing

Walk-In-Baths Accessories

Description	SKU #	Color/Finish	List Price
Chrome Fast-Fill Tub Filler With Shower Wand and Diverter 3/4-Inch (19 mm) Valves	9FHS-CH19	Polished Chrome	906
1000W In-line Whirlpool Heater	755931-201	N/A	350
AS Walk-In Tubs Neck Rest	9NR	Grey	65
Neck Rest With Grip for all Models Except 32520D	9NRGRIP	Grey	69
Hand Shower Slide Bar System – Includes 24-Inch (610 mm) Grab Bar and Hand Shower Glide	9HSB	Polished Chrome	161
24-Inch (610 mm) Wall-Mounted Decorative Chrome Grab Bar	9GB-24	Polished Chrome	111
Acrylic Back Panel for 2848	9BP-28L	Linen	385
• Must be factory installed	9BP-28W	White	385
Acrylic Back Panel for 3051	9BP-30L	Linen	385
• Must be factory installed	9BP-30W	White	385
Acrylic Back Panel for 3260	9BP-32L	Linen	385
Must be factory installed	9BP-32W	White	385
Acrylic End Panel for 2848 on Faucet Side	9EP-28.FL	Linen	385
• Must be factory installed	9EP-28.FW	White	385
Acrylic End Panel for 2848 on Seat Side	9EP-28.SL	Linen	385
• Must be factory installed	9EP-28.SW	White	385
Acrylic End Panel for 3051 on Faucet Side	9EP-30.FL	Linen	385
• Must be factory installed	9EP-30.FW	White	385
Acrylic End Panel for 3051 on Seat Side	9EP-30.SL	Linen	385
• Must be factory installed	9EP-30.SW	White	385
Acrylic End Panel for 3260 on Faucet Side	9EP-32.FL	Linen	385
• Must be factory installed	9EP-32.FW	White	385
Acrylic End Panel for 3260 on Seat Side	9EP-32.SL	Linen	385
Must be factory installed	9EP-32.SW	White	385

AmericanStandard.com List Price Guide 2024-1

Bathing Seated Shower



The American Standard seated shower fits in the space of a standard bathtub and features a built-in, chair-height seat perfect for anyone having difficulty standing in the shower.

Fully open on one side, the seat allows easy transfer in and out of the shower. In addition to the easy access 3" (76 mm) threshold, an innovative built-in wrap-around grab bar allows for safety and security anywhere in the shower.

The seated shower features durable and luxurious cast acrylic construction and is easy to install thanks to its freestanding metal frame with five adjustable leveling feet.



Acrylic 30 x 60-Inch Walk-In Shower - Left-Hand Drain

- One piece highly durable and luxurious cast acrylic construction
- Factory installed on metal support frame
- Wide, full-sized, built-in contoured seat
- Allows for easy transfer into and out of the shower
- Wrap around grab bar system
- Integral tile flange
- Textured shower floor

Nominal Dimensions:

59-1/2 in x 30 in x 38-1/2 in (1511 mm x 762 mm x 977 mm)

Description	Net Wt	SKU	Color	List Price
Acrylic 30 x 60-Inch Walk-In Shower – Left-Hand Drain	160 lb 72.6 kg	3060SH.LW	White	3,241



Acrylic 30 x 60-Inch Walk-in Shower - Right-Hand Drain

- One piece highly durable and luxurious cast acrylic construction
- Factory installed on metal support frame
 Wide, full-sized, built-in contoured seat
- Allows for easy transfer into and out of the shower
- Wrap around grab bar system
- Integral tile flange
- Textured shower floor

Nominal Dimensions:

59-1/2 in x 30 in x 38-1/2 in (1511 mm x 762 mm x 977 mm)

Description	Net Wt	SKU	Color	List Price
Acrylic 30 x 60-Inch Walk-in Shower – Right-Hand Drain	160 lb 72.6 kg	3060SH.RW	White	3,241

Safety Tubs

Independent, Safer and Comfortable Bathing

Fully equipped, the Safety Tubs® SSA Entry Series offers all the latest in safety and comfort features bundled together at one low cost and backed by a lifetime warranty on the door seal, a 10-year warranty on the tub shell and a 5-year warranty on all other components.

Available in full size 60" x 30" and two smaller sizes that include our tub extender kit allowing you to retrofit into various alcove sizes.

SSA Entry Series® Safety Tubs



Exclusive Innovations



Watertight Door System Technology

- Ergonomic, easy to use handle
- Lifetime warranty on seal

Features and Benefits

Soaker Bath

Provides a warm relaxing soak

Jet Massage System

- 6 Massage jets
- Advanced back and leg therapy

Air Massage System

- 21 seat and floor Air Massage jets
- Soothing cascade of warm air bubbles

Dual System

• Combines the Jet Massage and Air Massage Systems

americanstandard.com List Price Guide 2024-1

Bathing Safety Tubs



- Premium faucet and handheld showering wand
 Watertight Door System Technology ensures a water tight seal with a lifetime warranty

- Watertight Door System Technology ensures a water tight seal with a lifetime warranty
 Built-in 17" (432 mm) chair height seat
 Freestanding metal support frame self leveling feet
 Built-in safety grab bar
 Tub extender kit is included with all tubs less than 60" (1524 mm) in length use to retrofit into standard tub spaces
 Plumbing and fixture access panels
 Textured tub floor
 Low threshold

Nominal Dimensions:

59-1/2 in x 29-3/4 in x 37-1/2 in (1511 mm x 755 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With		SSA6030LS-BC	Biscuit	5,672
Soaker System - Left-Hand Drain With Faucet	140 lb	SSA6030LS-WH	White	5,672
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With	63.6 kg	SSA6030RS-BC	Biscuit	5,672
Soaker System - Right-Hand Drain With Faucet		SSA6030RS-WH	White	5,672
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With	156 lb	SSA6030LJ-BC	Biscuit	6,309
Whirlpool System – Left-Hand Drain With Faucet	70.8 kg	SSA6030LJ-WH	White	6,309
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With	166 lb	SSA6030RJ-BC	Biscuit	6,309
Whirlpool System - Right-Hand Drain With Faucet	75.4 kg	SSA6030RJ-WH	White	6,309
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With Air		SSA6030LA-BC	Biscuit	6,584
Spa System - Left-Hand Drain With Faucet	154 lb	SSA6030LA-WH	White	6,584
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With Air	69.9 kg	SSA6030RA-BC	Biscuit	6,584
Spa System - Right-Hand Drain With Faucet	_	SSA6030RA-WH	White	6,584
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With		SSA6030LD-BC	Biscuit	7,316
Combination Air Spa and Whirlpool Systems – Left- Hand Drain With Faucet	180 lb	SSA6030LD-WH	White	7,316
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With	81.7 kg	SSA6030RD-BC	Biscuit	7,316
Combination Air Spa and Whirlpool Systems – Right- Hand Drain With Faucet	_	SSA6030RD-WH	White	7,316

Safety Tubs

Bathing



- Premium faucet and handheld showering wand
 Watertight Door System Technology ensures a water tight seal with a lifetime warranty
 Built-in 17" (432 mm) chair height seat
 Freestanding metal support frame self leveling feet
 Built-in safety grab bar
 Tub extender kit is included with all tubs less than 60" (1524 mm) in length use to retrofit into standard tub spaces
 Plumbing and fixture access panels
 Textured tub floor
 Low threshold

Nominal Dimensions:

51-1/2 in x 29-3/4 in x 42 in (1308 mm x 755 mm x 1066 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With		SSA5230LS-BC	Biscuit	5,722
Soaker System – Left-Hand Drain With Faucet	138 lb	SSA5230LS-WH	White	5,722
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With	62.7 kg	SSA5230RS-BC	Biscuit	5,722
Soaker System - Right-Hand Drain With Faucet		SSA5230RS-WH	White	5,722
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With		SSA5230LJ-BC	Biscuit	6,360
Whirlpool System – Left-Hand Drain With Faucet	162 lb	SSA5230LJ-WH	White	6,360
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With Whirlpool System – Right-Hand Drain With Faucet	73.5 kg	SSA5230RJ-BC	Biscuit	6,360
	_	SSA5230RJ-WH	White	6,360
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With Air		SSA5230LA-BC	Biscuit	6,544
Spa System - Left-Hand Drain With Faucet	154 lb	SSA5230LA-WH	White	6,544
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With Air	69.9 kg	SSA5230RA-BC	Biscuit	6,544
Spa System - Right-Hand Drain With Faucet	_	SSA5230RA-WH	White	6,544
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With		SSA5230LD-BC	Biscuit	7,274
Combination Air Spa and Whirlpool Systems – Left- Hand Drain With Faucet	178 lb	SSA5230LD-WH	White	7,274
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With	80.8 kg —	SSA5230RD-BC	Biscuit	7,274
Combination Air Spa and Whirlpool Systems – Right- Hand Drain With Faucet	_	SSA5230RD-WH	White	7,274

Bathing Safety Tubs



- Premium faucet and handheld showering wand
 Watertight Door System Technology ensures a water tight seal with a lifetime warranty

- Watertight Door System Technology ensures a water tight seal with a lifetime warranty
 Built-in 17" (432 mm) chair height seat
 Freestanding metal support frame self leveling feet
 Built-in safety grab bar
 Tub extender kit is included with all tubs less than 60" (1524 mm) in length use to retrofit into standard tub spaces
 Plumbing and fixture access panels
 Textured tub floor
 Low threshold

Nominal Dimensions:

48 in x 28-1/2 in x 37-1/2 in (1219 mm x 723 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With		SSA4828LS-BC	Biscuit	4,849
Soaker System - Left-Hand Drain With Faucet	152 lb	SSA4828LS-WH	White	4,849
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With	69.0 kg	SSA4828RS-BC	Biscuit	4,849
Soaker System - Right-Hand Drain With Faucet		SSA4828RS-WH	White	4,849
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With Whirlpool System – Left-Hand Drain With Faucet		SSA4828LJ-BC	Biscuit	5,486
	165 lb	SSA4828LJ-WH	White	5,486
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With Whirlpool System – Right-Hand Drain With Faucet	74.9 kg	SSA4828RJ-BC	Biscuit	5,486
		SSA4828RJ-WH	White	5,486
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With Air		SSA4828LA-BC	Biscuit	5,852
Spa System - Left-Hand Drain With Faucet	154 lb	SSA4828LA-WH	White	5,852
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With Air	69.9 kg	SSA4828RA-BC	Biscuit	5,852
Spa System - Right-Hand Drain With Faucet		SSA4828RA-WH	White	5,852
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With		SSA4828LD-BC	Biscuit	6,401
Combination Air Spa and Whirlpool Systems – Left- Hand Drain With Faucet	152 lb	SSA4828LD-WH	White	6,401
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With	69.0 kg	SSA4828RD-BC	Biscuit	6,401
Combination Air Spa and Whirlpool Systems – Right- Hand Drain With Faucet		SSA4828RD-WH	White	6,401

Indulge in Luxury and Style

Indulge in the luxury of one of American Standard's freestanding bathtubs with styles ranging from traditional, casual, to modern. American Standard freestanding bathtubs provide a roomy bathing space but are compact enough to comfortably fit in the average-sized bathroom. Designed to create an elegant and luxurious bathroom focal point, American Standard freestanding bathtubs are the perfect option for your new home or bathroom remodel.

Freestanding bathtubs from American Standard are available with and without a bathtub filler faucet, built to last, with high-gloss, acrylic reinforced with fiberglass construction for a scratch-resistant shine and lasting durability.

Studio® S Freestanding Bathtub



AmericanStandard.com List Price Guide 2024-1

Freestanding Bathtubs Overview

Aspirations™	Coastal [™] Serin [™]
Studio® S	Sedona® Loft®
Town Square® S	Cadet® With Tub Filler
Townsend®	Cadet®



Aspirations™ 68 x 34-Inch Freestanding Bathtub With White Drain and Overflow

- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- 2-Piece construction
- Center drain
- Color matched white drain and slotted overflow cover included

68 in x 34 in x 24 in (1727 mm x 863 mm x 609 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations [™] 68 x 34-Inch Freestanding Bathtub With White Drain and Overflow	124 lb 56.2 kg	2677004.020	White	2,665
Optional Components:				
Aspirations Deck Mount Bathtub Faucet with Lever Handles and Personal Shower	7 lb	T061901.002	Polished Chrome	512
	3.0 kg -	T061901.243	Matte Black	717
		T061901.295	Brushed Nickel	717



Aspirations™ 60 x 34-Inch Freestanding Bathtub With White Drain and Overflow

- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- 2-Piece construction
- Center drain
- Color matched white drain and slotted overflow cover included
- Limited lifetime warranty

Nominal Dimensions:

60 in x 34 in x 24 in (1524 mm x 863 mm x 609 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations™ 60 x 34-Inch Freestanding Bathtub With White Drain and Overflow	120 lb 54.4 kg	2967004.020	White	2,399
Optional Components:				
Aspirations Deck Mount Bathtub Faucet with Lever Handles and Personal Shower	7 lb	T061901.002	Polished Chrome	512
	3.0 kg —	T061901.243	Matte Black	717
		T061901.295	Brushed Nickel	717



Cadet® 66 x 32-Inch Freestanding Bathtub With Drain Chrome Finish

- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Drain off center
- Polished Chrome drain and overflow cover included
- Limited lifetime warranty

Nominal Dimensions:

66 in x 32 in x 23 in (1676 mm x 812 mm x 584 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 66 x 32-Inch Freestanding Bathtub With	101 lb	2764014.011	Arctic	2,309
Drain Chrome Finish	46.3 kg			
Separate Components:				
Access Panel	0 lb 0.3 kg	>754766-200.0110A	Arctic	156



Cadet® 66 x 32-Inch Freestanding Bathtub With Drain Brushed Nickel Finish

- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Drain off center
- Brushed Nickel drain and overflow cover included
- · Limited lifetime warranty

Nominal Dimensions:

66 in x 32 in x 23 in (1676 mm x 812 mm x 584 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 66 x 32-Inch Freestanding Bathtub With Drain Brushed Nickel Finish	101 lb 46.3 kg	2764014M204.011	Arctic	2,349
Separate Components:				
Access Panel	0 lb 0.3 kg	>754766-200.0110A	Arctic	156



Cadet® 66 x 32-Inch Freestanding Bathtub With Polished Chrome Finish Filler and Drain Kit

- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Drain off center
- Polished Chrome drain and overflow cover included
- Polished Chrome bathtub filler and handheld shower included
- · Limited lifetime warranty

Nominal Dimensions:

66 in x 32 in x 30-5/8 in (1676 mm x 812 mm x 777 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 66 x 32-Inch Freestanding Bathtub With Polished Chrome Finish Filler and Drain Kit	119 lb 54.3 kg	2764014M202.011	Arctic	2,910
Separate Components:				
Access Panel	0 lb 0.3 kg	>754766-200.0110A	Arctic	156



Cadet® 66 x 32-Inch Freestanding Bathtub With Brushed Nickel Finish Filler and Drain Kit

- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Drain off center
- Brushed Nickel drain and overflow cover included
- Brushed Nickel bathtub filler and handheld shower included
- Limited lifetime warranty

Nominal Dimensions:

66 in x 32 in x 23 in (1676 mm x 812 mm x 584 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 66 x 32-Inch Freestanding Bathtub With Brushed Nickel Finish Filler and Drain Kit	119 lb 54.3 kg	2764014M203.011	Arctic	3,137
Separate Components:				
Access Panel	0 lb 0.3 kg	>754766-200.0110A	Arctic	156

Parts Program (Non-Premier)

^{*} Non-Premier Product



Coastal™ Serin™ 68 x 31-Inch Freestanding Bathtub Center Drain With Integrated Overflow

- High-quality seamless acrylic one-piece construction with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Center drain with integrated overflow
- Removable polished chrome overflow cover and toe-tap drain included
- Steel structural support frame with adjustable leveling feet for easy installation
- Limited lifetime warranty

Nominal Dimensions:

68-3/4 in x 31-1/4 in x 23-5/8 in (1746 mm x 793 mm x 600 mm)



Net Wt	SKU	Color	List Price
104 lb 47.2 kg	2765034.020	White	3,490
1 lb 0.5 kg -	1680100.243	Matte Black	256
	1680100.002	Polished Chrome	128
	1680100.013	Polished Nickel	141
_	1680100.278	Legacy Bronze	149
_	1680100.295	Brushed Nickel	143
	104 lb 47.2 kg	104 lb 47.2 kg 2765034.020 47.2 kg 1680100.243 0.5 kg 1680100.002 1680100.013 1680100.278	104 lb 47.2 kg 2765034.020 White 1 lb 0.5 kg 1680100.243 Matte Black 1680100.002 Polished Chrome 1680100.013 Polished Nickel 1680100.278 Legacy Bronze



Sedona® Loft® 63 x 30-Inch Rectangle Freestanding Bathtub Center Drain With Integrated Overflow

- High-quality seamless acrylic one-piece construction with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Center drain with integrated overflow
- Removable Polished Chrome overflow cover and toe-tap drain included
- Steel structural support frame with adjustable leveling feet for easy installation
- Limited lifetime warranty

Nominal Dimensions:

62-3/4 in x 29-7/8 in x 22-7/8 in (1593 mm x 758 mm x 581 mm)



Net Wt	SKU	Color	List Price
111 lb 50.4 kg	2766034.020	White	3,379
1 lb	1680100.243	Matte Black	256
0.5 kg —	1680100.002	Polished Chrome	128
	1680100.013	Polished Nickel	141
_	1680100.278	Legacy Bronze	149
_	1680100.295	Brushed Nickel	143
	111 lb 50.4 kg	111 lb 2766034.020 50.4 kg 1680100.243 0.5 kg 1680100.002 1680100.013 1680100.278	111 lb 50.4 kg 2766034.020 White 1 lb 0.5 kg 1680100.243 Matte Black Polished Chrome 1680100.013 Polished Nickel 1680100.278 Legacy Bronze



Studio® S 68 x 34-Inch Freestanding Bathtub Center Drain With Integrated Overflow

- High-quality seamless acrylic one-piece construction with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Center drain with integrated overflow
- Steel structural support frame with adjustable leveling feet for easy installation
- Limited lifetime warranty

Nominal Dimensions:

68 in x 34 in x 24-1/2 in (1727 mm x 863 mm x 622 mm)



Description	Net Wt	SKU	Color	List Price
Studio® S 68 x 34-Inch Freestanding Bathtub Center Drain With Integrated Overflow	145 lb 65.9 kg	2549004.020	White	3,635
Required Components:				
Studio® S Freestanding Bathtub Drain Kit	1 lb	1582200.002	Polished Chrome	140
	0.6 kg —	1582200.295	Brushed Nickel	210
	_	1582200.243	Matte Black	265

Parts Program (Non-Premier)

AmericanStandard.com List Price Guide 2024-1

^{*} Non-Premier Product



Town Square® S 68 x 36-Inch Freestanding Bathtub Center Drain With Integrated Overflow

- Straight back wall allows for optional "flush-to-the-wall" installation, leaving no space to trap dust or debris
- High-quality seamless acrylic one-piece construction with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Center drain with integrated overflow
 Wide deck can accommodate a bathtub faucet or store toiletries
- Steel structural support frame with adjustable leveling feet for easy installation
- Removable access panel on back of tub
- Limited lifetime warranty

Nominal Dimensions:

68 in x 36 in x 24-7/16 in (1727 mm x 914 mm x 620 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S 68 x 36-Inch Freestanding Bathtub Center Drain With Integrated Overflow	150 lb 68.1 kg	2546004.020	White	3,742
Separate Components:				
Access Panel	2 lb 1.0 kg	⊳755495-201.0200A	White	150
Required Components:				
*Town Square® S Freestanding Bathtub Overflow Cover and Drain Kit	1 lb 0.8 kg	1614305.002	Polished Chrome	185
		1614305.013	Polished Nickel	260
	_	1614305.278	Legacy Bronze	278
	-	1614305.295	Brushed Nickel	260



Townsend® 68 x 36-Inch Freestanding Bathtub Center Drain With Integrated Overflow

- Straight back wall allows for optional "flush-to-the-wall" installation, leaving no space to trap dust or debris
- High-quality seamless acrylic one-piece construction with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Center drain with integrated overflow
- Wide deck can accommodate a bathtub faucet or store toiletries
- Steel structural support frame with adjustable leveling feet for easy installation
- Removable access panel on back of bathtub
- · Limited lifetime warranty

Nominal Dimensions:

68 in x 35-5/8 in x 24-1/4 in (1727 mm x 904 mm x 615 mm)



50 III X 50 67 6 III X 2 1 IV I III (17 27 I IIII X 50 7 I IIII X				
Description	Net Wt	SKU	Color	List Price
Townsend® 68 x 36-Inch Freestanding Bathtub Center Drain With Integrated Overflow	143 lb 64.9 kg	2691004.020	White	3,553
Required Components:				
* Townsend® Freestanding Bathtub Overflow Cover	1 lb	1582000.243	Matte Black	256
and Drain Kit	0.8 kg —	1582000.002	Polished Chrome	143
	_	1582000.013	Polished Nickel	202
	_	1582000.278	Legacy Bronze	202
	_	1582000.295	Brushed Nickel	216

> Parts Program (Non-Premier)

^{*} Non-Premier Product

,	
1	
G	ö
	-
	ļ
b	ก
Ċ	ч
•	9
	7
ŀ	=
	•
c	
Ε	į
	5
L	
Ġ	ч
	ч
	ч
	ч
- WOODO	ч
- WOODO	ч
- WOODO	10000r
- WOODO	10000r

Description Aspirations™ Alcove Bathtub Headrest Pillow • Easy to clean surface • Adjustable the placement for maximum relaxation and comfort • Quick and easy attachment and removal • Compatible with all Aspirations™ alcove bathtubs Aspirations™ Alcove Bathtub Slotted Deep Soak Overflow and Drain • Color-matched white finish to seamlessly blend in with the bathtub • Slotted overflow for additional 2 inches of soaking depth	SKU # 7181000 1616000.020	Color/Finish N/A White	217 217
Pillow Easy to clean surface Adjustable the placement for maximum relaxation and comfort Quick and easy attachment and removal Compatible with all Aspirations™ alcove bathtubs Aspirations™ Alcove Bathtub Slotted Deep Soak Overflow and Drain Color-matched white finish to seamlessly blend in with the bathtub Slotted overflow for additional 2 inches of soaking			
• Adjustable the placement for maximum relaxation and comfort • Quick and easy attachment and removal • Compatible with all Aspirations™ alcove bathtubs Aspirations™ Alcove Bathtub Slotted Deep Soak Overflow and Drain • Color-matched white finish to seamlessly blend in with the bathtub • Slotted overflow for additional 2 inches of soaking	1616000.020	White	167
Compatible with all Aspirations™ alcove bathtubs Aspirations™ Alcove Bathtub Slotted Deep Soak Overflow and Drain Color-matched white finish to seamlessly blend in with the bathtub Slotted overflow for additional 2 inches of soaking	1616000.020	White	167
Soak Overflow and Drain Color-matched white finish to seamlessly blend in with the bathtub Slotted overflow for additional 2 inches of soaking	1616000.020	White	167
with the bathtub • Slotted overflow for additional 2 inches of soaking			
aepin			
 Flexible overflow pipe for easier installation Required with all Aspirations™ alcove bathtubs 			
Bathtub Drain	1583470.002	Polished Chrome	198
Universal design works with American Standard	1583470.011	Arctic	338
baths and spa tubs Brass construction withstands prolonged contact	1583470.020	White	338
with water • Rotary knob makes it easy to operate stopper • Powder-coated stopper and overflow cap for	1583470.295	Brushed Nickel	338
Available in multiple finishes to match décor One-year limited warranty			
Deep Soak® Bathtub Drain	1640305.002	Polished Chrome	174
Overflow feature provides more than 2" (56 mm) of	1640305.011	Arctic	234
	1640305.020	White	195
close	1640305.021	Bone	193
overflow opening	1640305.222	Linen	234
Made of quality materials for durability Easy to install Available in beautiful finishes to coordinate with décor	1640305.295	Brushed Nickel	312
One-year limited warranty			
Deep Soak® Max Bathtub Drain	1599205.002	Polished Chrome	195
Unique top-mount overflow allows 3" (76 mm) deeper water level than standard bath drain.	1599205.011	Arctic	234
 Tap-actuated pop-up drain stopper 	1599205.020	White	195
Solid brass construction for durability Available in multiple finishes to match décor Works with Evolution® Series tubs One-year limited warranty	1599205.295	Brushed Nickel	312
Freestanding Bathtub Overflow Cover and	1680100.002	Polished Chrome	128
Drain Kit	1680100.013	Polished Nickel	141
Pop-up drain requires gentle push to open and	1680100.243	Matte Black	256
 Sleek escutcheon adds a finishing touch to 	1680100.278	Legacy Bronze	149
overflow opening • Standard overflow cover and drain • Fits American Standard freestanding bathtub models 2765.034, 2766.034 and 2767.034 • Available in finishes to complement bathroom décor	1680100.295	Brushed Nickel	143
	• Slotted overflow for additional 2 inches of soaking depth • Flexible overflow pipe for easier installation • Required with all Aspirations™ alcove bathtubs Bathtub Drain • Universal design works with American Standard baths and spa tubs • Brass construction withstands prolonged contact with water • Rotary knob makes it easy to operate stopper • Powder-coated stopper and overflow cap for durability • Available in multiple finishes to match décor • One-year limited warranty Deep Soak® Bathtub Drain • Overflow feature provides more than 2" (56 mm) of additional water depth for deeper soaking • Pop-up drain requires gentle push to open and close • Sleek escutcheon adds a finishing touch to overflow opening • Made of quality materials for durability • Easy to install • Available in beautiful finishes to coordinate with décor • One-year limited warranty Deep Soak® Max Bathtub Drain • Unique top-mount overflow allows 3" (76 mm) deeper water level than standard bath drain • Tap-actuated pop-up drain stopper • Solid brass construction for durability • Available in multiple finishes to match décor • Works with Evolution® Series tubs • One-year limited warranty Freestanding Bathtub Overflow Cover and Drain Kit • Pop-up drain requires gentle push to open and close • Sleek escutcheon adds a finishing touch to overflow opening • Standard overflow cover and drain • Fits American Standard freestanding bathtub models 2765.034, 2766.034 and 2767.034	with the bathtub • Slotted overflow for additional 2 inches of soaking depth • Flexible overflow pipe for easier installation • Required with all Aspirations" alcove bathtubs Bathtub Drain • Universal design works with American Standard baths and spa tubs • Brass construction withstands prolonged contact with water • Rotary knob makes it easy to operate stopper • Powder-coated stopper and overflow cap for durability • Available in multiple finishes to match décor • One-year limited warranty Deep Soak® Bathtub Drain • Overflow feature provides more than 2" (56 mm) of additional water depth for deeper soaking • Pop-up drain requires gentle push to open and close • Sleek escutcheon adds a finishing touch to overflow opening • Made of quality materials for durability • Easy to install • Available in beautiful finishes to coordinate with décor • One-year limited warranty Deep Soak® Max Bathtub Drain • Unique top-mount overflow allows 3" (76 mm) deeper water level than standard bath drain • Tap-actuated pop-up drain stopper • Solid brass construction for durability • Available in multiple finishes to match décor • Works with Evolution Series tubs • One-year limited warranty Freestanding Bathtub Overflow Cover and Drain Kit • Pop-up drain requires gentle push to open and close • Sleek escutcheon adds a finishing touch to overflow opening • Standard overflow cover and drain • Pop-up drain requires gentle push to open and close • Sleek escutcheon adds a finishing touch to overflow opening • Standard overflow cover and drain • Pop-up drain requires gentle push to open and close • Sleek escutcheon adds a finishing touch to overflow opening • Standard overflow cover and drain • Fits American Standard freestanding bathtub models 2765.034, 2766.034 and 2767.034 • Available in finishes to complement bathroom décor	with the bathtub **Slotted overflow for additional 2 inches of soaking depth **Flexible overflow pipe for easier installation **Required with all Aspirations** alcove bathtubs **Bathtub Drain** **Universal design works with American Standard baths and spa tubs **Brass construction withstands prolonged contact with water **Powder-coated stopper and overflow cap for durability **Available in multiple finishes to match décor **One-year limited warranty* **Deep Soak*** Bathtub Drain** **Overflow feature provides more than 2* (56 mm) of additional water depth for deeper soaking **Pop-up drain requires gentle push to open and close **Sleek escutcheon adds a finishing touch to overflow opening **National control of the coordinate with décor **One-year limited warranty* **Deep Soak*** Max Bathtub Drain** **National coordinate with décor **One-year limited warranty* **Deep Soak*** Max Bathtub Drain** **Inique top-mount overflow allows 3* (76 mm) deeper water level than standard bath drain deper water level than standard bath decor **Norks with Evolution** Series tubs **One-year limited warranty* **Pop-up drain requires gentle push to open and close **Sleek escutcheon adds a finishing touch to overflow opening allows of the substitute

AmericanStandard.com List Price Guide 2024-1

Drains and Accessories

	Description		SKU#	Color/Finish	List Pric
	Studio® S Freestanding Bathtub Drain Kit		1582200.002	Polished Chrome	14
п	Pop-up drain requires gentle push to open and		1582200.243	Matte Black	26
	close Made of quality materials for durability		1582200.295	Brushed Nickel	21
TOTAL STREET	Easy to install				
-114	 Designed for use with American Standard Studio[®] S freestanding bathtub model 2549.004 				
	 Available in beautiful finishes to coordinate with décor 				
	One-year limited warranty				
	Townsend® Freestanding Bathtub Overflow		1582000.002	Polished Chrome	14
	Cover and Drain Kit		1582000.013	Polished Nickel	20
T	 Pop-up drain requires gentle push to open and close 		1582000.243	Matte Black	25
	 Sleek escutcheon adds a finishing touch to 		1582000.278	Legacy Bronze	20
-	overflow opening • Made of quality materials for durability		1582000.295	Brushed Nickel	21
- 1	Easy to install Designed for use with American Standard				
	Townsend® freestanding bathtub model 2691.004				
	 Available in beautiful finishes to coordinate with décor 				
	One-year limited warranty				
	Town Square® S Freestanding Bathtub	ÂDĄ.	1614305.002	Polished Chrome	18
	Overflow Cover and Drain Kit	(5)	1614305.013	Polished Nickel	26
T	 Pop-up drain requires gentle push to open and close 		1614305.278	Legacy Bronze	27
	 Sleek escutcheon adds a finishing touch to 		1614305.295	Brushed Nickel	26
	overflow opening Made of quality materials for durability				
	Easy to installDesigned for use with American Standard Town				
	Square® S freestanding bathtub model 2546.004 • Available in beautiful finishes to coordinate with				
	décor				
	One-year limited warranty				
	Safe-T Heater		9075120	No Finish	39
	Quick connect Safe-T Heater connection system -				
Charles L	whirlpool only Helps maintain a consistent water temperature				
	Easy to installDesigned for use with American Standard whirlpool				
	bathtubs				
	1500 watt and includes overheat protectionOne-year limited warranty				
	Universal Tile Bead Adhesive (Bulk)		9330014		5
	Acts as a water retention flange				
	 Drop-in tub accessory for 3 wall alcove applications 				
	 Includes 30' (9.1 m) roll of adhesive ONLY 				
	Easy to installDoes not include tile bead, must be purchased				
	seperately • One-year limited warranty				
	Universal Tile Bead Kit		751755-100	White	79
	• Acts as a water retention flange				
	 Drop-in tub accessory for 3 wall alcove applications 				
	 Includes 15' (4.6 m) roll of tile bead 				
	 Includes 15' (4.6 m) roll of adhesive Easy to install 				
	One-year limited warranty				

Evolution®

Bathtubs

Bathtubs Overview



Images for illustrative purposes only – actual features may vary.

Cadet®

Evolution®

Evolution®

Whirlpools, air baths and combo massage systems from American Standard® offer massage therapy options to satisfy any need, whether it's renewing aching muscles or soothing away the tensions of a hectic day. Available in a range of styles, sizes and shapes, it's easy to find the perfect model to complement any bathroom design.





■ EverClean® Whirlpool SystemFully adjustable, high-efficiency jets produce a strong stream, leaving the bather feeling refreshed and energized. Select models also feature jets in the lumbar region to provide a soothing shiatsu massage.

■ EverClean Air Bath System

Thousands of warm air bubbles produced from air jets that sit perfectly flush with the inside perimeter of the tub create a calm and gentle or brisk and invigorating experience.

■ Standard Whirlpools

Standard whirlpools feature single speed motors with durable, air-activated on/off switches. All models also feature silent air controls that allow precise control of jet force levels. To ensure reliability, all pumps offer dry-run seal protection that keep them safe if accidentally run without water.

■ EverClean Whirlpools

EverClean whirlpools offer all the benefits of our Standard Whirlpools, plus the EverClean System, a unique feature you'll only find at American Standard. American Standard whirlpools with Everclean® incorporate a patented silver-ion additive right into the circulation piping to protect the pipes from mold, mildew, algae and fungus that could cause deterioration or staining of the pipes.





EverClean® System

American Standard whirlpools with Everclean® incorporate a patented silver-ion additive right into the circulation piping to protect the pipes from mold, mildew, algae and fungus that could cause deterioration or staining of the pipes.

The EverClean System, exclusively from American Standard, is the easiest way to help keep your whirlpool and air bath circulation system clean.

- The silver-ion additive is molded directly into the circulation piping
- The silver-ion additive protects the pipes from algae, fungus, mold and mildew
- The silver-ion additive works around the clock no matter how often you use your whirlpool or air bath
- Competitive cleaning systems using ozone that operate only while the motor is running will not help when water gets into the jets or piping during bathing or showering





americanstandard.com List Price Guide 2024-1



Aspirations™ 60 x 30-Inch Integral Apron Bathtub With Right-Hand Drain

- Minimalist design with contoured lumbar support
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Textured floor
- Isotted overflow for extra soaking depth (color-matched drain sold separately)
 Integral 3-sided tile/water retention flange
 Integral apron for recess application
 Pre-leveled tub bottom for easier installation
 Headrest sold separately for maximum comfort
 Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 17 in (1524 mm x 762 mm x 431 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations™ 60 x 30-Inch Integral Apron Bathtub With Right-Hand Drain	75 lb 34.0 kg	2963102.020	White	999
Required Components:				
Aspirations™ Alcove Bathtub Slotted Deep Soak Overflow and Drain	1 lb 0.6 kg	1616000.020	White	167
Optional Components:				
Aspirations [™] 60 x 32 x 72-Inch Vertical Tile Bath Wall Set	45 lb 20.4 kg	2952BWT32.020	White	825
Aspirations™ Alcove Bathtub Headrest Pillow	1 lb 0.4 kg	7181000	N/A	217
Aspirations™ 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations [™] Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92
Aspirations™ 60 x 60-Inch Frameless Sliding	115 lb	AM00853400.213	Silver Shine	732
Bathtub Door	52.0 kg —	AM00853400.243	Matte Black	799
		AM00853400.295	Brushed Nickel	759

Bathtubs Soakers



Aspirations™ 60 x 30-Inch Integral Apron Bathtub With Left-Hand Drain

- Minimalist design with contoured lumbar support
 High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Textured floor
- 1 Extured floor
 Slotted overflow for extra soaking depth (color-matched drain sold separately)
 Integral 3-sided tile/water retention flange
 Integral apron for recess application
 Pre-leveled tub bottom for easier installation
 Headrest sold separately for maximum comfort
 Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 17 in (1524 mm x 762 mm x 431 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations™ 60 x 30-Inch Integral Apron Bathtub With Left-Hand Drain	75 lb 34.0 kg	2963202.020	White	999
Required Components:				
Aspirations™ Alcove Bathtub Slotted Deep Soak Overflow and Drain	1 lb 0.6 kg	1616000.020	White	167
Optional Components:				
Aspirations™ 60 x 32 x 72-Inch Vertical Tile Bath Wall Set	45 lb 20.4 kg	2952BWT32.020	White	825
Aspirations™ Alcove Bathtub Headrest Pillow	1 lb 0.4 kg	7181000	N/A	217
Aspirations [™] 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations™ Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92
Aspirations™ 60 x 60-Inch Frameless Sliding	115 lb	AM00853400.213	Silver Shine	732
Bathtub Door	52.0 kg [—]	AM00853400.243	Matte Black	799
		AM00853400.295	Brushed Nickel	759



Aspirations™ 60 x 32-Inch Integral Apron Bathtub With Right-Hand Drain

- Minimalist design with contoured lumbar support
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Textured floor
- Slotted overflow for extra soaking depth (color-matched drain sold separately)
 Integral 3-sided tile/water retention flange
- Integral apron for recess application
- Pre-leveled tub bottom for easier installation
 Headrest sold separately for maximum comfort
 Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 17 in (1524 mm x 812 mm x 431 mm)

Description	Net Wt	SKU	Color	List Pric
Aspirations™ 60 x 32-Inch Integral Apron Bathtub With Right-Hand Drain	80 lb 36.3 kg	2964102.020	White	1,025
Required Components:				
Aspirations™ Alcove Bathtub Slotted Deep Soak Overflow and Drain	1 lb 0.6 kg	1616000.020	White	167
Optional Components:				
Aspirations [™] 60 x 32 x 72-Inch Vertical Tile Bath Wall Set	45 lb 20.4 kg	2952BWT32.020	White	825
Aspirations™ Alcove Bathtub Headrest Pillow	1 lb 0.4 kg	7181000	N/A	217
Aspirations [™] 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations [™] Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92
Aspirations™ 60 x 60-Inch Frameless Sliding	115 lb	AM00853400.213	Silver Shine	732
Bathtub Door	52.0 kg	AM00853400.243	Matte Black	799
		AM00853400.295	Brushed Nickel	759

Soakers

Bathtubs Soakers



Aspirations™ 60 x 32-Inch Integral Apron Bathtub With Left-Hand Drain

- Minimalist design with contoured lumbar support
 High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
- tasy-to-clean high-gloss surface that's UV stable and stain resistant
 Textured floor
 Slotted overflow for extra soaking depth (color-matched drain sold separately)
 Integral 3-sided tile/water retention flange
 Integral apron for recess application
 Pre-leveled tub bottom for easier installation
 Headrest sold separately for maximum comfort
 Initial lifetime waternative.

- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 17 in (1524 mm x 812 mm x 431 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations™ 60 x 32-Inch Integral Apron Bathtub With Left-Hand Drain	80 lb 36.3 kg	2964202.020	White	1,025
Required Components:				
Aspirations™ Alcove Bathtub Slotted Deep Soak Overflow and Drain	1 lb 0.6 kg	1616000.020	White	167
Optional Components:				
Aspirations™ 60 x 32 x 72-Inch Vertical Tile Bath Wall Set	45 lb 20.4 kg	2952BWT32.020	White	825
Aspirations™ Alcove Bathtub Headrest Pillow	1 lb 0.4 kg	7181000	N/A	217
Aspirations™ 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations™ Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92
Aspirations™ 60 x 60-Inch Frameless Sliding	115 lb	AM00853400.213	Silver Shine	732
Bathtub Door	52.0 kg	AM00853400.243	Matte Black	799
	_	AM00853400.295	Brushed Nickel	759

AmericanStandard.com List Price Guide 2024-1

Bathtubs



Aspirations™ 60 x 36-Inch Integral Apron Bathtub With Right-Hand Drain

- Minimalist design with contoured lumbar support
 High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Textured Floor
 Slotted overflow for extra soaking depth (color-matched drain sold separately)
 Integral 3-sided tile/water retention flange
 Integral apron for recess application
 Pre-leveled tub bottom for easier installation
 Headrest sold separately for maximum comfort

- Limited lifetime warranty

Nominal Dimensions:

60 in x 36 in x 17 in (1524 mm x 914 mm x 431 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations [™] 60 x 36-Inch Integral Apron Bathtub With Right-Hand Drain	90 lb 40.8 kg	2965102.020	White	1,159
Required Components:				
Aspirations [™] Alcove Bathtub Slotted Deep Soak Overflow and Drain	1 lb 0.6 kg	1616000.020	White	167
Optional Components:				
Aspirations [™] 60 x 36 x 72-Inch Vertical Tile Bath Wall Set	48 lb 21.7 kg	2952BWT36.020	White	865
Aspirations™ Alcove Bathtub Headrest Pillow	1 lb 0.4 kg	7181000	N/A	217
Aspirations™ 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations™ Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92
Aspirations [™] 60 x 60-Inch Frameless Sliding	115 lb	AM00853400.213	Silver Shine	732
Bathtub Door	52.0 kg —	AM00853400.243	Matte Black	799
	_	AM00853400.295	Brushed Nickel	759

Bathtubs Soakers



Aspirations $^{\mathsf{TM}}$ 60 x 36-Inch Integral Apron Bathtub With Left-Hand Drain

- Minimalist design with contoured lumbar support
 High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Textured Floor
 Slotted overflow for extra soaking depth (color-matched drain sold separately)
 Integral 3-sided tile/water retention flange
 Integral apron for recess application
 Pre-leveled tub bottom for easier installation

- Headrest sold separately for maximum comfort
- Limited lifetime warranty

Nominal Dimensions:

60 in x 36 in x 17 in (1524 mm x 914 mm x 431 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations™ 60 x 36-Inch Integral Apron Bathtub With Right-Hand Drain	90 lb 40.8 kg	2965202.020	White	1,159
Required Components:				
Aspirations [™] Alcove Bathtub Slotted Deep Soak Overflow and Drain	1 lb 0.6 kg	1616000.020	White	167
Optional Components:				
Aspirations™ 60 x 36 x 72-Inch Vertical Tile Bath Wall Set	48 lb 21.7 kg	2952BWT36.020	White	865
Aspirations™ Alcove Bathtub Headrest Pillow	1 lb 0.4 kg	7181000	N/A	217
Aspirations [™] 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations™ Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92
Aspirations™ 60 x 60-Inch Frameless Sliding	115 lb	AM00853400.213	Silver Shine	732
Bathtub Door	52.0 kg —	AM00853400.243	Matte Black	799
	_	AM00853400.295	Brushed Nickel	759

AmericanStandard.com List Price Guide 2024-1



Cadet® 60 x 42-Inch Drop-In Bathtub

- Transitional style soaking tub
- Molded-in armrests with elbow supports and back lumbar support
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Pre-leveled tub bottom for easier installation
- 2-year warranty

Nominal Dimensions:

60 in x 42 in x 19-3/4 in (1524 mm x 1066 mm x 501 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 60 x 42-Inch Drop-In Bathtub	72 lb 32.7 kg	2772002.020	White	1,179
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Cadet® 72 x 42-Inch Drop-In Bathtub

- Transitional style soaking tub
 Molded-in armrests with elbow supports and back lumbar support
 High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Pre-leveled tub bottom for easier installation
- 2-year warranty

Nominal Dimensions:

72 in x 42 in x 19-3/4 in (1828 mm x 1066 mm x 501 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 72 x 42-Inch Drop-In Bathtub	83 lb 37.7 kg	2774002.020	White	1,261
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg -	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb 1.0 kg	1640305.002	Polished Chrome	174
		1640305.020	White	195
	_	1640305.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Bathtubs

Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub

- Transitional style soaking tub
- · High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron with removable access panel
- Dual molded-in armrests
- Must order Deep Soak® Max Drain
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)

Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub	75 lb 34.0 kg	2425V-RHO002.011	Arctic	1,161
		2425V-RHO002.020	White	1,161
Required Components:				
Deep Soak [®] Max Bathtub Drain	6 lb 2.7 kg	1599205.002	Polished Chrome	195
		1599205.011	Arctic	234
	_	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312



Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub

- Transitional style soaking tub
- High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron with removable access panel
- Dual molded-in armrests
- Must order Deep Soak® Max Drain
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub	75 lb	2425V-LHO002.011	Arctic	1,161
	34.0 kg 2425V-LHO002.020	White	1,161	
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg —	1599205.011	Arctic	234
	_	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312



Evolution® 60 x 32-Inch Deep Soak® Drop-In Bathtub

- Transitional style soaking tub
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
 Must order Deep Soak® Max Drain
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Drop-In Bathtub	73 lb		Arctic	1,137
	33.1 kg [—]	2422V002.020	White	1,137
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg — — —	1599205.011	Arctic	234
		1599205.020	White	195
		1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Evolution® 60 x 36-Inch Deep Soak® Drop-In Bathtub

- Transitional style soaking tub
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
 Must order Deep Soak® Max Drain
 Limited lifetime warranty

Nominal Dimensions:

60 in x 36 in x 21-1/2 in (1524 mm x 914 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 36-Inch Deep Soak® Drop-In Bathtub	76 lb	2771V002.011	Arctic	1,187
	34.5 kg	2771V002.020	White	1,187
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg —	1599205.011 Arctic 1599205.020 White	Arctic	234
			195	
	1	1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52

Bathtubs



Evolution® 72 x 36-Inch Deep Soak® Drop-In Bathtub

- Transitional style soaking tub
 High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- Limited lifetime warranty

Nominal Dimensions:

72 in x 36 in x 21-1/2 in (1828 mm x 914 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 72 x 36-Inch Deep Soak® Drop-In Bathtub	58 lb		Arctic	1,348
	26.3 kg —	7236V002.020	White	1,348
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb 2.7 kg — —	1599205.002	Polished Chrome	195
		1599205.011	Arctic	234
		1599205.020	White	195
		1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Studio® 60 x 30-Inch Integral Apron Bathtub With Right-Hand Outlet

- Minimalist design with contoured lumbar support
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron for recess application
- Pre-leveled tub bottom for easier installation
- ADA compliant
- Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 19 in (1524 mm x 762 mm x 482 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 30-Inch Integral Apron Bathtub With	50 lb	2973102.011	Arctic	1,029
Right-Hand Outlet	22.7 kg —	2973102.020	White	1,029
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg — —	1583470.011	Arctic	338
		1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.011	Arctic	234
	_	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312





Studio® 60 x 30-Inch Integral Apron Bathtub With Left-Hand Outlet

- Minimalist design with contoured lumbar support
- · High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
 Integral apron for recess application
- Pre-leveled tub bottom for easier installation
- ADA compliant
- Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 19 in (1524 mm x 762 mm x 482 mm)



Soakers

Description	Net Wt	SKU	Color	List Price
Studio® 60 x 30-Inch Integral Apron Bathtub With		2973202.011	Arctic	1,029
Left-Hand Outlet	22.7 kg	2973202.020	White	1,029
Required Components:				
Bathtub Drain	6 lb 3.1 kg — —	1583470.002	Polished Chrome	198
		1583470.011	Arctic	338
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb 1.0 kg	1640305.002	Polished Chrome	174
		1640305.011	Arctic	234
		1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Studio® 60 x 32-Inch Integral Apron Bathtub With Right-Hand Outlet

- Minimalist design with contoured lumbar support
- High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Integral 3-sided tile/water retention flange

- Integral 3-sided tile/water retention flange
 Integral apron for recess application
 Pre-leveled tub bottom for easier installation
 ADA compliant
- Limited lifetime warranty
- Design coordinates with Studio® bath wall set (sold separately)

Nominal Dimensions:

60 in x 32 in x 19 in (1524 mm x 812 mm x 482 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 32-Inch Integral Apron Bathtub With	80 lb	2946102.011	Arctic	1,034
Right-Hand Outlet	36.3 kg —	2946102.020	White	1,034
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg — — —	1583470.011	Arctic	338
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb 1.0 kg —	1640305.002	Polished Chrome	174
		1640305.011	Arctic	234
		1640305.020	White	195
		1640305.295	Brushed Nickel	312
Optional Components:				
Studio® 60 x 32 x 60-Inch Bath Wall Set	24 lb 11.3 kg	2946BW.011	Arctic	995



Studio® 60 x 32-Inch Integral Apron Bathtub With Left-Hand Outlet

- Minimalist design with contoured lumbar support
- High-quality acrylic with fiberglass reinforcement
- Flagh-quality acrylic with liberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Integral 3-sided tile/water retention flange
 Integral apron for recess application
 Pre-leveled tub bottom for easier installation

- ADA compliant
- Limited lifetime warranty
- Design coordinates with Studio® bath wall set (sold separately)

Nominal Dimensions:

60 in x 32 in x 19 in (1524 mm x 812 mm x 482 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 32-Inch Integral Apron Bathtub With	80 lb	2946202.011	Arctic	1,034
Left-Hand Outlet	36.3 kg -	2946202.020	White	1,034
Required Components:				
Bathtub Drain	6 lb 3.1 kg —	1583470.002	Polished Chrome	198
		1583470.011	Arctic	338
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.011	Arctic	234
		1640305.020	White	195
		1640305.295	Brushed Nickel	312
Optional Components:				
Studio® 60 x 32 x 60-Inch Bath Wall Set	24 lb 11.3 kg	2946BW.011	Arctic	995



Studio® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough with Right-Hand Outlet

- Minimalist design with contoured lumbar support

- Above floor rough installation
 High-quality acrylic with fiberglass reinforcement
 Easy to clean high-gloss surface that's UV stable and stain resistant
 Integral 3-side tile/water retention flange
- Integral apron for recess application
- Pre-leveled tub bottom for easier installation
- ADA compliant
- Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 18 in (1524 mm x 762 mm x 457 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 30-Inch Integral Apron Bathtub	56 lb	2573102.020	White	1,255
Above Floor Rough with Right-Hand Outlet	25.4 kg [—]	2573102.011	Arctic	1,255
Required Components:				
Bathtub Drain	6 lb 3.1 kg —	1583470.002	Polished Chrome	198
		1583470.011	Arctic	338
	_	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.011	Arctic	234
	_	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312





Studio® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough With Left-Hand Outlet

- Minimalist design with contoured lumbar support
- Above floor rough installation
- High-quality acrylic with fiberglass reinforcement
 Easy to clean high-gloss surface that's UV stable and stain resistant
 Integral 3-sided tile/water retention flange
- Integral apron for recess application
- Pre-leveled tub bottom for easier installation
- ADA compliant
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 18 in (1524 mm x 762 mm x 457 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 30-Inch Integral Apron Bathtub	56 lb	2573202.020	White	1,255
Above Floor Rough With Left-Hand Outlet	25.4 kg [—]	2573202.011	Arctic	1,255
Required Components:				
Bathtub Drain	6 lb 3.1 kg —	1583470.002	Polished Chrome	198
		1583470.011	Arctic	338
	_	1583470.020	1583470.020 White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak [®] Bathtub Drain	2 lb 1.0 kg	1640305.002	Polished Chrome	174
		1640305.011	Arctic	234
	_	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Studio® 60 x 32-Inch Integral Apron Bathtub Above Floor Rough With Right-Hand Outlet

- Minimalist design with contoured lumbar support
- Above floor rough installation
- High-quality acrylic with fiberglass reinforcement
- Easy to clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron for recess application
- Pre-leveled tub bottom for easier installation
- ADA compliant
- Limited lifetime warranty
 Design coordinates with Studio® bath wall set (sold separately)

Nominal Dimensions:

60 in x 32 in x 18 in (1524 mm x 812 mm x 457 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 32-Inch Integral Apron Bathtub	60 lb	2574102.020	White	1,343
Above Floor Rough With Right-Hand Outlet	27.2 kg	2574102.011	Arctic	1,343
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg — — —	1583470.011	Arctic	338
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.011	Arctic	234
		1640305.020	White	195
		1640305.295	Brushed Nickel	312
Optional Components:				
Studio® 60 x 32 x 60-Inch Bath Wall Set	24 lb 11.3 kg	2946BW.011	Arctic	995



Studio® 60 x 32-Inch Integral Apron Bathtub Above Floor Rough With Left-Hand Outlet

- Minimalist design with contoured lumbar support

- Above floor rough installation
 High-quality acrylic with fiberglass reinforcement
 Easy to clean high-gloss surface that's UV stable and stain resistant
 Integral 3-sided tile/water retention flange
 Integral apron for recess application

 Project the bettern for receipts installation

- Pre-leveled tub bottom for easier installation
 ADA compliant
- Limited lifetime warranty
- Design coordinates with Studio® bath wall set (sold separately)

Nominal Dimensions:

60 in x 32 in x 18 in (1524 mm x 812 mm x 457 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 32-Inch Integral Apron Bathtub	60 lb	2574202.020	White	1,343
Above Floor Rough With Left-Hand Outlet	27.2 kg —	2574202.011	Arctic	1,343
Required Components:				
Bathtub Drain	6 lb 3.1 kg —	1583470.002	Polished Chrome	198
		1583470.011	Arctic	338
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.011	Arctic	234
	_	1640305.020	White	195
		1640305.295	Brushed Nickel	312
Optional Components:				
Studio® 60 x 32 x 60-Inch Bath Wall Set	24 lb 11.3 kg	2946BW.011	Arctic	995



Studio® 60 x 32-Inch Bath Wall Set

- Includes two side walls and one back wall
- Six integrated extra deep 4-1/2" (114 mm) shelves
- High-impact polystyrene
- Mounts directly to studs no backer board needed
 Tongue and groove inter-locking for alignment and to prevent water seepage
 For use with 011 Arctic White 60" x 32" (1524 x 813 mm) bathtub models
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 58 in (1524 mm x 812 mm x 1473 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 32 x 60-Inch Bath Wall Set	24 lb 11.3 kg	2946BW.011	Arctic	995



Studio® Drop-in Bathtubs

Product Description

- High-gloss acrylic with fiberglass reinforcement
- · Minimalist design with contoured lumbar support
- · Spacious bathing well
- Soaking depth of 17-3/4" (451 mm) for a deep relaxing soak
- Pre-leveled tub bottom
- Drop-in or under mount installation

Zero-Edge Profile

• Low-profile, 1/2" (13 mm) deck height can be mounted flush with surrounding tile



Zero-Edge Profile



Studio® 60 x 32-Inch Drop-In Bathtub With Zero Edge

- Minimalist design with contoured lumbar support
- Standard deck height for a contemporary appearance
- Zero Edge profile
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount installation
- Limited lifetime warranty

Nominal Dimensions:

59-1/2 in x 31-1/2 in x 22-1/2 in (1511 mm x 800 mm x 571 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 32-Inch Drop-In Soaking Bathtub with Zero Edge	103 lb 46.8 kg	2932002-D0.020	White	1,658
Required Components:				
Bathtub Drain	6 lb 3.1 kg	1583470.002	Polished Chrome	198
		1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Studio® 60 x 36-Inch Drop-In Bathtub With Zero Edge

- Minimalist design with contoured lumbar support
- Standard deck height for a contemporary appearance
- Zero Edge profile
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Pre-leveled tub bottom for easier installation
- Drop-in or undermount installation
- · Limited lifetime warranty

Nominal Dimensions:

59-1/2 in x 35-1/2 in x 22-1/2 in (1511 mm x 901 mm x 571 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 36-Inch Drop-In Soaking Bathtub With Zero Edge	121 lb 54.9 kg	2934002-D0.020	White	1,746
Required Components:				
Bathtub Drain	6 lb 3.1 kg —	1583470.002	Polished Chrome	198
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.020	White	195
		1640305.295	Brushed Nickel	312



Studio® 66 x 36-Inch Drop-In Bathtub With Zero Edge

- Minimalist design with contoured lumbar support
- Standard deck height for a contemporary appearance
- Zero Edge profile
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount installation
- Limited Lifetime warranty

Nominal Dimensions:

65-1/2 in x 35-1/2 in x 22-1/2 in (1663 mm x 901 mm x 571 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 66 x 36-Inch Drop-In Bathtub With Zero Edge	131 lb 59.5 kg	2938002-D0.020	White	1,827
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.020 White	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Studio® 72 x 36-Inch Drop-In Bathtub With Zero Edge

- Minimalist design with contoured lumbar support
- Standard deck height for a contemporary appearance
- Zero Edge profile
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount installation
- Limited lifetime warranty

Nominal Dimensions:

71-1/2 in x 35-1/2 in x 22-1/2 in (1816 mm x 901 mm x 571 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 72 x 36-Inch Drop-In Soaking Bathtub with Zero Edge	141 lb 64.0 kg	2940002-D0.020	White	1,953
Required Components:				
Bathtub Drain	6 lb 3.1 kg —	1583470.002	Polished Chrome	198
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Town Square $^{\otimes}$ S 60 x 30-Inch Integral Apron Bathtub With Right-Hand Outlet

- Traditional design with contoured lumbar support
- High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Integral 3-sided tile/water retention flange
- Integral apron for recess application
- Pre-leveled tub bottom for easier installation
- ADA compliant
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 19 in (1524 mm x 762 mm x 482 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S 60 x 30-Inch Integral Apron Bathtub With Right-Hand Outlet	80 lb 36.3 kg	2545102.020	White	1,129
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg -	1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Town Square® S 60 x 30-Inch Integral Apron Bathtub With Left-Hand Outlet

- Traditional design with contoured lumbar support
- · High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron for recess application Pre-leveled tub bottom for easier installation
- ADA compliant
- Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 19 in (1524 mm x 762 mm x 482 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S 60 x 30-Inch Integral Apron Bathtub With Left-Hand Outlet	80 lb 36.3 kg	2545202.020	White	1,129
Required Components:				
Bathtub Drain	6 lb 3.1 kg —	1583470.002	Polished Chrome	198
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak [®] Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Town Square® S 60 x 32-Inch Integral Apron Bathtub With Right-Hand Outlet

- Traditional design with contoured lumbar support High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron for recess application
- Pre-leveled tub bottom for easier installation
- ADA compliant
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 20 in (1524 mm x 812 mm x 508 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S 60 x 32-Inch Integral Apron Bathtub With Right-Hand Outlet	84 lb 38.1 kg	2544102.020	White	1,141
Required Components:				
Bathtub Drain	7 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak [®] Bathtub Drain	2 lb 0.7 kg —	1640305.002	Polished Chrome	174
		1640305.020	White	195
		1640305.295	Brushed Nickel	312
Optional Components:				
Euro 60 x 57-Inch Height Semi-Frameless Sliding	85 lb	AM00350400.006	Brushed Nickel	1,189
Tub Door	38.6 kg —	AM00350400.213	Silver Shine	882
		AM00350400.224	Oil Rubbed Bronze	1,189
Euro 60 x 57-Inch Height Semi-Frameless Sliding	82 lb	AM00350422.006	Brushed Nickel	1,331
Tub Door	37.2 kg —	AM00350422.213	Silver Shine	1,082
		AM00350422.224	Oil Rubbed Bronze	1,331



Town Square® S 60 x 32-Inch Integral Apron Bathtub With Left-Hand Outlet

- Traditional design with contoured lumbar support
 High-quality acrylic with fiberglass reinforcement
- High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Integral 3-sided tile/water retention flange
 Integral apron for recess application
 Pre-leveled tub bottom for easier installation
 ADA compliant
 Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 20 in (1524 mm x 812 mm x 508 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S 60 x 32-Inch Integral Apron Bathtub With Left-Hand Outlet	84 lb 38.1 kg	2544202.020	White	1,141
Required Components:				
Bathtub Drain	7 lb	1583470.002	Polished Chrome	198
	3.1 kg	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb 0.7 kg —	1640305.002	Polished Chrome	174
		1640305.020	White	195
		1640305.295	Brushed Nickel	312
Optional Components:				
Euro 60 x 57-Inch Height Semi-Frameless Sliding	85 lb	AM00350400.006	Brushed Nickel	1,189
Tub Door	38.6 kg -	AM00350400.213	Silver Shine	882
	_	AM00350400.224	Oil Rubbed Bronze	1,189
Euro 60 x 57-Inch Height Semi-Frameless Sliding	82 lb	AM00350422.006	Brushed Nickel	1,331
Tub Door	37.2 kg -	AM00350422.213	Silver Shine	1,082
	_	AM00350422.224	Oil Rubbed Bronze	1,331

Bathtubs



Cadet® 60 x 42-Inch Drop-In Bathtub With EverClean® Hydromassage System

- Transitional style hydromassage whirlpool with EverClean® plumbing system
- Form-fitted lumbar area
- Molded-in armrests with elbow supports
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- Quick connect Safe- T Heater connection system (must order Safe- T Heater separately) High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant

- Pre-leveled tub bottom for easier installation
- 2-year warranty

Nominal Dimensions:

60 in x 42 in x 19-3/4 in (1524 mm x 1066 mm x 501 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 60 x 42-Inch Drop-In Bathtub With EverClean® Hydromassage System	105 lb 47.7 kg	2772018WC.020	White	2,497
Required Components:				
Bathtub Drain	7 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb 0.7 kg —	1640305.002	Polished Chrome	174
		1640305.020	White	195
		1640305.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Cadet® 72 x 42-Inch Drop-In Bathtub With EverClean® Hydromassage System

- Transitional style hydromassage whirlpool with EverClean® plumbing system
- Form-fitted lumbar area
- Molded-in armrests with elbow supports
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- Quick connect Safe-T Heater connection system (must order Safe- T Heater separately)
- · High-quality acrylic with fiberglass reinforcement
- · Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Pre-leveled tub bottom for easier installation
- 2-year warranty

Nominal Dimensions:

72 in x 42 in x 19-3/4 in (1828 mm x 1066 mm x 501 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 72 x 42-Inch Drop-In Bathtub With EverClean® Hydromassage System	122 lb 55.4 kg	2774018WC.020	White	2,591
Required Components:				
Bathtub Drain	7 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb 0.7 kg	1640305.002	Polished Chrome	174
		1640305.020	White	195
	_	1640305.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52

AmericanStandard.com List Price Guide 2024-1



Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Right-Hand Outlet With EverClean® Hydromassage System

- Transitional style hydromassage whirlpool with EverClean® plumbing system
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Integral 3-sided tile/water retention flange
 Integral apron with removable access panel
 Dual molded-in armrests

- Must order Deep Soak® Max Drain
 Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Right-Hand Outlet With EverClean® Hydromassage System	96 lb 43.6 kg	2425VC-RHO.020	White	2,196
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg —	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312
Optional Components:				
Safe-T Heater	2 lb 0.8 kg	9075120	No Finish	393
Euro 60 x 57-Inch Height Semi-Frameless Sliding Tub Door	85 lb	AM00350400.006	Brushed Nickel	1,189
		AM00350400.213	Silver Shine	882
		AM00350400.224	Oil Rubbed Bronze	1,189
Euro 60 x 57-Inch Height Semi-Frameless Sliding	82 lb	AM00350422.006	Brushed Nickel	1,331
Tub Door	37.2 kg	AM00350422.213	Silver Shine	1,082
		AM00350422.224	Oil Rubbed Bronze	1,331
Prestige 60 x 58-1/2-Inch Height Framed Sliding	58 lb	AM00750400.006	Brushed Nickel	951
Tub Door	26.3 kg —	AM00750400.213	Silver Shine	717
		AM00750400.224	Oil Rubbed Bronze	951
Prestige 60 x 58-1/2-Inch Framed Sliding Tub		AM00750422.006	Brushed Nickel	998
Door	_	AM00750422.213	Silver Shine	717
	_	AM00750422.224	Oil Rubbed Bronze	998
Prestige 60 x 58-1/2-Inch Height Framed Sliding	_	AM00750436.006	Brushed Nickel	998
Tub Door	_	AM00750436.213	Silver Shine	717
		AM00750436.224	Oil Rubbed Bronze	998



Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Left-Hand Outlet With EverClean® Hydromassage System

- Transitional style hydromassage whirlpool with EverClean® plumbing system
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Integral 3-sided tile/water retention flange
 Integral apron with removable access panel
 Dual molded-in armrests

- Must order Deep Soak® Max Drain
- Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Left-Hand Outlet With EverClean® Hydromassage System	96 lb 43.6 kg	2425VC-LHO.020	White	2,196
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb 2.7 kg	1599205.002	Polished Chrome	195
		1599205.020	White	195
	_	1599205.295	Brushed Nickel	312



Evolution® 60 x 32-Inch Deep Soak® Drop-In Bathtub With EverClean® Hydromassage System

- Transitional style hydromassage whirlpool with EverClean® plumbing system
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- High-quality acrylic with fiberglass reinforcement
- Easy to clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Drop-In Bathtub With EverClean® Hydromassage System	90 lb 40.9 kg	2422VC.020	White	2,200
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg —	1599205.020 White	White	195
	_	1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52

AmericanStandard.com List Price Guide 2024-1



Evolution® 60 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Hydromassage System

- Transitional style hydromassage whirlpool with EverClean® plumbing system
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- Limited lifetime warranty

Nominal Dimensions:

60 in x 36 in x 20-1/2 in (1524 mm x 914 mm x 520 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Hydromassage System	111 lb 50.4 kg	2771VC.020	White	2,299
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg —	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Evolution§ 72 x 36-Inch Deep Soak§ Drop-In Bathtub With EverClean§ Hydromassage System

- Transitional style hydromassage whirlpool with EverClean® plumbing system
- Ten multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- High-quality acrylic with fiberglass reinforcement
- Easy to clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- Limited lifetime warranty

Nominal Dimensions:

72 in x 36 in x 20-1/2 in (1828 mm x 914 mm x 520 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 72 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Hydromassage System	135 lb 61.3 kg	7236VC.020	White	2,741
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg —	1599205.020	White	195
		1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52

Bathtubs



Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Right-Hand Outlet With EverClean® Air Bath System

- Transitional style airbath with EverClean® plumbing system
- Chrome air jets with automatic water purge with timer
- Variable Speed Blower with heater
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron with removable access panel
- Dual molded-in armrests
 Must order Deep Soak® Max Drain
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Right-Hand Outlet With Ever Air Bath System		2425168C.020	White	3,385
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg [—]	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312



Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Left-Hand Outlet With EverClean® Air Bath System

- Transitional style airbath with EverClean® plumbing system
- Chrome air jets with automatic water purge with timer
- Variable speed air blower with heater
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron with removable access panel
- Dual molded-in armrests
- Must order Deep Soak® Max Drain
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21.5 in (1524 mm x 812 mm x 546 mm)



Link Duinn

Description	net wt	SKU	Color	LIST Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Left-Hand Outlet With EverClean Air Bath System	89 lb ® 40.2 kg	2425268C.020	White	3,385
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg -	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312

AmericanStandard.com List Price Guide 2024-1





Evolution® 60 x 32-Inch Deep Soak® Drop-In Bathtub With EverClean® Air Bath System

- Transitional style air bath with EverClean® plumbing system
- Chrome air jets with automatic water purge and timer
- · Variable speed air blower with heater
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
 Must order Deep Soak® Max Drain
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Drop-In Bathtub With EverClean® Air Bath System	85 lb 38.6 kg	2422068C.020	White	3,279
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb			195
	2.7 kg — —	1599205.020	White	195
		1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Evolution® 60 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Air Bath System

- Transitional style air bath with EverClean® plumbing system
- · Chrome air jets with automatic water purge and timer

- Variable speed air blower with heater
 High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 36 in x 21-1/2 in (1524 mm x 914 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Air Bath System	88 lb 40.0 kg	2771068C.020	White	3,397
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg -	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 ka	9330014		52

Bathtubs Air Baths



Evolution® 72 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Air Bath System

- Transitional style air bath with EverClean® plumbing system
- Chrome air jets with automatic water purge and timer
- Variable speed air blower with heater
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Prop-in or undermount option
 Must order Deep Soak® Max Drain
 Limited lifetime warranty

Nominal Dimensions:

72 in x 36 in x 21-1/4 in (1828 mm x 914 mm x 539 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 72 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Air Bath System	90 lb 40.9 kg	7236068C.020	White	3,715
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb 2.7 kg —	1599205.002	Polished Chrome	195
		1599205.020	White	195
		1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 ka	9330014		52





Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Right-Hand Outlet With EverClean® Combination Spa System

- Transitional style hydromassage whirlpool and air bath with EverClean® plumbing system
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- Chrome air jets with automatic water purge and timer
- Variable speed air blower with heater
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron with removable access panel
- Dual molded-in armrests
- Must order Deep Soak® Max Drain
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Right-Hand Outlet With EverClean Combination Spa System	96 lb 8 43.6 kg	2425V518C.020	White	5,165
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg —	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312



Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Left-Hand Outlet With EverClean® Combination Spa System

- Transitional style hydromassage whirlpool and air bath with EverClean® plumbing system
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
 - Two silent air volume controls
 - Chrome air jets with automatic water purge and timer
 - Variable speed air blower with heater
 - High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron with removable access panel
- Dual molded-in armrests
- Must order Deep Soak® Max Drain
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Left-Hand Outlet With EverClean® Combination Spa System	96 lb 43.6 kg	2425V618C.020	White	5,165
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb 2.7 kg	1599205.002	Polished Chrome	195
		1599205.020	White	195
	_	1599205.295	Brushed Nickel	312



Evolution® 60 x 32-Inch Deep Soak® Drop-In Bathtub With EverClean® Combination Spa System

- Transitional style hydromassage whirlpool and air bath with EverClean® plumbing system
 Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- Chrome air jets with automatic water purge and timer
- Variable speed air blower with heater
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Drop-In Bathtub With EverClean® Combination Spa System	77 lb 35.0 kg	2422V418C.020	White	4,800
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb 2.7 kg —	1599205.002	Polished Chrome	195
		1599205.020	White	195
		1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Evolution® 60 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Combination Spa System

- \bullet Transitional style hydromassage whirlpool and air bath with EverClean $^{\! \otimes}$ plumbing system
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- Chrome air jets with automatic water purge and timer
- Variable speed air blower with heater
- · High-quality acrylic with fiberglass reinforcement
- · Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 36 in x 21-1/2 in (1524 mm x 914 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Combination Spa System	111 lb 50.4 kg	2771V418C.020	White	5,103
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg —	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52

AmericanStandard.com List Price Guide 2024-1





Evolution® 72 x 36-Inch Deep Soak® Bathtub With EverClean® Combination Spa System

- Transitional style hydromassage whirlpool and air bath with EverClean® plumbing system Ten multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area

- Single speed pump/motor with side mounted on/off air switch
 Two silent air volume controls
 High-quality acrylic with fiberglass reinforcement
 Easy to clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- Limited lifetime warranty

Nominal Dimensions:

72 in x 36 in x 21-1/4 in (1828 mm x 914 mm x 539 mm)




Description	Net Wt	SKU	Color	List Price
Evolution® 72 x 36-Inch Deep Soak® Bathtub With EverClean® Combination Spa System	135 lb 61.3 kg	7236V418C.020	White	5,741
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg —	2.7 kg 1599205.020 Whi	White	195
		1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52

Americast Enameled Steel

Americast Engineered Steel A Remarkable Alternative to Cast Iron

Americast®

Americast is American Standard's unique process that bonds a high quality porcelain enamel surface with an enameling grade steel and a molded reinforcement composite backing. Americast is durable and weighs less than cast iron so it costs less to install. It is engineered to create tubs of unequaled strength, durability and weight. This composite is similar to those used in aerospace and automotive industries, and provides consistent structural integrity along with sound dampening, heat insulation and protection against impact damage. Unlike anything on the market, Americast combines the best qualities of three different techniques in a process that provides beauty, safety and reliability in today's baths.



Luxuriously Glossy

Durable enamel resists scratches, retains luster

Strong and Stable

Formed steel layer won't bend or flex

Quietly Comfortable

Thick support layer insulates and quiets noisy showers

Better Heat Retention

The material composition and construction of Americast tubs provides better heat retention than cast iron or enameled steel tubs.

Lumbar Support and Beveled Headrest

Americast tubs are contoured for increased lower back support and improved head and neck comfort.

Luxury Ledge

This feature adds 4" (102 mm) of ledge space for increased shoulder and elbow room or a perfect spot for extra storage (optional feature).

StanSure[™] Slip-Resistant Floor

- Full slip-resistant coverage increases bathroom safety
- covers 56% more of the tub floor
- · Easier to clean and stays cleaner longer
- Brighter, white textured surface that is more visually appealing

Tile Edge

This oversized flange ensures more tile/tub overlap, and decreases the chance of water reaching and damaging drywall or structural timbers. Best of all, it is designed not to interfere with normal tile application, or require any extra time to install.

Americast Meets Code

Americast Bathtubs and Whirlpools conform to industry specifications including:

- ASTM F462 Slip Resistance
- ANSI Z 124.1 Ignition Test
- All whirlpool models are UL listed as hydromassage units

AmericanStandard.com List Price Guide 2024-1



Cambridge® Americast® 60 x 32-Inch Integral Apron Bathtub With Right-Hand Outlet

- Americast® engineered steel with glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
 Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 32 in x 17-3/4 in (1524 mm x 812 mm x 450 mm)



Description	Net Wt	SKU	Color	List Price
Cambridge® Americast® 60 x 32-Inch Integral	118 lb	2461002.011	Arctic	1,650
Apron Bathtub With Right-Hand Outlet	53.6 kg [—]	2461002.020	White	1,650
Required Components:				
Bathtub Drain	6 lb 3.1 kg	1583470.002	Polished Chrome	198
		1583470.011	Arctic	338
	_	1583470.020 White	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb 1.0 kg	1640305.002	Polished Chrome	174
		1640305.011	Arctic	234
		1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Cambridge® Americast® 60 x 32-Inch Integral Apron Bathtub With Left-Hand Outlet

- Americast® engineered steel with glossy porcelain finish
 Full Stansure™ slip-resistant floor surface
 Recessed bath with integral apron
 Integral 3-sided tile/water retention flange

- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 32 in x 17-3/4 in (1524 mm x 812 mm x 450 mm)



Description	Net Wt	SKU	Color	List Price
Cambridge® Americast® 60 x 32-Inch Integral	118 lb	2460002.011	Arctic	1,650
Apron Bathtub With Left-Hand Outlet	53.6 kg	2460002.020	White	1,650
Required Components:				
Bathtub Drain	6 lb 3.1 kg —	1583470.002	Polished Chrome	198
		1583470.011	Arctic	338
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb 1.0 kg	1640305.002	Polished Chrome	174
		1640305.011	Arctic	234
	_	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312

Americast Enameled Steel



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub With Right-Hand Outlet

- Americast® engineered steel with glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
 Recessed bath with integral apron

- Integral 3-sided tile/water retention flange
 Integral lumbar support with beveled headrest
 Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 30 in x 14-15/16 in (1524 mm x 762 mm x 379 mm)



Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 30-Inch Integral Apron		2391202.011	Arctic	646
Bathtub With Right-Hand Outlet	40.0 kg -	2391202.020 White 2391202.021 Bone	White	646
			Bone	842
		2391202.222	Linen	930
Required Components:				
Bathtub Drain	6 lb 3.1 kg	1583470.002	Polished Chrome	198
		1583470.011	Arctic	338
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.011	Arctic	234
		1640305.020	White	195
		1640305.021	Bone	193
	_	1640305.222	Linen	234
		1640305.295	Brushed Nickel	312



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Right-Hand Outlet With Integral Drain

- Americast® engineered steel with glossy porcelain finish
 Full Stansure™ slip-resistant floor surface
 Factory installed overflow that saves time & money
 Recessed bath with integral apron
 Integral 3-sided tile/water retention flange

- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- Drain stopper and escutcheon included
- 10-year warranty

Nominal Dimensions:

60 in x 30 in x 14-15/16 in (1524 mm x 762 mm x 379 mm)

Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Right-Hand Outlet With Integral Drain	88 lb 40.0 kg	2391202ICH.020	White	713
Separate Components:				
Integral Overflow Oval Escutcheon	0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26

Parts Program (Non-Premier)



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub With Left-Hand Outlet

- Americast® engineered steel with glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 30 in x 14 in (1524 mm x 762 mm x 355 mm)



Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 30-Inch Integral Apron		2390202.011	Arctic	646
Bathtub With Left-Hand Outlet	40.0 kg -	2390202.020	White	646
	_	2390202.021	Bone	842
		2390202.222	Linen	930
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg — —	1583470.011	Arctic	338
		1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.011	Arctic	234
	_	1640305.020	White	195
	_	1640305.021	Bone	193
	_	1640305.222	Linen	234
	_	1640305.295	Brushed Nickel	312



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Left-Hand Outlet With Integral Drain

- Americast® engineered steel with glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
- Factory installed overflow that saves time & money
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- Drain stopper and escutcheon included
- 10-year warranty

Nominal Dimensions:

60 in x 30 in x 14-15/16 in (1524 mm x 762 mm x 379 mm)

Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Left-Hand Outlet With Integral Drain	89 lb 40.4 kg	2390202ICH.020	White	713
Separate Components:				
Integral Overflow Oval Escutcheon	0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26

Parts Program (Non-Premier)

Americast Enameled Steel



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough with Right-Hand Outlet

- Americast® engineered steel with glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
- Above floor rough installation
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 30 in x 18-7/16 in (1524 mm x 762 mm x 468 mm)



Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough with Right-Hand Outlet	92 lb 41.8 kg	2393202.020	White	982
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.020	White	195
		1640305.295	Brushed Nickel	312



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough Right-Hand Outlet with Integral Drain

- Americast® engineered steel with glossy porcelain finish
 Full Stansure™ slip-resistant floor surface
 Factory installed overflow that saves time & money

- Above floor rough installation
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- Drain stopper and escutcheon included
- 10-year warranty

Nominal Dimensions:

60 in x 30 in x 18-7/16 in (1524 mm x 762 mm x 468 mm)

Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough Right-Hand Outlet with Integral Drain	93 lb 42.2 kg	2393202ICH.020	White	1,073
Separate Components:				
Integral Overflow Oval Escutcheon	0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough with Left-Hand Outlet

- Americast® engineered steel with glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
- Above floor rough installation
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 30 in x 18-7/16 in (1524 mm x 762 mm x 468 mm)



Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough with Left-Hand Outlet		2392202.020	White	982
Required Components:				
Bathtub Drain	6 lb 3.1 kg —	1583470.002	Polished Chrome	198
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
		1640305.295	Brushed Nickel	312



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough Left-Hand Outlet with Integral Drain

- Americast® engineered steel with glossy porcelain finish
- Full Stansure[™] slip-resistant floor surface
- Factory installed overflow that saves time & money
- Above floor rough installation
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- Drain stopper and escutcheon included
- 10-year warranty

Nominal Dimensions:

60 in x 30 in x 18-7/16 in (1524 mm x 762 mm x 468 mm)

Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough Left-Hand Outlet with Integral Drain	93 lb 42.2 kg	2392202ICH.020	White	1,073
Separate Components:				
Integral Overflow Oval Escutcheon	0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26

Parts Program (Non-Premier)

Americast Enameled Steel



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Right-Hand Outlet with Luxury Ledge

- Americast® engineered steel with glossy porcelain finish
- Full Stansure slip-resistant floor surface
 Extra-wide ledge for toiletries
 Recessed bath with integral apron

- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 34 in x 14-15/16 in (1524 mm x 863 mm x 379 mm)



Net Wt	SKU	Color	List Price
94 lb 42.7 kg	2395202.020	White	760
6 lb	1583470.002	Polished Chrome	198
3.1 kg	1583470.020	White	338
	1583470.295	Brushed Nickel	338
2 lb	1640305.002	Polished Chrome	174
1.0 kg —	1640305.020	White	195
_	1640305.295	Brushed Nickel	312
	94 lb 42.7 kg 6 lb 3.1 kg	94 lb 2395202.020 42.7 kg	94 lb 42.7 kg 2395202.020 White 6 lb 3.1 kg 1583470.002 Polished Chrome 1583470.020 White 1583470.295 Brushed Nickel 2 lb 1640305.002 Polished Chrome 1640305.020 White



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Right-Hand Outlet Luxury Ledge with Integral Drain

- Americast® engineered steel with glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
- Extra-wide ledge for toiletries
- · Factory installed overflow that saves time & money
- · Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- Drain stopper and escutcheon included
- 10-year warranty

Nominal Dimensions:

60 in x 34 in x 14-15/16 in (1524 mm x 863 mm x 379 mm)

Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Right-Hand Outlet Luxury Ledge with Integral Drain	95 lb 43.1 kg	2395202ICH.020	White	851
Separate Components:				
Integral Overflow Oval Escutcheon	0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Left-Hand Outlet With Luxury Ledge

- Americast® engineered steel with glossy porcelain finish
 Full Stansure™ slip-resistant floor surface
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Pre-leveled tub bottom for easier installation
- Integral lumbar support with beveled headrest
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 34 in x 14-15/16 in (1524 mm x 863 mm x 379 mm)



Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Left-Hand Outlet With Luxury Ledge	94 lb 42.7 kg	2394202.020	White	760
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg -	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Left-Hand Outlet Luxury Ledge with Integral Drain

- Americast[®] engineered steel with glossy porcelain finish
 Full Stansure[™] slip-resistant floor surface
- Extra-wide ledge for toiletries
- Factory installed overflow that saves time & money
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- Drain stopper and escutcheon included
- 10-year warranty

Nominal Dimensions:

60 in x 34 in x 14 in (1524 mm x 863 mm x 355 mm)

Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Left-Hand Outlet Luxury Ledge with Integral Drain	95 lb 43.1 kg	2394202ICH.020	White	851
Separate Components:				
Integral Overflow Oval Escutcheon	0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26

Americast Enameled Steel



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Above Floor Rough Right-Hand Outlet with Luxury Ledge

- Americast® engineered steel with glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
- Above floor rough installation
- Extra-wide ledge for toiletries
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 34 in x 18-7/16 in (1524 mm x 863 mm x 468 mm)



Net Wt	SKU	Color	List Price
100 lb 45.4 kg	2397202.020	White	1,259
6 lb	1583470.002	Polished Chrome	198
3.1 kg -	1583470.020	White	338
_	1583470.295	Brushed Nickel	338
2 lb	1640305.002	Polished Chrome	174
1.0 kg —	1640305.020	White	195
	1640305.295	Brushed Nickel	312
	6 lb 3.1 kg	1 100 lb 45.4 kg 2397202.020 45.4 kg 1583470.002 3.1 kg 1583470.020 1583470.295 2 lb 1640305.002 1640305.020	1 100 lb 45.4 kg 2397202.020 White 6 lb 3.1 kg 1583470.002 Polished Chrome 1583470.020 White 1583470.295 Brushed Nickel 2 lb 1640305.002 Polished Chrome 1640305.020 White



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Above Floor Rough Right-Hand Outlet Luxury Ledge with Integral Drain

- Americast® engineered steel with glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
- Above floor rough installation
- Extra-wide ledge for toiletries
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
 Integral lumbar support with beveled headrest
 Pre-leveled tub bottom for easier installation
- ADA compliant
- 10 Year Warranty

Nominal Dimensions:

60 in x 34 in x 17.5 in (1524 mm x 863 mm x 444 mm)

Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Above Floor Rough Right-Hand Outlet Luxury Ledge with Integral Drain	101 lb 45.9 kg	2397202ICH.020	White	1,397
Separate Components:				
Integral Overflow Oval Escutcheon	0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Above Floor Rough Left-Hand Outlet with Luxury Ledge

- Americast® engineered steel with glossy porcelain finish
 Full Stansure™ slip-resistant floor surface
 Above floor rough installation

- Extra-wide ledge for toiletries
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 34 in x 18-7/16 in (1524 mm x 863 mm x 468 mm)



Net Wt	SKU	Color	List Price
	2396202.020	White	1,259
6 lb	1583470.002	Polished Chrome	198
3.1 kg —	1583470.020	White	338
	1583470.295	Brushed Nickel	338
2 lb	1640305.002	Polished Chrome	174
1.0 kg	1640305.020	White	195
_	1640305.295	Brushed Nickel	312
	6 lb 3.1 kg	100 lb 2396202.020 45.4 kg 2396202.020 6 lb 1583470.002 1583470.020 1583470.295 2 lb 1640305.002 1640305.020	100 lb 2396202.020 White 2396202.020 White 1583470.002 Polished Chrome 1583470.020 White 1583470.295 Brushed Nickel 2 lb 1640305.002 Polished Chrome 1640305.020 White



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Above Floor Rough Left-Hand Outlet Luxury Ledge with Integral Drain

- Americast® engineered steel with glossy porcelain finish

- Full Stansure" slip-resistant floor surface
 Above floor rough installation
 Extra-wide ledge for toiletries
 Recessed bath with integral apron
 Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation Drain stopper and escutcheon included
- 10-year warranty

Nominal Dimensions:

60 in x 34 in x 17.5 in (1524 mm x 863 mm x 444 mm)

Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Above Floor Rough Left-Hand Outlet Luxury Ledge with Integral Drain	101 lb 45.9 kg	2396202ICH.020	White	1,397
Separate Components:				
Integral Overflow Oval Escutcheon	0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26

Parts Program (Non-Premier)



New Salem™ 60 x 30-Inch Integral Apron Bathtub With Right-Hand Outlet

- Transitional style recessed bath with integral apron
- Glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
- Integral 3-sided tile/water retention flange
- 1-year limited warranty

Nominal Dimensions:

60 in x 30 in x 14-1/16 in (1524 mm x 762 mm x 357 mm)



Net Wt	SKU	Color	List Price
67 lb 30.3 kg	0255112.020	White	642
7 lb	1583470.002	Polished Chrome	198
3.1 kg =	1583470.020	White	338
	1583470.295	Brushed Nickel	338
2 lb	1640305.002	Polished Chrome	174
0.7 kg —	1640305.020	White	195
_	1640305.295	Brushed Nickel	312
	67 lb 30.3 kg 7 lb 3.1 kg	67 lb 30.3 kg 0255112.020 7 lb 1583470.002 3.1 kg 1583470.020 1583470.295 2 lb 1640305.002 0.7 kg 1640305.020	67 lb 30.3 kg



New Salem™ 60 x 30-Inch Integral Apron Bathtub With Left-Hand Outlet

- Recessed bath with integral apron
 Glossy porcelain finish
 Full Stansure™ slip-resistant floor surface
 Integral 3-sided tile/water retention flange
- 1-year limited warranty

Nominal Dimensions:

60 in x 30 in x 14-1/16 in (1524 mm x 762 mm x 357 mm)



Description	Net Wt	SKU	Color	List Price
New Salem [™] 60 x 30-Inch Integral Apron Bathtub With Left-Hand Outlet	67 lb 30.3 kg	0255212.020	White	642
Required Components:				
Bathtub Drain	7 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	0.7 kg —	1640305.020	White	195
		1640305.295	Brushed Nickel	312



New Solar® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough With Right-Hand Outlet

- Transitional style recessed bath with integral apron
- Glossy porcelain finish
- Full Stansure[™] slip-resistant floor surface
- Above floor rough installation
- Integral 3-sided tile/water retention flange
- 1-year limited warranty

Nominal Dimensions:

60 in x 30 in x 16-5/8 in (1524 mm x 762 mm x 422 mm)



Description	Net Wt	SKU	Color	List Price
New Solar® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough With Right-Hand Outlet	71 lb 32.6 kg	0263112.020	White	685
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg - -	1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



New Solar® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough With Left-Hand Outlet

- Recessed bath with integral apron
- Glossy porcelain finish
- Full Stansure[®] slip-resistant floor surface
 Above floor rough installation
 Integral 3-sided tile/water retention flange

- 1-year limited warranty

Nominal Dimensions:

60 in x 30 in x 16-5/8 in (1524 mm x 762 mm x 422 mm)



Description	Net Wt	SKU	Color	List Price
New Solar® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough With Left-Hand Outlet	71 lb 32.6 kg	0263212.020	White	685
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg -	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312

Shower and Tub Walls



Aspirations™ 60 x 32 x 84-Inch Vertical Tile Shower Wall Set

- Sophisticated patterns instantly elevate your bathroom style
- High-quality multi-layered panels adheres to water-resistant wall board
- White tile and etched grout lines for a clean, realistic tile look
- Easy to clean surface
- Pre-cut for quick and easy installation; trimming may be required for a perfect fit
- Corner trim pieces helps easy alignment between panels
 Can be trimmed to fit 30" deep alcoves
- Can be installed with either bathtubs or shower bases
- Fits a standard 60" W x 32" D x 84" H alcove
- 10-Year Limited Warranty

Nominal Dimensions:

60 in x 32 in x 84 in (1524 mm x 812 mm x 2133 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations™ 60 x 32 x 84-Inch Vertical Tile Shower Wall Set	52 lb 23.8 kg	2951SWT32.020	White	932
Optional Components:				
Aspirations [™] 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations™ Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92



Aspirations™ 60 x 36 x 84-Inch Vertical Tile Shower Wall Set

- Sophisticated patterns instantly elevate your bathroom style
- High-quality multi-layered panels adheres to water-resistant wall board
- White tile and etched grout lines for a clean, realistic tile look
- · Easy to clean surface
- Pre-cut for quick and easy installation; trimming may be required for a perfect fit
- Corner trim pieces helps easy alignment between panels
 Can be trimmed to fit 34" deep alcoves
- Can be installed with either bathtubs or shower bases
- Fits a standard 60" W x 36" D x 84" H alcove
- 10-Year Limited Warranty

Nominal Dimensions:

60 in x 36 in x 84 in (1524 mm x 914 mm x 2133 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations [™] 60 x 36 x 84-Inch Vertical Tile Shower Wall Set	56 lb 25.4 kg	2951SWT36.020	White	999
Optional Components:				
Aspirations [™] 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations™ Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92



Aspirations™ 48 x 36 x 84-Inch Vertical Tile Shower Wall Set

- · Sophisticated patterns instantly elevate your bathroom style
- · High-quality multi-layered panels adheres to water-resistant wall board
- White tile and etched grout lines for a clean, realistic tile look
- Easy to clean surface
- Pre-cut for quick and easy installation; trimming may be required for a perfect fit
 Can be trimmed to fit 34" deep alcoves
- Can be installed with either bathtubs or shower bases
- Corner trim pieces helps easy alignment between panels
- Fits a standard 48" W x 36" D x 84" H alcove
- 10-Year Limited Warranty

Nominal Dimensions:

48 in x 36 in x 84 in (1219 mm x 914 mm x 2133 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations™ 48 x 36 x 84-Inch Vertical Tile Shower Wall Set	50 lb 22.9 kg	2951SWT48.020	White	999
Optional Components:				
Aspirations™ 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations™ Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92

AmericanStandard.com List Price Guide 2024-1

Shower and Tub Walls



Aspirations™ 60 x 32 x 72-Inch Vertical Tile Bath Wall Set

- Sophisticated patterns instantly elevate your bathroom style
- High-quality multi-layered panels adheres to water-resistant wall board
- White tile and etched grout lines for a clean, realistic tile look
- Easy to clean surface
- Pre-cut for quick and easy installation; trimming may be required for a perfect fit
- Can be trimmed to fit 30" deep alcoves
- Can be installed with either bathtubs or shower bases
- Corner trim pieces helps easy alignment between panels
- Fits a standard 60" W x 32" D x 72" H alcove
- 10-Year Limited Warranty

Nominal Dimensions:

60 in x 32 in x 72 in (1524 mm x 812 mm x 1828 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations™ 60 x 32 x 72-Inch Vertical Tile Bath Wall Set	45 lb 20.4 kg	2952BWT32.020	White	825
Optional Components:				
Aspirations™ 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations™ Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92



Aspirations™ 60 x 36 x 72-Inch Vertical Tile Bath Wall Set

- Sophisticated patterns instantly elevate your bathroom style
- High-quality multi-layered panels adheres to water-resistant wall board
- White tile and etched grout lines for a clean, realistic tile look
- Easy to clean surface
- Pre-cut for quick and easy installation; trimming may be required for a perfect fit
- Can be trimmed to fit 34" deep alcoves
- Can be installed with either bathtubs or shower bases
- Corner trim pieces helps easy alignment between panels
- Fits a standard 60" W x 32" D x 84" H alcove
- 10-Year Limited Warranty

Nominal Dimensions:

60 in x 32 in x 84 in (1524 mm x 812 mm x 2133 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations™ 60 x 36 x 72-Inch Vertical Tile Bath Wall Set	48 lb 21.7 kg	2952BWT36.020	White	865
Optional Components:				
Aspirations™ 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations [™] Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92

Shower and Tub Walls



Aspirations™ 15 x 65-Inch In-Wall Customizable Shelving Unit

- Easy to clean, high gloss premium acrylic surface
- · Built-in shaving ledge
- Over 11-1/2" height of storage on each shelf, shelves can be removed for taller items
- Base shelving kit includes; 3 flat shelves and 1 soap dish
- Can be installed with regular tile or glue-up style walls
- Installs in between studs

- Flexible installation along back walls or side wall
 Can be installed at any desired height for convenience
 Additional basket, soap dish, towel hooks and towel bar can be added with the purchase of the accessories kit for maximum customization

Nominal Dimensions:

15 in x 4-1/8 in x 65 in (381 mm x 104 mm x 1651 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations™ 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465



Aspirations™ Customizable Shelving 5-Piece Accessories Kit

- Compatible with in-wall shelving unit (7192000.XXX)
- Dishwasher-safe components
- 5-Piece Kit Includes: (1) basket, (1) soap dish, (1) Towel Bar, (2) Towel Hooks

Description	Net Wt	SKU	Color	List Price
Aspirations™ Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92



Studio 60 x 32 x 72-Inch Shower Wall Set

- Includes two side walls and one back wall
- Six integrated extra deep 4-1/2" (114 mm) shelves
- High-impact polystyrene
- Mounts directly to studs no backer board needed
- Tongue and groove interlocking for alignment and to prevent water seepage
- I imited lifetime warranty
- For use with 011 Arctic White 60" x 32" (1524 x 813 mm) bathtub models

Nominal Dimensions:

60 in x 32 in x 72 in (1524 mm x 812 mm x 1828 mm)

Description	Net Wt	SKU	Color	List Price
Studio 60 x 32 x 72-Inch Shower Wall Set	31 lb 14.1 kg	2946SW.011	Arctic	1,111



Studio 60 x 32-Inch Bath Wall Set

- Includes two side walls and one back wall
- Six integrated extra deep 4-1/2" (114 mm) shelves
- High-impact polystyrene
- Mounts directly to studs no backer board needed
- Tongue and groove inter-locking for alignment and to prevent water seepage
 For use with 011 Arctic White 60" x 32" (1524 x 813 mm) bathtub models
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 58 in (1524 mm x 812 mm x 1473 mm)



Description	Net Wt	SKU	Color	List Price
Studio 60 x 32 x 60-Inch Bath Wall Set	25 lb 11.3 kg	2946BW.011	Arctic	995

AmericanStandard.com List Price Guide 2024-1

Shower and Tub Doors

The perfect shower or bathtub door is one that functions perfectly in your space and complements the style of your bathroom. The **American Standard Collection** of on-trend, quality-crafted doors are designed to provide outstanding performance and long-lasting beauty in today's home.



Shower and Tub Doors Overview



Frameless/Semi-Frameless Shower Doors

Sleek and sophisticated with frameless glass edges

Top-roller Sliding Door for Shower

- Both panels slide
- 3/8" or 1/4"-thick clear glass
- Easy to clean glass coating



Swing Door and Panel for Shower

- 3/8"-thick clear glass
- Easy to clean glass coating
- One swing door panel, one stationary panel



Shower Screen


- · Stationary panel
- 3/8"-thick clear glass



Semi-Frameless Doors

Clean lines with outer frame support and frameless glass edges

- 1/4" tempered glass
- Select from up to three frame finishes
- Through-the-glass handles
- Easy to clean/open bottom track





Swing Door for Shower



Swing Door and Panel for Shower



Framed Doors

Both outer and glass edges feature frame support

Sliding Doors for Bath and Shower

- Easy to clean bottom track system
- Two towel bars
- Select from three frame finishes



Neo-Angle

- Perfect shower solution for small bathrooms
- Reversible on install for a left or right swing
- Drip rail system keeps water in shower
- Select from three frame finishes



Swing

- Reversible on install for a left or right swing
- Multiple glass styles
- Silver frame finish




AmericanStandard.com List Price Guide 2024-1

How to Measure the Perfect Shower Door

1 MEASURE

Walls must be finished before measuring to get an accurate dimension for installation. Measure in 3 places to determine if walls are plumb.



- TOP
 72" up from the base of shower
- 2 MIDDLE Halfway between base/top
- Use a level to check for plumb walls. If any of your measurements are not the same, make sure to look for a door that allows for out-of-plumb adjustability

3 воттом

Shower base/threshold

2 Choose Your CONFIGURATION

Alcove



Made to fit a single opening in an alcove with 3 walls.

Corner



Made to fit a corner configuration where the shower base is touching 2 walls.

Neo-Angle



Made to fit a corner configuration were the shower base is angled with 3 sides.

3 Choose Your DOOR TYPE

Pivot



The door swings in and out for entry and exit

Sliding



Sliding doors slide left or right along a bottom track. Some sliding doors are bypass, where both can open and pass one another. Some also feature one door that slides open and one door that is fixed.

Panel



Some people prefer a simple glass panel that covers most of the shower base or tub, with no actual door to pass through.

4 Choose Your FRAME

Framed



Features a frame around the door and opening of each panel.

Semi-Frameless



Framing is featured around the sides of the piece, but not around the actual glass panel.

Frameless



Minimal framing for a simplistic look.

5 Choose Your GLASS (Shower door glass patterns)



Clear 400 F



Rain 422



Hammered 436



Silver 213



Choose Your FINISH (Shower door frame finishes)

Brushed Nickel 006



ORB 224

Please see color swatches on inside front cover.

ORB - Oil Rubbed Bronze

Shower and Tub Doors



Aspirations™ 60 x 60-Inch Frameless Sliding Bathtub Door

- Frameless bypass tub door
- Easy-clean 5/16" (8 mm) glass offers less spotting for less maintenance
- Both doors open for easy access
- Towel bar handles for functional convenience
- Out of plumb adjustability
 Door opening width 58-½" 59-7/16"
- Requires minimum 2-9/16" threshold depth
- Installation hardware included
- Clear glass

Nominal Dimensions:

60 in x 60 in (1524 mm x 1524 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations [™] 60 x 60-Inch Frameless Sliding Bathtub Door	115 lb	AM00853400.213	Silver Shine	732
	52.0 kg	AM00853400.243	Matte Black	799
	_	AM00853400.295	Brushed Nickel	759



Aspirations™ 60 x 72-Inch Frameless Sliding Bathtub Door

- Frameless bypass shower door
- Easy-clean 5/16" (8 mm) glass offers less spotting for less maintenance
- Both doors open for easy access
- Towel bar handles for functional convenience

- Out of plumb adjustability
 Door opening width 58-½" 59-7/16"
 Requires minimum 2-9/16" threshold depth
- Installation hardware included
- Clear glass

Nominal Dimensions:

60 in x 72 in (1524 mm x 1828 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations [™] 60 x 72-Inch Frameless Sliding Bathtub Door	143 lb	AM00854400.213	Silver Shine	928
	65.0 kg [—]	AM00854400.243 Matte Black	1,065	
		AM00854400.295	Brushed Nickel	959



Aspirations™ 48 x 72-Inch Frameless Sliding Shower Door

- Frameless bypass shower door
- Easy-clean 5/16" (8 mm) glass offers less spotting for less maintenance
- Both doors open for easy access
- Towel bar handles for functional convenience
- Out of plumb adjustability
 Door opening width 46-½" 47-7/16"
- Requires minimum 2-9/16" threshold depth
- Installation hardware included
- Clear glass

Nominal Dimensions:

48 in x 72 in (1219 mm x 1828 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations [™] 48 x 72-Inch Frameless Sliding	112 lb	AM00855400.213	Silver Shine	825
Shower Door	51.0 kg	AM00855400.243	Matte Black	972
		AM00855400.295	Brushed Nickel	839

AmericanStandard.com List Price Guide 2024-1



48 x 72-Inch Height Frameless Shower Door With Panel

- Frameless swing door and panel
- Easy-to-clean glass coating repels moisture and soap film
 Reversible for left or right installation
- 8" (203 mm) through-the-glass C-pull handle
- 3/8" (9 mm) thick clear safety-tempered glass
- Minimum 2-1/2" (64 mm) threshold width required • Fits opening: 46-1/16" - 47-9/16" (1170 - 208 mm)
- 72" (1829 mm) height
- Clear glass

Nominal Dimensions:

48 in x 72 in (1219 mm x 3/8 in x 1828 mm)



Description	Net Wt	SKU	Color	List Price
48 x 72-Inch Height Frameless Shower Door With	132 lb 59.9 kg	AM00814400.006	Brushed Nickel	2,430
Panel		AM00814400.213	Silver Shine	1,869



60 x 72-Inch Height Frameless Shower Door With Panel

- Frameless swing door and panel
- · Easy-to-clean glass coating repels moisture and soap film
- Reversible for left or right installation
- •8" (203 mm) through-the-glass C-pull handle
- 3/8" (9 mm) thick clear safetytempered glass
- Minimum 2-1/2" (64 mm) threshold width required
- Fits opening: 58-1/16" 59-9/16" (1475 1513 mm)
- 72" Height

Nominal Dimensions:

60 in x 72 in (1524 mm x 3/8 in x 1828 mm)



Description	Net Wt	SKU	Color	List Price
60 x 72-Inch Height Frameless Shower Door With	73.1 kg	AM00812400.006	Brushed Nickel	2,496
Panel		AM00812400.213	Silver Shine	1,920



24 x 76-Inch Height Frameless Shower Screen

- Frameless shower screen
- Easy-to-clean glass coating helps prevent water spots and film
- Stationary panel does not swing
- Not intended to span entire length of shower
- Leaves open space to enter 48" 60" (1219 1524 mm) shower
- Length: 24" (610 mm) for 48" (1219 mm) opening
- 3/8" (9 mm) thick clear safety-tempered glass
- Minimum 1" (25 mm) threshold width required
- 76" (1930 mm) height
- Clear glass

Nominal Dimensions:

24 in x 76 in (609 mm x 13/16 in x 1930 mm)



Description	Net Wt	SKU	Color	List Price
24 x 76-Inch Height Frameless Shower Screen	86 lb 39.0 kg	AM00824400.213	Silver Shine	656



30 x 76-Inch Height Frameless Shower Screen

- Frameless shower screen
- Easy-to-clean glass coating helps prevent water spots and film

- Stationary panel does not swing
 Not intended to span entire length of shower
 Leaves open space to enter 48" 60" (1219 1524 mm) shower
 Length: 30" (762 mm) for 60" (1524 mm) opening
- 3/8" (9 mm) thick clear safety-tempered glass
- Minimum 1" (25 mm) threshold width required
- 76" (1930 mm) height
- Clear glass

Nominal Dimensions:

30 in x 76 in (762 mm x 13/16 in x 1930 mm)



Description	Net Wt	SKU	Color	List Price
30 x 76-Inch Height Frameless Shower Screen	71 lb	AM00830400.213	Silver Shine	874



48 x 70-Inch Height Semi-Frameless Top-Roller Sliding Shower Door

- Top-roller shower door
- Easy-to-clean glass coating repels moisture and soap film
- Both panels slide
- Reversible installation for left or right entry
 Exterior through-the-glass towel bar and back-to-back pull knob
 '4" (6 mm) clear safety-tempered glass
 Minimum 2-%" (70 mm) threshold width required

- Fits opening: 44" 48" (1118 1219 mm)
- 76" (1930 mm) height
- Clear glass

Nominal Dimensions:

48 in x 70 in (1219 mm x 2-11/16 in x 1778 mm)



Description	Net Wt	SKU	Color	List Price
48 x 70-Inch Height Semi-Frameless Top-Roller	105 lb	AM00821400.006	Brushed Nickel	1,716
Sliding Shower Door	47.7 kg —	AM00821400.213 Silver	Silver Shine	1,319



60 x 70-Inch Height Semi-Frameless Top-Roller Sliding Shower Door

- Top-roller shower door
- Easy-to-clean glass coating repels moisture and soap film
- Both panels slide
 Reversible installation for left or right entry
- Exterior through-the-glass towel bar and back-to-back pull knob
- 1/4" (6 mm) clear safety-tempered glass • Minimum 2-¾" (70 mm) threshold width required • Fits opening: 56" – 60" (1422 – 1524 mm)
- 76" (1930 mm) height
- Clear glass

Nominal Dimensions:

60 in x 70 in (1524 mm x 2-11/16 in x 1778 mm)



Description	Net Wt	SKU	Color	List Price
60 x 70-Inch Height Semi-Frameless Top-Roller	124 lb	AM00822400.006	Brushed Nickel	1,853
Sliding Shower Door	56.3 kg	AM00822400.213 Silver Shi	Silver Shine	1,426



48 x 76-Inch Height Semi-Frameless Top-Roller Sliding Shower Door

- Top-roller shower door
- Easy-to-clean glass coating repels moisture and soap film
- Both panels slide
- Reversible installation for left or right entry
- Exterior through-the-glass towel bar and back-to-back pull knob
- 3/8" (9 mm) safety tempered glass
- Minimum 2-3/4" (70 mm) threshold width required
- Fits opening: 44" 48" (1118 1219 mm)
- 76" (1930 mm) height
- Clear glass

Nominal Dimensions:

48 in x 76 in (1219 mm x 2-11/16 in x 1930 mm)



Description	Net Wt	SKU	Color	List Price
48 x 76-Inch Height Semi-Frameless Top-Roller	152 lb	AM00810400.006	Brushed Nickel	2,465
Sliding Shower Door	69.0 kg [—]	AM00810400.213	Silver Shine	1,895

AmericanStandard.com List Price Guide 2024-1



60 x 76-Inch Height Semi-Frameless Top-Roller Sliding Shower Door

- Top-roller shower door
- Easy-to-clean glass coating repels moisture and soap film
- Both panels slide
- Reversible installation for left or right entry
 Exterior through-the-glass towel bar and back-to-back pull knob
- •3/8" (9 mm) safety-tempered glass
- Minimum 2-¾" (70 mm) threshold width required
- Fits opening: 56" 60" (1422 1524 mm)
- 76" (1930 mm) height
- Clear glass

Nominal Dimensions:

60 in x 76 in (1524 mm x 2-11/16 in x 1930 mm)



Description	Net Wt	SKU	Color	List Price
60 x 76-Inch Height Semi-Frameless Top-Roller	182 lb	AM00811400.006	Brushed Nickel	849
Sliding Shower Door	82.6 kg	AM00811400.213	Silver Shine	749



48 x 76-Inch Height Semi-Frameless Swing Door With Panel

- Semi-frameless swing door and panel
- Easy-to-clean glass coating helps prevent water spots and film
- Door swings out only
- Clear drip system keeps the water inside shower
- 6" (152 mm) through-the-glass C-pull handle
- 1/4" (6 mm) safety-tempered glass
- Minimum 1-1/2" (38 mm) threshold width required
- Fits opening: 44-1/16" 48" (1119 1219 mm)
- 76" (1930 mm) height
- Clear glass

Nominal Dimensions:

48 in x 76 in (1219 mm x 3/8 in x 1930 mm)



1	Description	Net Wt	SKU	Color	List Price
	48 x 76-Inch Height Semi-Frameless Swing Door	86 lb	AM00817400.006	Brushed Nickel	2,181
	With Panel	39.0 kg —	AM00817400.213	Silver Shine	1,677



60 x 76-Inch Height Semi-Frameless Swing Door With Panel

- · Semi-frameless swing door and panel
- Easy-to-clean glass coating helps prevent water spots and film
- Door swings out only
- Clear drip system keeps the water inside shower
- •6" (152 mm) through-the-glass C-pull handle
- 1/4" (6 mm) safety-tempered glass
- Minimum 1-½" (38 mm) threshold width required Fits opening: 56-1/16" 60" (1424 1524 mm)
- 76" (1930 mm) height
- Clear glass

Nominal Dimensions:

60 in x 76 in (1524 mm x 3/8 in x 1930 mm)



Description	Net Wt	SKU	Color	List Price
60 x 76-Inch Height Semi-Frameless Swing Door	107 lb	AM00816400.006	Brushed Nickel	2,393
With Panel	48.6 kg -	AM00816400.213	Silver Shine	1.842




36 x 76-Inch Height Semi-Frameless Swing Door

- Semi-frameless swing door
- Easy-to-clean glass coating helps prevent water spots and film
- Reversible for left to right installation
- Door swings out only
- 6" (152 mm) through-the-glass C-pull handle
- 1/4" (6 mm) safety-tempered glass
- Minimum 2" (51 mm) threshold width required
- Fits opening: 35-1/16" 36" (891 914 mm)
- 76" (1930 mm) height
- Clear glass

Nominal Dimensions:

36 in x 76 in (914 mm x 15/16 in x 1930 mm)





Euro 60 x 57-Inch Height Semi-Frameless Sliding Tub Door

- Semi-frameless European-designed doors
- · Easy-to-clean open bottom track
- · Simple out-of-square adjustment
- · Heavy duty rounded header
- Towel bars pass through glass, 22" (559 mm)
- Smooth glide rollers
- 1/4" (6 mm) safety-tempered glass
- Minimum 1-½" (38 mm) threshold width required Fits opening: 54-½" 58-½" (1384 1486 mm)
- 57" (1448 mm) height
- Clear glass

Nominal Dimensions:

60 in x 57 in (1524 mm x 1/4 in x 1447 mm)

Description	Net Wt	SKU	Color	List Price
Euro 60 x 57-Inch Height Semi-Frameless Sliding	85 lb	AM00350400.006	Brushed Nickel	1,189
Tub Door	38.6 kg —	AM00350400.213	Silver Shine	882
		AM00350400.224	Oil Rubbed Bronze	1,189



Euro 60 x 57-Inch Height Semi-Frameless Sliding Tub Door

- Semi-frameless European-designed doors
- Easy-to-clean open bottom track
- Simple out-of-square adjustment
- Heavy duty rounded header
- Towel bars pass through glass, 22" (559 mm)
- Smooth glide rollers
- 1/4" (6 mm) safety-tempered glass
- Minimum 1-1/2" (38 mm) threshold width required
- Fits opening: 54-1/2" 58-1/2" (1384 1486 mm)
- 57" (1448 mm) height
- Rain glass

Nominal Dimensions:

60 in x 57 in (1524 mm x 1/4 in x 1447 mm)

Description	Net Wt	SKU	Color	List Price
Euro 60 x 57-Inch Height Semi-Frameless Sliding	82 lb	AM00350422.006	Brushed Nickel	1,331
Tub Door	37.2 kg —	AM00350422.213	Silver Shine	1,082
		AM00350422.224	Oil Rubbed Bronze	1.331

Images are for illustrative purposes only - exact features may vary.

AmericanStandard.com List Price Guide 2024-1



Euro 48 x 70-Inch Height Semi-Frameless Sliding Shower Door

- Semi-frameless European-designed doors
- Easy-to-clean open bottom track
- · Simple out-of-square adjustment
- Heavy duty rounded header
- Tubular bars pass through glass, 16-1/2" (419 mm)
- Smooth glide rollers
- 1/4" (6 mm) safety-tempered glass
- Minimum 1-1/2" (38 mm) threshold width required
- Fits opening: 43" 47" (1092 1194 mm)
- 70" (1778 mm) height
- Clear glass

Nominal Dimensions:

48 in x 70 in (1219 mm x 1/4 in x 1778 mm)

Description	Net Wt	SKU	Color	List Price
Euro 48 x 70-Inch Height Semi-Frameless Sliding	84 lb	AM00370400.006	Brushed Nickel	1,203
Shower Door	38.1 kg -	AM00370400.213	Silver Shine	968
	_	AM00370400.224	Oil Rubbed Bronze	1,203



Euro 60 x 70-Inch Height Semi-Frameless Sliding Shower Door

- Semi-frameless European-designed doors
- Easy-to-clean open bottom track
- Simple out-of-square adjustment
- · Heavy duty rounded header
- Tubular bars pass through glass, 22" (559 mm)
- Smooth glide rollers
- 1/4" (6 mm) safety-tempered glass
- Minimum 1-1/2" (38 mm) threshold width required
- Fits opening: 54-½" 58-½" (1384 1486 mm)
- 70" (1778 mm) height
- Clear glass

Nominal Dimensions:

60 in x 70 in (1524 mm x 1/4 in x 1778 mm)

Description	Net Wt	SKU	Color	List Price
Euro 60 x 70-Inch Height Semi-Frameless Sliding	84 lb	AM00390400.006	Brushed Nickel	1,585
Shower Door	38.1 kg —	AM00390400.213	Silver Shine	1,221
		AM00390400.224	Oil Rubbed Bronze	1,585



Euro 60 x 70-Inch Height Semi-Frameless Sliding Shower Door

- Semi-frameless European-designed doors
- Easy-to-clean open bottom track
- Simple out-of-square adjustment
- Heavy duty rounded header
- Tubular bars pass through glass, 22" (559 mm)
- Smooth glide rollers
- 1/4" (6 mm) safety-tempered glass
- Minimum 1-1/2" (38 mm) threshold width required
- Fits opening: 54-½" 58-½" (1384 1486 mm)
- 70" (1778 mm) height
- Rain glass

Nominal Dimensions:

60 in x 70 in (1524 mm x 1/4 in x 1778 mm)

Description	Net Wt	SKU	Color	List Price
Euro 60 x 70-Inch Height Semi-Frameless Sliding Shower Door	84 lb 38.1 kg	AM00390422.006	Brushed Nickel	1,825
	80 lb 36.3 kg	AM00390422.213	Silver Shine	1,416
	84 lb	AM00390422.224	Oil Rubbed Bronze	1,825

Images are for illustrative purposes only - exact features may vary.



Prestige 60 x 58-1/2-Inch Height Framed Sliding Tub Door

- Framed sliding tub door
- Heavy duty rounded header
 Easy-to-clean bottom track system
- Simple out-of-square adjustment
- Two bracketed towel bars
- 3/16" (5 mm) safety tempered glass Minimum 1-½" (38 mm) threshold width required Fits opening: 57" 59" (1448 1499 mm)
- 58-1/2" (1486 mm) height
- Clear glass

Nominal Dimensions:

60 in x 58-1/2 in (1524 mm x 1/4 in x 1485 mm)

Description	Net Wt	SKU	Color	List Price
Prestige 60 x 58-1/2-Inch Height Framed Sliding	58 lb	AM00750400.006	Brushed Nickel	951
Tub Door	26.3 kg —	AM00750400.213	Silver Shine	717
		AM00750400.224	Oil Rubbed Bronze	951



Prestige 60 x 58-1/2-Inch Framed Sliding Tub Door

- Framed sliding tub door
- Heavy duty rounded header
- Easy-to-clean bottom track system
- Simple out-of-square adjustment
- Two bracketed towel bars
- 3/16" (5 mm) safety tempered glass
- Minimum 1-1/2" (38 mm) threshold width required
- Fits opening: 57" 59" (1448 1499 mm)
- 58-1/2" (1486 mm) height
- Rain glass

Nominal Dimensions:

60 in x 58-1/2 in (1524 mm x 1/4 in x 1485 mm)

Description	Net Wt	SKU	Color	List Price
Prestige 60 x 58-1/2-Inch Framed Sliding Tub	58 lb	AM00750422.006	Brushed Nickel	998
Door	26.3 kg —	AM00750422.213	Silver Shine	717
	_	AM00750422.224	Oil Rubbed Bronze	998



Prestige 60 x 58-1/2-Inch Height Framed Sliding Tub Door

- Framed sliding tub door
- Heavy duty rounded header
- Easy-to-clean bottom track system
- Simple out-of-square adjustment
- Two bracketed towel bars
- 3/16" (5 mm) safety tempered glass Minimum 1-½" (38 mm) threshold width required Fits opening: 57" 59" (1448 1499 mm)
- •58-1/2" (1486 mm) height
- Hammered glass

Nominal Dimensions:

60 in x 58-1/2 in (1524 mm x 1/4 in x 1485 mm)

Description	Net Wt	SKU	Color	List Price
Prestige 60 x 58-1/2-Inch Height Framed Sliding	58 lb	AM00750436.006	Brushed Nickel	998
Tub Door	26.3 kg	AM00750436.213	Silver Shine	717
		AM00750436.224	Oil Rubbed Bronze	998

Images are for illustrative purposes only - exact features may vary.

AmericanStandard.com List Price Guide 2024-1

Shower and Tub Doors



Prestige 60 x 71-1/2-Inch Height Framed Sliding Shower Door

- Framed sliding shower door
 Heavy duty rounded header
 Easy-to-clean bottom track system
 Simple out-of-square adjustment
- Two bracketed towel bars
- 3/16" (5 mm) safety-tempered glass
- Minimum 1-1/2" (38 mm) threshold width required
- Fits Opening: 45" 47" (1143 1194 mm)
- 71-1/2" (1816 mm) height
- Clear glass

Nominal Dimensions:

60 in x 71-1/2 in (1524 mm x 1/4 in x 1816 mm)

Description	Net Wt	SKU	Color	List Price
Prestige 60 x 71-1/2-Inch Height Framed Sliding	54 lb	AM00770400.006	Brushed Nickel	1,012
Shower Door	24.5 kg [—]	AM00770400.213	Silver Shine	798
		AM00770400.224	Oil Rubbed Bronze	1,012



Prestige 60 x 71-1/2-Inch Height Framed Sliding Shower Door

- Framed sliding shower door
- · Heavy duty rounded header
- Easy-to-clean bottom track system
- Simple out-of-square adjustment

- Simple out-of-square adjustment
 Two bracketed towel bars
 3/16" (5 mm) safety-tempered glass
 Minimum 1-½" (38 mm) threshold width required
 Fits opening: 57" 59" (1448 1499 mm)
- •71-½" (1816 mm) height •Clear glass

Nominal Dimensions:

60 in x 71-1/2 in (1524 mm x 1/4 in x 1816 mm)

Description	Net Wt	SKU	Color	List Price
Prestige 60 x 71-1/2-Inch Height Framed Sliding	66 lb	AM00790400.006	Brushed Nickel	1,074
Shower Door	30.0 kg —	AM00790400.213	Silver Shine	881
		AM00790400.224	Oil Rubbed Bronze	1,074

Shower and Tub Enclosures/Bathing Fixture – Cross Reference

Dimensions	Model	Description	Euro Semi-Frameless		Prestige	Framed		
Tubs			Tub C	Doors	Tub C	Doors		
	2772	Cadet®						
	2461	Cambridge®	-					
	2425, 2422, 2771V	Evolution®	_					
	3571, 3574	Green Tea®	-					
	0255	New Salem®						
5'	0263	New Solar®	AM0	0350	AM00			
	2391, 2390, 2393, 2392, 2395, 2394, 2397, 2396	Princeton®						
	2946, 2545, 2973	Studio®						
	2748	Town Square®						
	2544, 2545	Town Square S						
Solid Surface Shower B	ases		Semi-Frameless Sliding	Semi-Frameless Swing with Panel	Semi-Frameless Top Roller	Framed Sliding		
8" x 36" x 2" 1219 x 914 x 51 mm)	4836SMCOL	Townsend Single Threshold	AM00345 AM00370	AM00817	AM00821	AM00775 AM00770		
0" x 30" x 2" 1524 x 762 x 51 mm)	6030SMRHOL 6030SMLHOL	Townsend Single Threshold		AM00816	AM00816 AM00822	AM00790 AM00795		
0" x 32" x 2" 1524 x 813 x 51 mm)	6032SMRHOL 6032SMLHOL	Townsend Single Threshold	AM00390 AM00394					
60" x 36" x 2" 1524 x 914 x 51 mm)	6036SMRHOL 6036SMLHOL	Townsend Single Threshold						
crylic Shower Bases			Semi-Frameless Sliding	Semi-Frameless Swing with Panel	Frameless Top Rolling	Framed Sliding		
18" x 36" x 2-1/2" 1219 x 914 x 64 mm)	A8004L-CO	Studio Single Threshold	AM00345	AM00017	AM00821	AM00775 AM00770		
18-1/8" x 34-1/4" x 6-5/8 1219 x 870 x 168 mm)	4834.ST	Single Threshold	AM00370	AM00817	AMUU021			
50" x 30" x 2-1/2" 1524 x 762 x 64 mm)	A8001L-RHO A8001L-LHO	Studio Single Threshold						
0" x 31-1/4" x 5" 524 x 794 x 127 mm)	2946.STR 2946.STL	Studio Single Threshold			AM00816 AM00822			
0" x 32" x 2-1/2" 524 x 813 x 64 mm)	A8002L-RHO A8002L-LHO	Studio Single Threshold	AM00390 AM00394			AM00816 AM00822	AM00822	AM00790 AM00795
0" x 36" x 2-1/2" 524 x 914 x 64 mm)	A8003L-RHO A8003L-LHO	Studio Single Threshold						
0-1/8" x 34-1/8" x 6-5/8 527 x 867 x 168 mm)	6034.ST	Single Threshold						

Please take the height of alcove walls into consideration when choosing doors. Doors are adjustable to fit installations both with and without alcove walls.

AmericanStandard.com List Price Guide 2024-1



Aspirations™ 60 x 30-Inch Single Threshold Shower Base With Left-Hand Drain

- Clean, contemporary design
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Textured floor
- Easy to step over 2-3/4" (70 mm) threshold height
- Lasy to step over 2-% (70 mm) threshold integral 3-sided tile/water retention flange
 Single threshold, left-hand outlet
- Pre-leveled bottom for easier installation
- White drain cover included
- Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 2-3/4 in (1524 mm x 762 mm x 69 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations [™] 60 x 30-Inch Single Threshold Shower Base With Left-Hand Drain	48 lb 21.8 kg	A8019T-LHO.020	White	599
Optional Components:				
Aspirations $^{\text{TM}}$ 60 x 32 x 84-Inch Vertical Tile Shower Wall Set	52 lb 23.8 kg	2951SWT32.020	White	932
Aspirations [™] 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations [™] Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92
Aspirations [™] 60 x 72-Inch Frameless Sliding	143 lb	AM00854400.213	Silver Shine	928
Bathtub Door	65.0 kg -	AM00854400.243	Matte Black	1,065
	_	AM00854400.295	Brushed Nickel	959



Aspirations™ 60 x 30-Inch Single Threshold Shower Base With Right-Hand Drain

- Clean, contemporary design
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Textured floor
- Easy to step over 2-3/4" (70 mm) threshold height
- Integral 3-sided tile/water retention flange
- Single threshold, right-hand outlet
- Pre-leveled bottom for easier installation
- White drain cover included
- Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 2-3/4 in (1524 mm x 762 mm x 69 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations [™] 60 x 30-Inch Single Threshold Shower Base With Right-Hand Drain	48 lb 21.8 kg	A8019T-RHO.020	White	599
Optional Components:				
Aspirations [™] 60 x 32 x 84-Inch Vertical Tile Shower Wall Set	52 lb 23.8 kg	2951SWT32.020	White	932
Aspirations [™] 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations [™] Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92
Aspirations [™] 60 x 72-Inch Frameless Sliding	143 lb	AM00854400.213	Silver Shine	928
Bathtub Door	65.0 kg [—]	AM00854400.243	Matte Black	1,065
	_	AM00854400.295	Brushed Nickel	959



Aspirations™ 60 x 32-Inch Single Threshold Shower Base With Left-Hand Drain

- Clean, contemporary design
- High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Textured floor
- Easy to step over 2-¾" (70 mm) threshold height
 Integral 3-sided tile/water retention flange
 Single threshold, left-hand outlet

- Pre-leveled bottom for easier installation
- White drain cover included
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 2-3/4 in (1524 mm x 812 mm x 69 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations [™] 60 x 32-Inch Single Threshold Shower Base With Left-Hand Drain	51 lb 23.2 kg	A8020T-LHO.020	White	612
Optional Components:				
Aspirations [™] 60 x 32 x 84-Inch Vertical Tile Shower Wall Set	52 lb 23.8 kg	2951SWT32.020	White	932
Aspirations [™] 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations [™] Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92
Aspirations [™] 60 x 72-Inch Frameless Sliding	143 lb	AM00854400.213	Silver Shine	928
Bathtub Door	65.0 kg -	AM00854400.243	Matte Black	1,065
	_	AM00854400.295	Brushed Nickel	959



Aspirations™ 60 x 32-Inch Single Threshold Shower Base With Right-Hand Drain

- Clean, contemporary design
 High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Textured floor
- Easy to step over 2-¾" (70 mm) threshold height Integral 3-sided tile/water retention flange
- Single threshold, right-hand outlet
- Pre-leveled bottom for easier installation
- White drain cover included
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 2-3/4 in (1524 mm x 812 mm x 69 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations [™] 60 x 32-Inch Single Threshold Shower Base With Right-Hand Drain	51 lb 23.2 kg	A8020T-RHO.020	White	612
Optional Components:				
Aspirations [™] 60 x 32 x 84-Inch Vertical Tile Shower Wall Set	52 lb 23.8 kg	2951SWT32.020	White	932
Aspirations [™] 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations [™] Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92
Aspirations [™] 60 x 72-Inch Frameless Sliding Bathtub Door	143 lb	AM00854400.213	Silver Shine	928
	65.0 kg [—]	AM00854400.243	Matte Black	1,065
		AM00854400.295	Brushed Nickel	959



Aspirations™ 60 x 36-Inch Single Threshold Shower Base With Left-Hand Drain

- Clean, contemporary design
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Textured floor
- Easy to step over 2-3/4" (70 mm) threshold height
- Lasy to step over 2-% (70 mm) threshold integral 3-sided tile/water retention flange
 Single threshold, left-hand outlet
- Pre-leveled bottom for easier installation
- White drain cover included
- Limited lifetime warranty

Nominal Dimensions:

60 in x 36 in x 2-3/4 in (1524 mm x 914 mm x 69 mm)

Net Wt	SKU	Color	List Price
58 lb 26.1 kg	A8021T-LHO.020	White	625
56 lb 25.4 kg	2951SWT36.020	White	999
9 lb 3.9 kg	7192000.020	White	465
1 lb 0.4 kg	7194000.020	White	92
143 lb	AM00854400.213	Silver Shine	928
65.0 kg [—]	AM00854400.243	Matte Black	1,065
_	AM00854400.295	Brushed Nickel	959
	58 lb 26.1 kg 56 lb 25.4 kg 9 lb 3.9 kg 1 lb 0.4 kg	58 lb 26.1 kg A8021T-LHO.020 56 lb 2951SWT36.020 25.4 kg 9 lb 7192000.020 3.9 kg 1 lb 7194000.020 0.4 kg 143 lb 65.0 kg AM00854400.243	58 lb 26.1 kg



Aspirations™ 60 x 36-Inch Single Threshold Shower Base With Right Hand-Drain

- Clean, contemporary design
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Textured floor
- Easy to step over 2-3/4" (70 mm) threshold height
- Integral 3-sided tile/water retention flange
- Single threshold, right-hand outlet
- Pre-leveled bottom for easier installation
- White drain cover included
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 36 in x 2-3/4 in (1524 mm x 914 mm x 69 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations [™] 60 x 36-Inch Single Threshold Shower Base With Right Hand-Drain	58 lb 26.1 kg	A8021T-RHO.020	White	625
Optional Components:				
Aspirations [™] 60 x 36 x 84-Inch Vertical Tile Shower Wall Set	56 lb 25.4 kg	2951SWT36.020	White	999
Aspirations [™] 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations [™] Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92
Aspirations [™] 60 x 72-Inch Frameless Sliding	143 lb	AM00854400.213	Silver Shine	928
Bathtub Door	65.0 kg [—]	AM00854400.243	Matte Black	1,065
	_	AM00854400.295	Brushed Nickel	959
Batntub Door	65.0 kg —			æl



Aspirations™ 48 x 36-Inch Single Threshold Shower Base With Center Drain

- Clean, contemporary design
 High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Textured floor
- Easy to step over 2-¾" (70 mm) threshold height
- Integral 3-sided tile/water retention flange
- Single threshold, center drain outlet
- Pre-leveled bottom for easier installation
- White drain cover included
- · Limited lifetime warranty

Nominal Dimensions:

48 in x 36 in x 2-3/4 in (1219 mm x 914 mm x 69 mm)

Description	Net Wt	SKU	Color	List Price
Aspirations [™] 48 x 36-Inch Single Threshold Shower Base With Center Drain	45 lb 20.4 kg	A8022T-CO.020	White	599
Optional Components:				
Aspirations [™] 48 x 36 x 84-Inch Vertical Tile Shower Wall Set	50 lb 22.9 kg	2951SWT48.020	White	999
Aspirations [™] 15 x 65-Inch In-Wall Customizable Shelving Unit	9 lb 3.9 kg	7192000.020	White	465
Aspirations [™] Customizable Shelving 5-Piece Accessories Kit	1 lb 0.4 kg	7194000.020	White	92
Aspirations [™] 48 x 72-Inch Frameless Sliding	112 lb	AM00855400.213	Silver Shine	825
Shower Door	51.0 kg -	AM00855400.243	Matte Black	972
	_	AM00855400.295	Brushed Nickel	839



Studio® 38 x 38-Inch Single Threshold ADA Shower Base With Center Drain

- Clean, contemporary design
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Easy to step over 2-½" (64 mm) threshold height
 Integral 3-sided tile/water retention flange

- Single threshold, center drain
- Brushed stainless steel drain cover included
- Drain not included
- ADA compliant
- · Limited lifetime warranty

Nominal Dimensions:

38 in x 38 in x .9 in (965 mm x 965 mm x 22 mm)



Description	Net Wt	SKU	Color	List Price
Studio [®] 38 x 38-Inch Single Threshold ADA Shower Base With Center Drain	24 lb 11.3 kg	A8009D-FCO.020	White	775
Separate Components:				
Stainless Steel Drain Plate	2 lb 0.9 kg	⊳755453-400.0730A	Brushed Stainless Steel	171

Studio® 64 x 34-Inch Single Threshold ADA Shower Base With Center Drain

- Clean, contemporary design
- High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Easy to step over 2-½" (64 mm) threshold height
- Integral 3-sided tile/water retention flange
- Single threshold, center drain
- Brushed stainless steel drain cover included
- Drain not included
- ADA compliant
- · Limited lifetime warranty

Nominal Dimensions:

64 in x 34 in x .9 in (1625 mm x 863 mm x 22 mm)



Description	Net Wt	SKU	Color	List Price
Studio [®] 64 x 34-Inch Single Threshold ADA Shower Base With Center Drain	36 lb 16.3 kg	A8007D-FCO.020	White	917
Separate Components:				
Stainless Steel Drain Plate	2 lb 0.9 kg	⊳755453-400.0730A	Brushed Stainless Steel	171



Townsend® 38 x 38-Inch Single Threshold ADA Shower Base With Center Drain

- Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratched can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- · Single threshold, center drain
- Removable, stainless steel trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- ADA compliant
- 5-year warranty
- Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

38 in x 38 in x 4-5/16 in (965 mm x 965 mm x 109 mm)



Description	Net Wt	SKU	Color	List Price
Townsend® 38 x 38-Inch Single Threshold ADA Shower Base With Center Drain	84 lb 38.5 kg	3838AM-FCOL.218	Soft White	1,104
Optional Components:				
38" x 38" Stainless Steel Drain Cover	4 lb 1.9 kg	>755446-400.0730A	Brushed Stainless Steel	167



Townsend® 48 x 36-Inch Single Threshold Shower Bases With Center Drain

- Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratched can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- Single threshold, center drain
- Removable, color-matched, solid surface square drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- 5-year warranty
- Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

38 in x 38 in x 3-7/8 in (965 mm x 965 mm x 98 mm)



Description	Net Wt	SKU	Color	List Price
Townsend® 48 x 36-Inch Single Threshold Shower Bases With Center Drain	96 lb 43.9 kg	4836SM-COL.218	Soft White	1,052
Optional Components:				
48" x 36" Square Solid Surface Drain Cover	0 lb 0.4 kg	>755433-401.2180A	Soft White	109



Townsend® 60 x 30-Inch Single Threshold Shower Base With Right-Hand Outlet

- Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratched can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- · Single threshold, right-hand outlet
- Removable, color-matched, solid surface trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- 5-year warranty
- Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

60 in x 30 in x 3-5/16 in (1524 mm x 762 mm x 84 mm)



Description	Net Wt	SKU	Color	List Price
Townsend [®] 60 x 30-Inch Single Threshold Shower Base With Right-Hand Outlet	100 lb 45.5 kg	6030SM-RHOL.218	Soft White	1,098
Optional Components:				
60" x 30" Rectangle Solid Surface Drain Cover	4 lb 2.1 kg	>755427-401.2180A	Soft White	251



Townsend $^{\circ}$ 60 x 30-Inch Single Threshold Shower Base With Left-Hand Outlet

- Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- · Smooth matte renewable surface where chips and scratches can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- Single threshold, left-hand outlet
- Removable, color-matched, solid surface trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- 5-year warranty
- Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

60 in x 30 in x 3-5/16 in (1524 mm x 762 mm x 84 mm)



Description	Net Wt	SKU	Color	List Price
Townsend [®] 60 x 30-Inch Single Threshold Shower Base With Left-Hand Outlet	100 lb 45.5 kg	6030SM-LHOL.218	Soft White	1,098
Separate Components:				
60" x 30" Rectangle Solid Surface Drain Cover	4 lb 2.1 kg	>755427-401.2180A	Soft White	251

Parts Program (Non-Premier)



- Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratches can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- Single threshold, right-hand outlet
- Removable, color-matched, solid surface trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- 5-year warranty
- Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

60 in x 32 in x 3-5/16 in (1524 mm x 812 mm x 84 mm)



Description	Net Wt	SKU	Color	List Price
Townsend [®] 60 x 32-Inch Single Threshold Shower Base With Right-Hand Outlet	106 lb 48.3 kg	6032SM-RHOL.218	Soft White	1,110
Optional Components:				
60" x 32" Rectangle Solid Surface Drain Cover	4 lb 2.2 kg	>755429-401.2180A	Soft White	251



- · Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratches can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- · Single threshold, left-hand outlet
- · Removable, color-matched, solid surface trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- 5-year warranty
- Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

60 in x 32 in x 3-5/16 in (1524 mm x 812 mm x 84 mm)



Description	Net Wt	SKU	Color	List Price
Townsend® 60 x 32-Inch Single Threshold Shower Base With Left-Hand Outlet	106 lb 48.3 kg	6032SM-LHOL.218	Soft White	1,110
Separate Components:				
60" x 32" Rectangle Solid Surface Drain Cover	4 lb 2.2 kg	>755429-401.2180A	Soft White	251

Townsend® 60 x 36-Inch Single Threshold Shower Base With Right-Hand Outlet

- Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratches can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- · Single threshold, right-hand outlet
- Removable, color-matched, solid surface trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- 5-year warranty
- Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

60 in x 36 in x 3-5/16 in (1524 mm x 914 mm x 84 mm)



Description	Net Wt	SKU	Color	List Price
Townsend® 60 x 36-Inch Single Threshold Shower Base With Right-Hand Outlet	118 lb 53.6 kg	6036SM-RHOL.218	Soft White	1,233
Optional Components:				
60" x 36" Rectangle Solid Surface Drain Cover	5 lb 2.5 kg	>755431-401.2180A	Soft White	259

Parts Program (Non-Premier)



Townsend® 60 x 36-Inch Single Threshold Shower Base With Left-Hand Outlet

- Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
 Smooth matte renewable surface where chips and scratches can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
 Integral 3-sided tile/water retention flange
 Single threshold, left-hand outlet

- Removable, color-matched, solid surface trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- 5-year warranty
- Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

60 in x 36 in x 3-5/16 in (1524 mm x 914 mm x 84 mm)



Description	Net Wt	SKU	Color	List Price
Townsend [®] 60 x 36-Inch Single Threshold Shower Base With Left-Hand Outlet	118 lb 53.6 kg	6036SM-LHOL.218	Soft White	1,233
Separate Components:				
60" x 36" Rectangle Solid Surface Drain Cover	5 lb 2.5 kg	>755431-401.2180A	Soft White	259



Townsend® 64 x 34-Inch Single Threshold ADA Shower Base With Linear Drain

- Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratches can be sanded out
 - Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- · Single threshold, linear drain along entry
- Removable, stainless steel trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- ADA compliant
- 5-year warranty

Nominal Dimensions:

64 in x 34 in x 1-3/8 in (1625 mm x 863 mm x 34 mm)



Description	Net Wt	SKU	Color	List Price
Townsend® 64 x 34-Inch Single Threshold ADA Shower Base With Linear Drain	124 lb 56.6 kg	6434AM-FCOL.218	Soft White	1,452
Optional Components:				
64" x 34" Stainless Steel Drain Cover	7 lb 3.4 kg	>755440-400.0730A	Brushed Stainless Steel	167

Parts Program (Non-Premier)

Bathroom Furniture

Crafted with care to complement today's most beautiful bathrooms, the **American Standard Collection** ensures lasting durability and design excellence. Whether open for a spacious look or enclosed for concealed storage, you'll find the perfect piece on the following pages.



Bathroom Furniture

Furniture Overview

Masterfully constructed from poplar solids and birch veneers. Furniture specifically designed for coordinating sinks and countertops.



Studio® S Collection



American Standard® Furniture for Townsend® Collection



All American Standard furniture is fully CARB compliant.

AmericanStandard.com List Price Guide 2024-1



Edgemere® Console Table

- Transitional style metal console table
 Uses Edgemere® 0445 series pedestal tops
- Console table legs feature transitional styling with integral front and side towel bars
- Lower tempered glass shelf for storage
 Legs available in Polished Chrome or Brushed Nickel
- Dimensions with 0445 Series Pedestal Tops: 25" x 19-1/2" x 35-11/16" (635 x 495 x 906 mm)

Nominal Dimensions:

25 in x 19-1/2 in x 35-11/16 in (635 mm x 495 mm x 906 mm)



Description	Net Wt	SKU	Color	List Price
Edgemere® Console Table	17 lb	8719000.002	Polished Chrome	568
	7.8 kg	8719000.295	Brushed Nickel	682
Separate Components:				
Console Mounting Kit	0 lb 0.2 kg	⊳770248-100.0070A	No Finish	7
Console Feet		>770256-200.0020A	Polished Chrome	19
		>770256-200.2950A	Brushed Nickel	23
Required Components:				
Edgemere® Center Hole Only Pedestal Sink Top	40 lb	0445001.020	White	204
Edgemere® 4-Inch Centerset Pedestal Sink Top	18.5 kg	0445004.020	White	204
Edgemere® 8-Inch. Widespread Pedestal Sink Top	_	0445008.020	White	204



Retrospect® Console Table

- Classic style metal console table
- Uses Retrospect® 0282 series pedestal tops
 Console table legs feature classic styling with integral front and side towel bars

- Lower tempered glass shelf for storage
 Legs available in Polished Chrome
 Dimensions with 0282 Series Pedestal Tops: 27" x 19-3/4" x 36" (686 x 502 x 914 mm)

27 in x 19-3/4 in x 36 in (685 mm x 501 mm x 914 mm)



Description	Net Wt	SKU	Color	List Price
Retrospect® Console Table	28 lb 12.7 kg	8711000.002	Polished Chrome	881
Required Components:				
Retrospect® 8-Inch Widespread Pedestal Sink Top	37 lb 17.1 kg	0282008.020	White	382



Town Square® S Console Table

- Classic style metal console table
 Classic style metal console table
 Requires Town Square® S 0297 series pedestal tops (ordered separately)
 Console table legs feature traditional styling with integral front and slide towel bars
 Legs available in Polished Chrome or Brushed Nickel
 Dimensions with 0297 Series Pedestal Tops: 30" x 22-½" x 35" (762 x 571 x 889 mm)

Nominal Dimensions:

30 in x 22-1/2 in x 35 in (762 mm x 571 mm x 889 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S Console Table	15 lb	8721000.002	Polished Chrome	961
	7.1 kg	8721000.295	Brushed Nickel	1,153
Separate Components:				
Leveling Feet	0 lb	>770258-200.0070A	No Finish	14
Hardware Kit For Townsend Metal Console	0.0 kg -	>770262-100.0070A	No Finish	14
Required Components:				
Town Square® S Center Hole Only Pedestal Sink Top	41 lb 18.6 kg	0297001.020	White	365
Town Square® S 4-Inch Centerset Pedestal Sink Top		0297004.020	White	357
Town Square® S 8-Inch Widespread Pedestal Sink Top	_	0297008.020	White	365
Decorative P-Trap	2 lb	7720018.002	Polished Chrome	133
	1.1 kg	7720018.295	Brushed Nickel	186



Town Square® S Washstand

- Traditional style washstand with glass storage shelf
 Requires 0298 based vanity sink and 3829 based towel bar (ordered separately)
 Coordinates with the Town Square® S collection
 Above Counter Vanity Sink and Furniture Combination Dimensions: 31" x 22-½" x 35" (787 x 571 x 889 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S Washstand	18 lb	9056030.020	White	763
	8.2 kg	9056030.476	Dark Cherry	763
Separate Components:				
Towel Bar Mounting Kit	0 lb 0.0 kg	>770259-100.0070A	No Finish	14
Required Components:				
Town Square® S Console Vanity Sink Top Center Hole Only	26 lb 11.8 kg	0298001.020	White	393
Town Square® S Vanity Top with 8-Inch Widespread		0298008.020	White	393
Town Square® S Washstand Towel Bar	0 lb	3829000.002	Polished Chrome	109
	0.4 kg	3829000.295	Brushed Nickel	165



Town Square® S Washstand Towel Bar

- Required for 9056030 Town Square® S Washstand
- Bar available in Polished Chrome or Brushed Nickel



Description	Net Wt	SKU	Color	List Price
Town Square® S Washstand Towel Bar	0 lb	3829000.002	Polished Chrome	109
	0.4 kg	3829000.295	Brushed Nickel	165
Separate Components:				
Towel Bar Mounting Kit	0 lb 0.0 kg	⊳770259-100.0070A	No Finish	14



Washstand for American Standard® Townsend® Sinks

- Design matched washstand coordinates with Townsend® suite of fixtures and fittings
- Choose one of two Townsend® sink top types for vanity (ordered separately): 0328 series pedestal top or 0330000
- Requires towel bar (ordered separately)
- Under counter sink requires quartz top too (ordered separately)
- Dimensions with 0328 Series Pedestal Tops: 30" x 19-½" x 35-7/8" (762 x 495 x 910mm)
 Dimensions with 0330 Under Counter Sink and Quartz Top: 30" x 20" x 34" (762 x 508 x 863 mm)

Nominal Dimensions:

713 mm x 462 mm x 833 mm (713 mm x 462 mm x 833 mm)



Description	Net Wt	SKU	Color	List Price
Washstand for American Standard® Townsend®	16 lb	9039030.020	White	779
Sinks	7.4 kg	9039030.475	Smoked Grey	779
Separate Components:				
Towel Bar Mounting Kit	0 lb 0.0 kg	>770252-100.0070A	No Finish	7
Required Components:				
Townsend® Center Hole Only Pedestal Sink Top	53 lb	0328001.020	White	357
Townsend® 8-Inch Widespread Pedestal Sink Top	24.1 kg =	0328008.020	White	357
Townsend® Under Counter Sink	17 lb 7.7 kg	0330000.020	White	258
Towel Bar for American Standard® Townsend®	0 lb	3749000.002	Polished Chrome	111
Washstand	0.4 kg	3749000.243	Matte Black	168
		3749000.295	Brushed Nickel	168
Quartz Top with 8-Inch Widespread for Townsend® Under Counter Sink	37 lb 17.2 kg	7840800.820	Quartz	624



Studio® S 24-Inch Vanity

- Contemporary styled vanity with two drawers and drawer divided inserts
 Requires 1297 based vanity sink top (ordered separately)
- Vanity can be installed with optional vanity leg set or mounted directly to wall
- Double vanity installation available by using optional vanity middle
 Coordinates with the Studio® S collection of bathroom faucets and accessories
- Single Vanity Option: 24" x 20" x 34-1/16" (603 x 508 x 866 mm)
 Double Vanity with Vanity Middle Option: 58" x 20" x 34-1/16" (1424 x 508 x 866 mm)

Nominal Dimensions:

24" x 20" x 34-1/16" (603 x 508 x 866 mm)



Description	Net Wt	SKU	Color	List Price
Studio® S 24-Inch Vanity	55 lb	8725024.020	White	1,298
	25.2 kg	8725024.477	Dark Grey	1,298
Required Components:				
Studio® S 24-Inch Vitreous China Vanity Sink Top Center Hole Only	26 lb 11.8 kg	1297001.020	White	408
Studio® S 24-Inch Vitreous China Vanity Sink Top 8-Inch Centers	_	1297008.020	White	408
Optional Components:				
Studio® S Vanity Leg Set	7 lb	8722000.002	Polished Chrome	666
	3.5 kg —	8722000.243	Matte Black	738
Studio® S Vanity Middle	31 lb	8727000.020	White	625
	14.1 kg —	8727000.477	Dark Grey	625



Studio® S 33-Inch Vanity

- Contemporary styled vanity with two drawers and drawer divided inserts
- Requires 1298 based vanity sink top or 1296000 sink with 7813001 top (ordered separately)
- Vanity can be installed with optional vanity leg set or mounted directly to wall
- Double vanity installation available by using optional vanity middle
- Coordinates with the Studio® S collection of bathroom faucets and accessories
- Single Vanity Option: 33" x 20" x 34-1/16" (838 x 508 x 866 mm)
 Double Vanity with Vanity Middle Option: 76" x 20" x 34-1/16" (1930 x 508 x 866 mm)

Nominal Dimensions:

33" x 20" x 34-1/16" (838 x 508 x 866 mm)



Description	Net Wt	SKU	Color	List Price
Studio® S 33-Inch Vanity	67 lb	8726033.020	White	1,416
	30.4 kg [—]	8726033.477	Dark Grey	1,416
Required Components:				
Studio® S Above Counter Oval Sink	17 lb 7.9 kg	1296000.020	White	370
Studio® S 33-Inch Vitreous China Vanity Sink Top Center Hole Only	35 lb 16.2 kg	1298001.020	White	437
Studio® S 33-Inch Vitreous China Vanity Sink Top 8-Inch Centers		1298008.020	White	437
Studio® S Above Counter Sink Top with Center	11 lb	7813001.478	Ash	536
Hole Only	5.3 kg -	7813001.479	Walnut	536
Optional Components:				
Studio® S Vanity Leg Set	7 lb	8722000.002	Polished Chrome	666
	3.5 kg -	8722000.243	Matte Black	738
Studio® S Vanity Middle	31 lb	8727000.020	White	625
	14.1 kg [—]	8727000.477	Dark Grey	625



Studio® S Above Counter Sink Top with Center Hole Only

- Contemporary style top is designed to go on 33-inch Studio S vanity
 Requires 8726033 vanity and 1296000 sink (ordered separately)
- Vanity can be installed with optional vanity leg set or mounted directly to wall
- Double vanity installation available by using optional vanity middle
 Coordinates with the Studio® S collection of bathroom faucets and accessories
- Top is for center hole only faucet (sold separately)

Nominal Dimensions:

33 in x 20 in (838 mm x 508 mm)



Description	Net Wt	SKU	Color	List Price
Studio® S Above Counter Sink Top with Center	11 lb	7813001.478	Ash	536
Hole Only	5.3 kg —	7813001.479	Walnut	536



Studio® S Vanity Leg Set

- Contemporary styled metal legs are for the 24-inch and 33-inch Studio S Vanities
- Requires 8725024 or 8726033 based Studio S vanity (ordered separately)
- · Vanity can be installed with optional vanity leg set or mounted directly to wall
- Double vanity installation available by using optional vanity middle
- Coordinates with the Studio® S collection of bathroom faucets and accessories
- Legs are weight bearingLegs available in Polished Chrome or Matte Black

Nominal Dimensions:

465 mm x 0 in x 334 mm (465 mm x 0 mm x 334 mm)



Description	Net Wt	SKU	Color	List Price
Studio® S Vanity Leg Set	7 lb	8722000.002	Polished Chrome	666
	3.5 kg —	8722000.243	Matte Black	738



Studio® S Vanity Middle

- Contemporary styled vanity middle is installed between two Studio S vanities for double sink installations
- Requires 8725024 or 8726033 based Studio S vanities (ordered separately)
- · Vanity can be installed with optional vanity leg set or mounted directly to wall
- Coordinates with the Studio® S collection of bathroom faucets and accessories

Nominal Dimensions:

255 mm x 488 mm x 500 mm (255 mm x 488 mm x 500 mm)



Description	Net Wt	SKU	Color	List Price
Studio® S Vanity Middle	31 lb	8727000.020	White	625
	14.1 kg —	8727000.477	Dark Grey	625

AmericanStandard.com List Price Guide 2024-1



Vanity for American Standard® Townsend® Sinks

- 30-inch vanity coordinates with design matched vanity Townsend® suite fixtures and fittings
 Choose one of three Townsend® sink top types for vanity (ordered separately): 0328 series pedestal top, 0329 series above counter sink, or 0330000 under counter sink

- Requires two drawer pulls (ordered separately)
 Above counter and under counter sinks require quartz tops too (ordered separately)
 Dimensions with 0328 Series Pedestal Tops: 30" x 19-½" x 35-7/8" (762 x 495 x 910mm)
 Dimensions with 0330 Under Counter Sink and Quartz Top: 30" x 20" x 34" (762 x 508 x 863 mm)



Description	Net Wt	SKU	Color	List Price
Vanity for American Standard® Townsend® Sinks	66 lb	9036030.020	White	1,192
	30.0 kg	9036030.475	Smoked Grey	1,192
Separate Components:				
Drawer Pulll Mounting Kit	0 lb 0.0 kg	>770251-100.0070A	No Finish	7
Required Components:				
Townsend® Center Hole Only Pedestal Sink Top	53 lb	0328001.020	White	357
Townsend® 8-Inch Widespread Pedestal Sink Top	24.1 kg =	0328008.020	White	357
Townsend® Under Counter Sink	17 lb 7.7 kg	0330000.020	White	258
Drawer Pulls Set for American Standard®	1 lb	7760000.002	Polished Chrome	111
Townsend® Vanity	0.8 kg	7760000.243	Matte Black	168
	_	7760000.295	Brushed Nickel	168
Quartz Top with 8-Inch Widespread for Townsend® Under Counter Sink	37 lb 17.2 kg	7840800.820	Quartz	624

Furniture – Vanities



Quartz Top with 8-Inch Widespread for Townsend® Under Counter Sink

- Transitional style top is designed to go on 30-inch Townsend vanity or washstand
 Requires 9036030 vanity or 9039030 washstand and 0330000 under counter sink (ordered separately)
- Faucet holes on 8-inch (203 mm) centers
- Top is for widespread faucet (sold separately)

Nominal Dimensions:

30 in x 20 in (762 mm x 508 mm)



Description	Net Wt	SKU	Color	List Price
Quartz Top with 8-Inch Widespread for Townsend® Under Counter Sink	37 lb 17.2 kg	7840800.820	Quartz	624



Towel Bar for American Standard® Townsend® Washstand

- Required for 9039030 American Standard® Washstand for Townsend® sinks
- Available in Polished Chrome or Brushed Nickel



Description	Net Wt	SKU	Color	List Price
Towel Bar for American Standard® Townsend®	0 lb	3749000.002	Polished Chrome	111
Washstand	0.4 kg —	3749000.243 Matte Black	Matte Black	168
		3749000.295	Brushed Nickel	168



Drawer Pulls Set for American Standard® Townsend® Vanity

- Set of two required for 9036030 American Standard® Townsend® Vanity
- Drawer pull set available in Polished Chrome or Brushed Nickel

Nominal Dimensions:

299 mm x 29 mm x 12.7 mm (299 mm x 29 mm x 12 mm)



Description	Net Wt	SKU	Color	List Price
Drawer Pulls Set for American Standard®	1 lb	7760000.002	Polished Chrome	111
Townsend® Vanity	0.8 kg	7760000.243	Matte Black	168
		7760000.295	Brushed Nickel	168

Bathroom Sinks

Choosing the perfect bathroom sink requires attention to detail. Is it practical and appealing?

Does it fit the space? Will it be a focal point? The American Standard collection includes

a style to satisfy every situation and design aesthetic.



Bathroom Sinks

Bathroom Sinks Overview









AmericanStandard.com List Price Guide 2024-1

edestal Sink



Boulevard® 4-Inch Centerset Pedestal Sink Top and Leg Combination

- Classic-styled rectangular pedestal sink
 - Rear overflow
 - · Supplied with mounting kit
 - Right height for greater comfort during use
 - Design coordinates with Boulevard® toilet
 - Basin has flat bottom to also allow use as an above counter sink or a drop-in sink (with U-shaped cutout)
 - Fine fireclay construction

Nominal Dimensions:

24 in x 19 in x 35-1/2 in (609 mm x 482 mm x 901 mm)

Bowl Size

17 in (wide) 12-1/2 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Boulevard® 4-Inch Centerset Pedestal Sink Top and Leg Combination		0641400.020	White	396
Separate Components:				
Boulevard® and Tropic® Petite Pedestal Leg	24 lb 10.9 kg	0010000.020	White	151
Boulevard® 4-Inch Centerset Pedestal Sink Top	49 lb 22.0 kg	0641004.020	White	245



Boulevard® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Classic-styled rectangular pedestal sink
- Rear overflow
- Supplied with mounting kit
- Right height for greater comfort during use
- Design coordinates with Boulevard® toilet
- Basin has flat bottom to also allow use as an above counter sink or a drop-in sink (with U-shaped cutout)
- Fine fireclay construction

Nominal Dimensions:

24 in x 19 in x 35-1/2 in (609 mm x 482 mm x 901 mm)

Bowl Size:

17 in (wide) 12-1/2 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Boulevard® 8-Inch Widespread Pedestal Sink Top and Leg Combination		0641800.020	White	396
Separate Components:				
Boulevard® and Tropic® Petite Pedestal Leg	24 lb 10.9 kg	0010000.020	White	151
Boulevard® 8-Inch Widespread Pedestal Sink Top	49 lb 22.0 kg	0641008.020	White	245



Boulevard® Center Hole Only Pedestal Sink Top and Leg Combination

- Classically styled rectangular pedestal sink
- Rear overflow
- Supplied with mounting kit
- Right height for greater comfort during use
- Design coordinates with Boulevard® toilet
- Basin has flat bottom to also allow use as an above counter sink or a drop-in sink (with U-shaped cutout)
- Fine fireclay construction

Nominal Dimensions:

24 in x 19 in x 35-1/2 in (609 mm x 482 mm x 901 mm)

Rowl Size

17 in (wide) 12-1/2 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Boulevard® Center Hole Only Pedestal Sink Top and Leg Combination		0641100.020	White	396
Separate Components:				
Boulevard® and Tropic® Petite Pedestal Leg	24 lb 10.9 kg	0010000.020	White	151
Boulevard® Center Hole Only Pedestal Sink Top	49 lb 22.0 kg	0641001.020	White	245



Cadet® 4-Inch Centerset Pedestal Sink Top and Leg Combination

- Faucet/soap/accessory ledge with generous shelf area
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Cadet® toilets
- Made of vitreous china

Nominal Dimensions:

24-1/2 in x 20 in x 35 in (622 mm x 508 mm x 889 mm)

Bowl Size:

20 in (wide) 12 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
Cadet® 4-Inch Centerset Pedestal Sink Top and Leg Combination		0236411.020	White	297
Separate Components:				
Cadet® 4-Inch Centerset Pedestal Sink Top	42 lb 19.0 kg	0236004.020	White	216
Cadet® Pedestal Leg	27 lb 12.3 kg	731100-400.020	White	81



Cadet® 8 in. Widespread Pedestal Sink Top and Leg Combination

- Faucet/soap/accessory ledge with generous shelf area
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Cadet® toilets
- Made of vitreous china

Nominal Dimensions:

24-1/2 in x 20 in x 35 in (622 mm x 508 mm x 889 mm)

Bowl Size

20 in (wide) 12 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
Cadet® 8 in. Widespread Pedestal Sink Top and Leg Combination		0236811.020	White	297
Separate Components:				
Cadet® 8 in. Widespread Pedestal Sink Top	35 lb 15.9 kg	0236008.020	White	216
Cadet® Pedestal Leg	27 lb 12.3 ka	731100-400.020	White	81

AmericanStandard.com List Price Guide 2024-1





Cadet® Center Hole Only Pedestal Sink Top and Leg Combination

- Faucet/soap/accessory ledge with generous shelf area
 - Rear overflow
 - Supplied with mounting kit
 - Design coordinates with Cadet® toilets
 - Made of vitreous china

Nominal Dimensions:

24-1/2 in x 20 in x 35 in (622 mm x 508 mm x 889 mm)

Bowl Size

20 in (wide) 12 in (front to back) 6 in (deep)

Net Wt	SKU	Color	List Price
	0236111.020	White	297
35 lb 15.9 kg	0236001.020	White	216
27 lb 12.3 kg	731100-400.020	White	81
	35 lb 15.9 kg 27 lb	0236111.020 35 lb 0236001.020 15.9 kg 27 lb 731100-400.020	0236111.020 White 35 lb 0236001.020 White 15.9 kg 27 lb 731100-400.020 White



Cornice™ 4-Inch Centerset Pedestal Sink Top and Leg Combination

- Corner sink and pedestal
- Corner sink without pedestal can also be wall-hung. Supplied with wall hanger
- Rim slants toward drain for quick drainage
- Twin front concealed overflows
- Made of vitreous china

Nominal Dimensions:

18-7/8 in x 18-7/8 in x 33-3/8 in (479 mm x 479 mm x 847 mm)

Bowl Size:

14 in (wide) 12 in (front to back) 6-1/2 in (deep)

Description	Net Wt	SKU	Color	List Price
Description	not wt	ONO .	00101	LISTITIO
Cornice [™] 4-Inch Centerset Pedestal Sink Top an Leg Combination	d	0611400.020	White	473
Separate Components:				
Cornice® Pedestal Leg	24 lb 10.7 kg	0028000.020	White	96
Cornice™ 4-Inch Centerset Pedestal Sink Top	33 lb 14.9 kg	0611004.020	White	377



Cornice™ Center Hole Only Pedestal Sink Top and Leg Combination

- Corner sink and pedestal
- Corner sink without pedestal can also be wall-hung. Supplied with wall hanger
- Rim slants toward drain for quick drainage
- Twin front concealed overflows
- Made of vitreous china

Nominal Dimensions:

18-7/8 in x 18-7/8 in x 33-3/8 in (479 mm x 479 mm x 847 mm)

Bowl Size:

14 in (wide) 12 in (front to back) 6-1/2 in (deep)

Description	Net Wt	SKU	Color	List Price
Cornice™ Center Hole Only Pedestal Sink Top ar Leg Combination	ıd	0611100.020	White	473
Separate Components:				
Cornice® Pedestal Leg	24 lb 10.7 kg	0028000.020	White	96
Cornice [™] Center Hole Only Pedestal Sink Top	33 lb 14.9 kg	0611001.020	White	377



Edgemere® 4-Inch Centerset Pedestal Sink Top and Leg Combination

- Faucet/soap/accessory ledge with generous shelf area
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Edgemere® collection
- Fine fireclay construction

Nominal Dimensions:

25 in x 19-1/2 in x 35-5/8 in (635 mm x 495 mm x 904 mm)

Bowl Size

17-1/8 in (wide) 12 in (front to back) 5-1/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgemere® 4-Inch Centerset Pedestal Sink Top and Leg Combination		0445400.020	White	314
Separate Components:				
Edgemere® Pedestal Leg	34 lb 15.6 kg	0039000.020	White	110
Edgemere® 4-Inch Centerset Pedestal Sink Top	41 lb 18.5 kg	0445004.020	White	204



Edgemere® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Faucet/soap/accessory ledge with generous shelf area
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Edgemere® collection
- Fine fireclay construction

Nominal Dimensions:

25 in x 19-1/2 in x 35-5/8 in (635 mm x 495 mm x 904 mm)

Bowl Size:

17-1/8 in (wide) 12 in (front to back) 5-1/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgemere® 8-Inch Widespread Pedestal Sink Top and Leg Combination		0445800.020	White	314
Separate Components:				
Edgemere® Pedestal Leg	34 lb 15.6 kg	0039000.020	White	110
Edgemere® 8-Inch. Widespread Pedestal Sink Top	41 lb 18.5 kg	0445008.020	White	204



Edgemere® Center Hole Only Pedestal Sink Top and Leg Combination

- Faucet/soap/accessory ledge with generous shelf area
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Edgemere® collection
- Fine fireclay construction

Nominal Dimensions:

25 in x 19-1/2 in x 35-5/8 in (635 mm x 495 mm x 904 mm)

Bowl Size

17-1/8 in (wide) 12 in (front to back) 5-1/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgemere® Center Hole Only Pedestal Sink Top and Leg Combination		0445100.020	White	314
Separate Components:				
Edgemere® Pedestal Leg	34 lb 15.6 kg	0039000.020	White	110
Edgemere® Center Hole Only Pedestal Sink Top	41 lb 18.5 kg	0445001.020	White	204

AmericanStandard.com List Price Guide 2024-1



Bathroom Sinks

24-Inch Evolution® 4-Inch Centerset Pedestal Sink Top and Leg Combination

- Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24 in x 18-3/4 in x 34-1/4 in (609 mm x 476 mm x 869 mm)

Rowl Size

19-3/4 in (wide) 12 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
24-Inch Evolution® 4-Inch Centerset Pedestal Sir Top and Leg Combination	nk	0468400.020	White	218
Separate Components:				
24-Inch Evolution® 4-Inch Centerset Pedestal Sink Top	34 lb 15.4 kg	0468004.020	White	135
Evolution® Pedestal Leg	23 lb 10.5 kg	731150-400.020	White	83



24-Inch Evolution® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
- · Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24 in x 18-3/4 in x 34-1/4 in (609 mm x 476 mm x 869 mm)

Bowl Size:

19-3/4 in (wide) 12 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
24-Inch Evolution® 8-Inch Widespread Pedestal Sink Top and Leg Combination		0468800.020	White	218
Separate Components:				
24-Inch Evolution 8-Inch Widespread Pedestal Sink Top	34 lb 15.4 kg	0468008.020	White	135
Evolution® Pedestal Leg	23 lb 10.5 kg	731150-400.020	White	83



24 in. Evolution® Center Hole Only Pedestal Sink Top and Leg Combination

- Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24 in x 18-3/4 in x 34-1/4 in (609 mm x 476 mm x 869 mm)

Bowl Size:

19-3/4 in (wide) 12 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
24 in. Evolution® Center Hole Only Pedestal Sink Top and Leg Combination		0468100.020	White	218
Separate Components:				
24-Inch Evolution® Center Hole Only Pedestal Sink Top	34 lb 15.4 kg	0468001.020	White	135
Evolution® Pedestal Leg	23 lb 10.5 kg	731150-400.020	White	83



22 in. Evolution® 4-Inch Centerset Pedestal Sink Top and Leg Combination

- Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
- Supplied with mounting kit
 Made of vitreous china

Nominal Dimensions:

22 in x 17-1/2 in x 34-1/4 in (558 mm x 444 mm x 869 mm)

18-1/4 in (wide) 11 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
22 in. Evolution® 4-Inch Centerset Pedestal Sink Top and Leg Combination		0467400.020	White	206
Separate Components:				
22-Inch Evolution® 4-Inch Centerset Pedestal Sink Top	35 lb 15.7 kg	0467004.020	White	123
Evolution® Pedestal Leg	23 lb 10.5 kg	731150-400.020	White	83



22-Inch Evolution® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

22 in x 17-1/2 in x 34-1/4 in (558 mm x 444 mm x 869 mm)

Bowl Size:

18-1/4 in (wide) 11 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
22-Inch Evolution® 8-Inch Widespread Pedestal Sink Top and Leg Combination		0467800.020	White	206
Separate Components:				
22-Inch Evolution® 8-Inch Widespread Pedestal Sink Top	35 lb 15.7 kg	0467008.020	White	123
Evolution® Pedestal Leg	23 lb 10.5 kg	731150-400.020	White	83



22-Inch Evolution® Center Hole Only Pedestal Sink Top and Leg Combination

- Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

22 in x 17-1/2 in x 34-1/4 in (558 mm x 444 mm x 869 mm)

18-1/4 in (wide) 11 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
22-Inch Evolution® Center Hole Only Pedestal Sink Top and Leg Combination		0467100.020	White	206
Separate Components:				
22-Inch. Evolution® Center Hole Only Pedestal Sink Top	35 lb 15.7 kg	0467001.020	White	123
Evolution® Pedestal Leg	23 lb 10.5 kg	731150-400.020	White	83



Portsmouth® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Turn-of-the-century detailing on sink and pedestal leg
- Faucet ledge with large deck area
- Rear overflow
- Supplied with mounting kit
- Right height for greater comfort during use
 Design coordinates with Portsmouth® Champion® PRO toilets
- Made of vitreous china

Nominal Dimensions:

24-3/8 in x 19-1/2 in x 35-7/16 in (619 mm x 495 mm x 900 mm)

19-1/4 in (wide) 11-3/8 in (front to back) 5-3/4 in (deep)



Net Wt	SKU	Color	List Price
	0555801.020	White	427
55 lb 24.9 kg	0555108.020	White	252
26 lb 12.0 kg	734906-401.020	White	175
	55 lb 24.9 kg 26 lb	0555801.020 55 lb 0555108.020 24.9 kg 26 lb 734906-401.020	0555801.020 White 55 lb 0555108.020 White 24.9 kg 26 lb 734906-401.020 White



Ravenna® 4-Inch Centerset Pedestal Sink Top and Leg Combination

- · Contemporary design
- Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
- Available integral mounted towel bar (order separately)
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24-1/4 in x 20 in x 34 in (615 mm x 508 mm x 863 mm)

19-3/8 in (wide) 12.0 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Ravenna® 4-Inch Centerset Pedestal Sink Top and Leg Combination	i	0268400.020	White	360
Separate Components:				
Ravenna® Pedestal Leg	27 lb 12.3 kg	0041000.020	White	114
Ravenna® 4-Inch Centerset Pedestal Sink Top	41 lb 18.8 kg	0268004.020	White	246
Ravenna® Towel Bar Mounting Kit	0 lb 0.1 kg	⊳738520-0070A	No Finish	30
Optional Components:				
Ravenna® Semi-Pedestal Sink Integral Towel Bar	2 lb	3520000.002	Polished Chrome	91
	0.8 kg -	3520000.295	Brushed Nickel	112



Ravenna® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Contemporary design Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
 Available integral mounted towel bar (order separately)
 Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24-1/4 in x 20 in x 34 in (615 mm x 508 mm x 863 mm)

Bowl Size:

19-3/8 in (wide) 12 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Ravenna® 8-Inch Widespread Pedestal Sink Top and Leg Combination		0268800.020	White	360
Separate Components:				
Ravenna® Pedestal Leg	27 lb 12.3 kg	0041000.020	White	114
Ravenna® 8-Inch Widespread Pedestal Sink Top	41 lb 18.8 kg	0268008.020	White	246
Ravenna® Towel Bar Mounting Kit	0 lb 0.1 kg	⊳738520-0070A	No Finish	30
Optional Components:				
Ravenna® Semi-Pedestal Sink Integral Towel Bar	2 lb	3520000.002	Polished Chrome	91
	0.8 kg	3520000.295	Brushed Nickel	112



Ravenna® Center Hole Only Pedestal Sink Top and Leg Combination

- Contemporary design
- Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
- Available integral mounted towel bar (order separately)
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24-1/4 in x 20 in x 34 in (615 mm x 508 mm x 863 mm)

19-3/8 in (wide) 12.0 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Ravenna® Center Hole Only Pedestal Sink Top and Leg Combination	d	0268100.020	White	360
Separate Components:				
Ravenna® Pedestal Leg	27 lb 12.3 kg	0041000.020	White	114
Ravenna® Center Hole Only Pedestal Sink Top	41 lb 18.8 kg	0268001.020	White	246
Ravenna® Towel Bar Mounting Kit	0 lb 0.1 kg	⊳738520-0070A	No Finish	30
Optional Components:				
Ravenna® Semi-Pedestal Sink Integral Towel Bar	2 lb	3520000.002	Polished Chrome	91
	0.8 kg	3520000.295	Brushed Nickel	112

Parts Program (Non-Premier)



Retrospect® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Authentically styled pedestal
- Hidden front overflow
- Supplied with mounting kit
- Right height for greater comfort during use
 Made of vitreous china

Nominal Dimensions:

27 in x 19-3/4 in x 36 in (685 mm x 501 mm x 914 mm)

15-1/2 in (wide) 12 in (front to back) 6-1/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Retrospect® 8-Inch Widespread Pedestal Sink Top and Leg Combination		0282800.020	White	601
Separate Components:				
Retrospect® Pedestal Leg	30 lb 13.6 kg	0066000.020	White	219
Retrospect® 8-Inch Widespread Pedestal Sink Top	38 lb 17.1 kg	0282008.020	White	382



Town Square® S 4-Inch Centerset Pedestal Sink Top and Leg Combination

- Raised faucet ledge
- Rear overflow
 Supplied with mounting kit
- Design coordinates with Town Square® S collection
- Right height for greater comfort during use
- Open back pedestal
- Fine fireclay construction

Nominal Dimensions:

30 in x 22-1/2 in x 35 in (762 mm x 571 mm x 889 mm)

17-1/2 in (wide) 12-1/4 in (front to back) 5-1/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S 4-Inch Centerset Pedestal Sink Top and Leg Combination		0297400.020	White	560
Separate Components:				
Town Square® S Pedestal Leg	25 lb 11.3 kg	0056001.020	White	203
Town Square® S 4-Inch Centerset Pedestal Sink Top	41 lb 18.6 kg	0297004.020	White	357



Town Square® S 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Raised faucet ledge
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Town Square® S collection
- Right height for greater comfort during use
 Open back pedestal
- Fine fireclay construction

Nominal Dimensions:

30 in x 22-1/2 in x 35 in (762 mm x 571 mm x 889 mm)

17-1/2 in (wide) 12-1/4 in (front to back) 5-1/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S 8-Inch Widespread Pedestal Sink Top and Leg Combination		0297800.020	White	568
Separate Components:				
Town Square® S Pedestal Leg	25 lb 11.3 kg	0056001.020	White	203
Town Square® S 8-Inch Widespread Pedestal Sink Top	41 lb 18.6 kg	0297008.020	White	365



Town Square® S Center Hole Only Pedestal Sink Top and Leg Combination

- Raised faucet ledge
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Town Square® S collection
 Right height for greater comfort during use
 Open back pedestal

- Fine fireclay construction

Nominal Dimensions:

30 in x 22-1/2 in x 35 in (762 mm x 571 mm x 889 mm)

Bowl Size:

17-1/2 in (wide) 12-1/4 in (front to back) 5-1/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S Center Hole Only Pedestal Sink Top and Leg Combination		0297100.020	White	568
Separate Components:				
Town Square® S Pedestal Leg	25 lb 11.3 kg	0056001.020	White	203
Town Square® S Center Hole Only Pedestal Sink Top	41 lb 18.6 kg	0297001.020	White	365

List Price Guide 2024-1 AmericanStandard.com



Townsend® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Raised faucet ledge
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Townsend® collection including new furniture offerings
- Right height for greater comfort during use
- Open back pedestal
- Fine fireclay construction

Nominal Dimensions:

30 in x 19-1/2 in x 35-1/4 in (762 mm x 495 mm x 895 mm)

Bowl Size:

19 in (wide) 12-3/4 in (front to back) 5 in (deep)



Net Wt	SKU	Color	List Price
	0328800.020	White	507
34 lb 15.6 kg	0039001.020	White	150
53 lb 24.1 kg	0328008.020	White	357
	34 lb 15.6 kg 53 lb	0328800.020 34 lb 0039001.020 15.6 kg 53 lb 0328008.020	0328800.020 White 34 lb 0039001.020 White 15.6 kg 53 lb 0328008.020 White



Townsend® Center Hole Only Pedestal Sink Top and Leg Combination

- Raised faucet ledge
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Townsend® collection including new furniture offerings
- Right height for greater comfort during use
- Open back pedestal
- Fine fireclay construction

Nominal Dimensions:

30 in x 19-1/2 in x 35-1/4 in (762 mm x 495 mm x 895 mm)

Bowl Size:

19 in (wide) 12-3/4 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Townsend® Center Hole Only Pedestal Sink Top and Leg Combination		0328100.020	White	507
Separate Components:				
Townsend® Pedestal Leg	34 lb 15.6 kg	0039001.020	White	150
Townsend® Center Hole Only Pedestal Sink Top	53 lb	0328001.020	White	357

List Price Guide 2024-1 AmericanStandard.com



Aspirations™ Above Counter Sink With 8-Inch Centers

- Self rimming above counter vitreous china sink
- Design coordinates with Aspirations[™] collection
- Front overflow
- Includes EverClean® antimicrobial surface
- Supplied with cutout template

Nominal Dimensions:

22-7/8 in x 18 in (581 mm x 457 mm)

Bowl Size

22-7/8 in (wide) 18 in (front to back) 4-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Aspirations™ Above Counter Sink With 8-Inch Centers	28 lb 12.6 kg	1642008.020	White	330



Aspirations™ Above Counter Sink Center Hole Only

- Self rimming above counter vitreous china sink
- Design coordinates with Aspirations[™] collection
- Front overflow
- Includes EverClean® antimicrobial surface
- Supplied with cutout template

Nominal Dimensions:

22-7/8 in x 18 in (581 mm x 457 mm)

Bowl Size:

22-7/8 in (wide) 18 in (front to back) 4-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Aspirations™ Above Counter Sink Center Hole Only	28 lb 12.6 kg	1642001.020	White	330



Aspirations™ Vanity Top 8-Inch Centers

- Rectangular vitreous china vanity top sink
- Design coordinates with Aspirations[™] collection
- Front overflow
- Includes EverClean® antimicrobial surface
- Supplied with cutout template
- Top can be used with furniture by others

Nominal Dimensions:

22 in x 37 in (558 mm x 939 mm)

Bowl Size:

21-3/4 in (wide) 12-5/8 in (front to back) 4-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Aspirations™ Vanity Top With 8-Inch Centers	40 lb 18.2 kg	1806008.020	Wzzhite	359



Aspirations™ Vanity Top Center Hole Only

- Rectangular vitreous china vanity top sink
- Design coordinates with Aspirations[™] collection
- Front overflow
- Includes EverClean antimicrobial surface
- Supplied with cutout template
- Top can be used with furniture by others

Nominal Dimensions:

22 in x 37 in (558 mm x 939 mm)

Bowl Size:

21-3/4 in (wide) 12-5/8 in (front to back) 4-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Aspirations™ Vanity Top Center Hole Only	40 lb 18.2 ka	1806001.020	White	359

AmericanStandard.com List Price Guide 2024-1



Boulevard® 4-Inch Centerset Pedestal Sink Top

- Top is used with pedestal leg 0010000 or countertop-by-others
- Refer to pedestal combo 0641400 for further product details

Nominal Dimensions:

24 in x 19 in (609 mm x 482 mm)

Bowl Size:

17 in (wide) 12-1/2 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Boulevard® 4-Inch Centerset Pedestal Sink Top	49 lb 22.0 kg	0641004.020	White	245



Boulevard® 8-Inch Widespread Pedestal Sink Top

- Top is used with pedestal leg 0010000 or countertop-by-others
- Refer to pedestal combo 0641800 for further product details

Nominal Dimensions:

24 in x 19 in (609 mm x 482 mm)

Bowl Size:

17 in (wide) 12-1/2 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Boulevard® 8-Inch Widespread Pedestal Sink Top	49 lb 22.0 kg	0641008.020	White	245



Boulevard® Center Hole Only Pedestal Sink Top

- Top is used with pedestal leg 0010000 or countertop-by-others
- Refer to pedestal combo 0641100 for further product details

Nominal Dimensions:

24 in x 19 in (609 mm x 482 mm)

Bowl Size:

17 in (wide) 12-1/2 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Boulevard® Center Hole Only Pedestal Sink Top	49 lb 22.0 kg	0641001.020	White	245



Loft® Above Counter Sink

- Above counter basin
- No faucet holes
- Cut-out template supplied
- Fine fireclay construction

Nominal Dimensions:

19-5/8 in x 15-3/4 in (498 mm x 400 mm)

Rowl Size:

18-9/16 in (wide) 14-5/8 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Loft® Above Counter Sink	29 lb 13.1 kg	0552000.020	White	293

List Price Guide 2024-1 AmericanStandard.com



Loft® Above Counter Sink With Center Hole Only

- Above counter sink
- Integral faucet deck for single hole faucet
- Rear overflow
- No glaze on back wall
- Cut-out template supplied
- Fine fireclay construction

Nominal Dimensions:

19-5/8 in x 15-3/4 in (498 mm x 400 mm)

Bowl Size:

18-9/16 in (wide) 14-5/8 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Loft® Above Counter Sink With Center Hole Only	38 lb 17.4 kg	0552001.020	White	305



Studio® 22 x 18-1/2-Inch Above Counter Sink With Center Hole Only

- Contemporary above countertop rectangular sink design
- Integral faucet deck for single hole faucet
- Rear overflow
- Fits most standard 22" (559 mm) vanities
- No glaze on back wall
- Made of vitreous china

Nominal Dimensions:

22 in x 18-1/2 in (558 mm x 469 mm)

Rowl Size:

19-1/4 in (wide) 12-5/8 in (front to back) 2-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® 22 x 18-1/2-Inch Above Counter Sink With Center Hole Only	37 lb 16.7 kg	0621001.020	White	393



Studio® S Above Counter Oval Sink

- Vitreous china top
- Oval shape with center drain
- Design coordinates with Studio S collection
- Supplied with countertop template
- Sink can be used with or without optional furniture

Nominal Dimensions:

14 in x 22-1/2 in (355 mm x 571 mm)

Bowl Size

21-9/16 in (wide) 13-1/16 in (front to back) 4 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® S Above Counter Oval Sink	17 lb 7.9 kg	1296000.020	White	370



Studio® S 24-Inch Vitreous China Vanity Sink Top Center Hole Only

- Vitreous china top
- Rectangular vanity sink
- Front overflow
- Design coordinates with the Studio® S Collection of furniture, faucets and accessories
- Supplied with cut-out template
- Sink can be used with or without optional furniture

Nominal Dimensions:

20 in x 24 in (508 mm x 609 mm)

Bowl Size

19-11/16 in (wide) 14-3/16 in (front to back) 4 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® S 24-Inch Vitreous China Vanity Sink Top Center Hole Only	26 lb	1297001.020	White	408

AmericanStandard.com List Price Guide 2024-1



Studio® S 24-Inch Vitreous China Vanity Sink Top 8-Inch Centers

- Vitreous china top
- Rectangular vanity sink
- Front overflow
- Design coordinates with the Studio® S Collection of furniture, faucets and accessories
- Supplied with cut-out template
- Sink can be used with or without optional furniture

Nominal Dimensions:

20 in x 24 in (508 mm x 609 mm)

Bowl Size:

19-11/16 in (wide) 14-3/16 in (front to back) 4 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® S 24-Inch Vitreous China Vanity Sink Top 8-Inch Centers	26 lb 11.8 kg	1297008.020	White	408



Studio® S 33-Inch Vitreous China Vanity Sink Top Center Hole Only

- Vitreous china top
- Rectangular vanity sink
- Front overflow
- Design coordinates with the Studio® S Collection of furniture, faucets and accessories
- Supplied with cut-out template
- Sink can be used with or without optional furniture

Nominal Dimensions:

20 in x 33 in (508 mm x 838 mm)

Bowl Size:

22-7/16 in (wide) 14-3/16 in (front to back) 4 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® S 33-Inch Vitreous China Vanity Sink Top Center Hole Only	36 lb 16.2 kg	1298001.020	White	437



Studio® S 33-Inch Vitreous China Vanity Sink Top 8-Inch Centers

- · Vitreous china top
- Rectangular vanity sink
- Front overflow
- Design coordinates with the Studio® S Collection of furniture, faucets and accessories
- Supplied with cut-out template
- Sink can be used with or without optional furniture

Nominal Dimensions:

20 in x 33 in (508 mm x 838 mm)

Rowl Size

22-7/16 in (wide) 14-3/16 in (front to back) 4 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® S 33-Inch Vitreous China Vanity Sink Top 8-Inch Centers	36 lb 16.2 ka	1298008.020	White	437

List Price Guide 2024-1 AmericanStandard.com



Town Square® S Console Vanity Sink Top Center Hole Only

- Faucet holes center hole only
- · Vitreous china top
- Rectangular above counter vanity sink
- Rear overflow
- Design coordinates with Town Square S collection
- Supplied with cut-out template
- Sink can be used with washstand furniture or counter by others including furniture offerings

Nominal Dimensions:

22-3/8 in x 31 in (568 mm x 787 mm)

Bowl Size:

17-1/2 in (wide) 11-15/16 in (front to back) 4-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S Console Vanity Sink Top Center Hole Only	26 lb 11.8 kg	0298001.020	White	393



Town Square® S Vanity Top with 8-Inch Widespread

- Faucet holes on 8" (203 mm) centers
- Vitreous china top
- Rectangular above counter vanity sink
- Rear overflow
- Design coordinates with Town Square® S collection
- Supplied with cut-out template
- Sink can be used with washstand furniture or counter by others including furniture offerings

Nominal Dimensions:

22-3/8 in x 31 in (568 mm x 787 mm)

Bowl Size:

17-1/2 in (wide) 11-15/16 in (front to back) 4-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S Vanity Top with 8-Inch	26 lb	0298008.020	White	393
Widespread	11.8 kg			

Above Counter Sinks

Aqualyn® Drop-In Sink With 4-Inch Centerset

- Self-rimming oval drop-in sink
- Tapered edges for style
- Front overflow
- Supplied with cut-out template
- Made of vitreous china

Nominal Dimensions:

20-3/8 in x 17-3/8 in (517 mm x 441 mm)

Bowl Size:

16 in (wide) 10 in (front to back) 5-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Aqualyn® Drop-In Sink With 4-Inch Centerset	18 lb 8.0 kg	0476028.020	White	90



Aqualyn® Drop-In Sink With 4-Inch Centerset Less Overflow

- Countertop sink less overflow
- Self-rimming with cut-out template
- Made of vitreous china

Nominal Dimensions:

20-3/8 in x 17-3/8 in (517 mm x 441 mm)

Bowl Size:

16 in (wide) 10 in (front to back) 5-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Aqualyn® Drop-In Sink With 4-Inch Centerset Less Overflow	20 lb 9.0 kg	0476928.020	White	114



Aqualyn® Drop-In Sink With 8-Inch Widespread

- Self-rimming oval drop-in sink
- Tapered edges for style
- Front overflow
- Supplied with cut-out template
- Made of vitreous china

Nominal Dimensions:

20-3/8 in x 17-3/8 in (517 mm x 441 mm)

Bowl Size:

16 in (wide) 10 in (front to back) 5-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Aqualyn® Drop-In Sink With 8-Inch Widespread	20 lb 9.0 kg	0475020.020	White	90



Aqualyn® Drop-In Sink With Center Hole Only

- Self-rimming oval drop-in sink
- Tapered edges for style
- Front overflow
- Supplied with cut-out template
- Made of vitreous china

Nominal Dimensions:

20-3/8 in x 17-3/8 in (517 mm x 441 mm)

Rowl Size

16 in (wide) 10 in (front to back) 5-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Aqualyn® Drop-In Sink With Center Hole Only	20 lb 9.0 kg	0475047.020	White	89

List Price Guide 2024-1 AmericanStandard.com

Bathroom Sinks



Aspirations™ Drop-In Sink With 8-Inch Centers

- Self rimming drop-in vitreous china sink
- Design coordinates with Aspirations[™] collection
- Front overflow
- Includes EverClean® antimicrobial surface
- Supplied with cutout template

Nominal Dimensions:

22 in x 18 in (558 mm x 457 mm)

Bowl Size:

22 in (wide) 13 in (front to back) 4-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Aspirations™ Drop-In Sink With 8-Inch Centers	25 lb 11.5 kg	1721008.020	White	235



Aspirations™ Drop-In Sink Center Hole Only

- Self rimming drop-in vitreous china sink
- Design coordinates with Aspirations[™] collection
- Front overflow
- Includes EverClean® antimicrobial surface
- Supplied with cutout template

Nominal Dimensions:

22 in x 18 in (558 mm x 457 mm)

Bowl Size:

22 in (wide) 13 in (front to back) 4-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Aspirations™ Drop-In Sink Center Hole Only	25 lb 11.5 kg	1721001.020	White	235



Rondalyn® Drop-In Sink With 4-Inch Centerset

- Self-rimming round drop-in sink
- Tapered edges for style
- Front overflow
- Supplied with cut-out template
- Made of vitreous china

Nominal Dimensions:

19-1/8 in x 19-1/8 in (485 mm x 485 mm)

Bowl Size

15 in (wide) 12-1/8 in (front to back) 5-3/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Rondalyn® Drop-In Sink With 4-Inch Centerset	20 lb 9.0 kg	0491019.020	White	90



Studio Carre® Drop-In Sink With Center Hole Only

- Square self-rimming, drop-in sink with rectangular curved bottom bowl
- Rear overflow
- Supplied with cut-out template
- Made of vitreous china

Nominal Dimensions:

16-1/4 in x 16-1/4 in (412 mm x 412 mm)

Bowl Size

12-1/2 in (wide) 9-3/8 in (front to back) 4-3/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio Carre® Drop-In Sink With Center Hole Only	17 lb 7.7 kg	0642001.020	White	247

AmericanStandard.com List Price Guide 2024-1



Studio® Drop-In Sink With 8-Inch Widespread

- Rectangular self-rimming, drop-in sink with rectangular curved bottom bowl
- Front overflow
- Supplied with cut-out template
- Made of vitreous china

Nominal Dimensions:

21 in x 17-3/4 in (533 mm x 450 mm)

Bowl Size:

18 in (wide) 12 in (front to back) 4-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® Drop-In Sink With 8-Inch Widespread	28 lb 12.5 kg	0643008.020	White	324



Studio® Drop-In Sink With Center Hole Only

- Rectangular self-rimming, drop-in sink with rectangular curved bottom bowl
- Front overflow
- Supplied with cut-out template
- Made of vitreous china

Nominal Dimensions:

21 in x 17-3/4 in (533 mm x 450 mm)

Bowl Size:

18 in (wide) 12 in (front to back) 4-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® Drop-In Sink With Center Hole Only	28 lb 12.5 kg	0643001.020	White	324



Town Square® S Drop-In Sink With 4-Inch Centerset

- Self-rimming fireclay drop-in sink
- Decorative rim detailing with tapered nterior bowl design
- Front overflow
- Supplied with cut-out template
- Design coordinated to Town Square® S suite

Nominal Dimensions:

24 in x 19-1/16 in (609 mm x 484 mm)

Bowl Size:

17-7/16 in (wide) 11-7/8 in (front to back) 5-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S Drop-In Sink With 4-Inch Centerset	35 lb 15.7 kg	1203004.020	White	316



Town Square® S Drop-In Sink With 8-Inch Widespread

- Self-rimming fireclay drop-in sink
- Decorative rim detailing with tapered nterior bowl design
- Front overflow
- Supplied with cut-out template
- Design coordinated to Town Square® S suite

Nominal Dimensions:

24 in x 19-1/16 in (609 mm x 484 mm)

Bowl Size:

17-7/16 in (wide) 11-7/8 in (front to back) 5-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S Drop-In Sink With 8-Inch Widespread	35 lb 15.7 kg	1203008.020	White	316

List Price Guide 2024-1 AmericanStandard.com





Town Square® S Drop-In Sink With Center Hole Only

- Self-rimming fireclay drop-in sink
 Decorative rim detailing with tapered nterior bowl design
- Front overflow
- Supplied with cut-out template
 Design coordinated to Town Square® S suite

Nominal Dimensions:

24 in x 19-1/16 in (609 mm x 484 mm)

Bowl Size:

17-7/16 in (wide) 11-7/8 in (front to back) 5-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S Drop-In Sink With Center Hole Only	35 lb 15.7 kg	1203001.020	White	316

AmericanStandard.com List Price Guide 2024-1



Aspirations™ Under Counter Sink

- Rectangular under counter vitreous china sink
- Design coordinates with Aspirations[™] collection
- Front overflow with center drain and unglazed rim
- Includes EverClean® antimicrobial surface
 Supplied with mounting kit and cutout template

Nominal Dimensions:

20 in x 15-1/2 in (508 mm x 393 mm)

Bowl Size:

17 in (wide) 12-9/16 in (front to back) 4-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Aspirations™ Under Counter Sink	20 lb 8.9 kg	1607000.020	White	215



Boulevard® Under Counter Sink

- Rectangular under counter mount sink with unique tapered interior bowl
- Unglazed rim
- Front overflow
- Supplied with under counter mounting kit and template
- Made of vitreous china

Nominal Dimensions:

20-1/4 in x 16 in (514 mm x 406 mm)

Bowl Size:

17 in (wide) 13 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Boulevard® Under Counter Sink	23 lb 10.4 kg	0610000.020	White	339
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Edgemere® Under Counter Sink

- Rectangular under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with kit for under counter installation
- Made of vitreous china

Nominal Dimensions:

18-1/2 in x 16-1/8 in (469 mm x 409 mm)

16-3/4 in (wide) 14-3/8 in (front to back) 3 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgemere® Under Counter Sink	14 lb 6.5 kg	0545000.020	White	186
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Orbit® Under Counter Sink

- Round under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with under counter mounting kit and template
- Made of vitreous china

Nominal Dimensions:

15-1/2 in x 15-1/2 in (393 mm x 393 mm x 6-1/8 in)

Bowl Size:

12-3/4 in (wide) 12-3/4 in (front to back) 4-3/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Orbit® Under Counter Sink	18 lb 8.0 kg	0630000.020	White	257
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Ovalyn™ Large Under Counter Sink

- Under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with mounting kit and template
- Made of vitreous china

Nominal Dimensions:

17-3/8 in x 21-1/2 in (441 mm x 546 mm)

Rowl Size:

19 in (wide) 15-3/8 in (front to back) 5-1/2 in (deep)

Description	Net Wt	SKU	Color	List Price
Ovalyn™ Large Under Counter Sink	23 lb	0497221.020	White	93
	10.4 kg	0497221.021	Bone	255
		0497221.222	Linen	255
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Ovalyn™ Large Under Counter Sink With Glazed Underside

- Under counter mount sink with glazed underside
- Unglazed rim
- Front overflow
- Supplied with mounting kit and template
- Made of vitreous china

Nominal Dimensions:

17-3/8 in x 21-1/2 in (441 mm x 546 mm)

Bowl Size

19 in (wide) 15-3/8 in (front to back) 4 in (deep)

Description	Net Wt	SKU	Color	List Price
Ovalyn [™] Large Under Counter Sink With Glazed Underside	23 lb 10.4 kg	0497300.020	White	136
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21

Parts Program (Non-Premier)



Ovalyn™ Medium Under Counter Sink

- Under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with mounting kit and template
- Made of vitreous china

Nominal Dimensions:

16 in x 19-1/4 in (406 mm x 488 mm)

Bowl Size:

17 in (wide) 14 in (front to back) 5-1/2 in (deep)

Description	Net Wt	SKU	Color	List Price
Ovalyn™ Medium Under Counter Sink	19 lb	0496221.020	White	89
	8.5 kg — —	0496221.021	Bone	161
		0496221.222	Linen	161
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Ovalyn™ Medium Under Counter Sink With Glazed Underside

- Under counter mount sink with glazed underside
- Unglazed rim
- Front overflow
- · Supplied with mounting kit and template
- Made of vitreous china

Nominal Dimensions:

16 in x 19-1/4 in (406 mm x 488 mm)

17 in (wide) 14 in (front to back) 5-1/2 in (deep)

Description	Net Wt	SKU	Color	List Price
Ovalyn™ Medium Under Counter Sink With Glazed Underside	19 lb 8.5 kg	0496300.020	White	133
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Ovalyn™ Small Under Counter Sink

- Under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with mounting kit and template
- Made of vitreous china

Nominal Dimensions:

14-1/8 in x 17-1/8 in (358 mm x 434 mm)

15-1/16 in (wide) 12-1/16 in (front to back) 5-1/2 in (deep)

Description	Net Wt	SKU	Color	List Price
Ovalyn [™] Small Under Counter Sink	17 lb	0495221.020	495221.020 White	89
	7.7 kg	0495221.021	Bone	161
	_	0495221.222	Linen	161
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21

Parts Program (Non-Premier)



Ovalyn™ Small Under Counter Sink With Glazed Underside

- Under counter mount sink with glazed underside
- Unglazed rim
- Front overflow
- Supplied with mounting kit and template
- · Made of vitreous china

Nominal Dimensions:

14-3/16 in x 17-1/8 in (360 mm x 434 mm)

Bowl Size:

15-1/16 in (wide) 12-1/16 in (front to back) 5-1/2 in (deep)

Description	Net Wt	SKU	Color	List Price
Ovalyn™ Small Under Counter Sink With Glazed Underside	17 lb 7.7 kg	0495300.020	White	133
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Ovalyn™ Universal Access Undermount Sink

- Under counter mount sink
- Unglazed rim
- Rear overflow
- Supplied with under counter mounting kit and template
- Made of vitreous china

Nominal Dimensions:

15-3/4 in x 19-1/2 in (400 mm x 495 mm)

Bowl Size:

16-3/4 in (wide) 13-1/4 in (front to back) 4 in (deep)

Description	Net Wt	SKU	Color	List Price
Ovalyn™ Universal Access Undermount Sink	15 lb 6.8 kg	9482000.020	White	126
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Studio Carre® Under Counter Sink


- Square under counter mount sink
- Sink less faucet deck
- Position overflow as either front or rear
- Supplied with under counter mounting kit and template
- Made of vitreous china

Nominal Dimensions:

16 in x 16 in (406 mm x 406 mm)

Bowl Size:

13-1/2 in (wide) 13-1/2 in (front to back) 4-3/4 in (deep)



0.1 kg

Parts Program (Non-Premier)

AmericanStandard.com List Price Guide 2024-1



Studio® Large Under Counter Sink

- Rectangular under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with under counter mounting kit and template
- Made of vitreous china

Nominal Dimensions:

23-5/8 in x 16-5/8 in (600 mm x 422 mm)

Bowl Size:

21-1/16 in (wide) 14 in (front to back) 6-1/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® Large Under Counter Sink	23 lb 10.4 kg	0618000.020	White	309
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Studio® Under Counter Sink

- Rectangular under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with under counter mounting kit and template
- Made of vitreous china

Nominal Dimensions:

19-3/4 in x 13-3/4 in (501 mm x 349 mm)

Bowl Size:

18 in (wide) 12 in (front to back) 6-7/16 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® Under Counter Sink	22 lb 10.0 kg	0614000.020	White	274
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Studio® Under Counter Sink With Glazed Underside

- Rectangular under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with under counter mounting kit and template
- Made of vitreous china

Nominal Dimensions:

19-3/4 in x 13-3/4 in (501 mm x 349 mm)

Bowl Size:

18 in (wide) 12 in (front to back) 6-7/16 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® Under Counter Sink With Glazed Underside	22 lb 10.0 kg	0614300.020	White	338
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21

Parts Program (Non-Premier)





Townsend® Under Counter Sink

- Rectangular under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with under counter mounting kit and template
 Design coordinates with Townsend® collection including furniture offerings
- Made of vitreous china

Nominal Dimensions:

19-1/2 in x 13-5/8 in (495 mm x 346 mm)

Bowl Size:

17-3/4 in (wide) 11-5/8 in (front to back) 4-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Townsend® Under Counter Sink	17 lb 7.7 kg	0330000.020	White	258
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21

AmericanStandard.com List Price Guide 2024-1



Ravenna® 4-Inch Centerset Wall-Hung Sink and Semi-Pedestal Leg Combination

- Contemporary wall-hung design
- · Semi-pedestal P-trap cover for ease of cleaning
- Faucet ledge with generous shelf area for accessories
- Rear overflow
- Available integral mounted towel bar (order separately)
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24-1/4 in x 20 in x 34 in (615 mm x 508 mm x 863 mm)

Bowl Size

19-3/8 in (wide) 12.0 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Ravenna® 4-Inch Centerset Wall-Hung Sink and Semi-Pedestal Leg Combination		0268444.020	White	438
Separate Components:				
Ravenna® Semi-Pedestal Leg	14 lb 6.4 kg	0044000.020	White	192
Ravenna® 4-Inch Centerset Pedestal Sink Top	41 lb 18.8 kg	0268004.020	White	246
Ravenna® Towel Bar Mounting Kit	0 lb 0.1 kg	⊳738520-0070A	No Finish	30
Optional Components:				
Ravenna® Semi-Pedestal Sink Integral Towel Bar	2 lb	3520000.002	Polished Chrome	91
	0.8 kg ⁻	3520000.295	Brushed Nickel	112



Ravenna® 8-Inch Widespread Wall-Hung Sink and Semi-Pedestal Leg Combination

- Contemporary wall-hung design
- Semi-pedestal P-trap cover for ease of cleaning
- Faucet ledge with generous shelf area for accessories
- Rear overflow
- Available integral mounted towel bar (order separately)
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24-1/4 in x 20 in x 34 in (615 mm x 508 mm x 863 mm)

Rowl Size

19-3/8 in (wide) 12.0 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Ravenna® 8-Inch Widespread Wall-Hung Sink and Semi-Pedestal Leg Combination		0268888.020	White	438
Separate Components:				
Ravenna® Semi-Pedestal Leg	14 lb 6.4 kg	0044000.020	White	192
Ravenna® 8-Inch Widespread Pedestal Sink Top	41 lb 18.8 kg	0268008.020	White	246
Ravenna® Towel Bar Mounting Kit	0 lb 0.1 kg	>738520-0070A	No Finish	30
Optional Components:				
Ravenna® Semi-Pedestal Sink Integral Towel Bar	2 lb	3520000.002	Polished Chrome	91
	0.8 kg	3520000.295	Brushed Nickel	112

Wall-Hung Sinks



Ravenna® Center Hole Only Wall-Hung Sink and Semi-Pedestal Leg Combination

- Contemporary wall-hung design
 Semi-pedestal P-trap cover for ease of cleaning
 Faucet ledge with generous shelf area for accessories
- Rear overflow
- Available integral mounted towel bar (order separately)
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24-1/4 in x 20 in x 34 in (615 mm x 508 mm x 863 mm)

19-3/8 in (wide) 12 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Ravenna® Center Hole Only Wall-Hung Sink and Semi-Pedestal Leg Combination		0268144.020	White	438
Separate Components:				
Ravenna® Semi-Pedestal Leg	14 lb 6.4 kg	0044000.020	White	192
Ravenna® Center Hole Only Pedestal Sink Top	41 lb 18.8 kg	0268001.020	White	246
Ravenna® Towel Bar Mounting Kit	0 lb 0.1 kg	⊳738520-0070A	No Finish	30
Optional Components:				
Ravenna® Semi-Pedestal Sink Integral Towel Bar	2 lb	3520000.002	Polished Chrome	91
	0.8 kg	3520000.295	Brushed Nickel	112

Toilets

When considering a toilet, technology reigns. Does it meet your functional needs? Is it efficient?

Does it have additional features to make daily maintenance easy? The American Standard collection includes a vast array of toilet designs to meet every requirement you demand.



List Price Guide 2024-1 AmericanStandard.com

No-Touch Flush for Home and Business

Cadet® Touchless Toilets are chair height, elongated styles designed for comfort and ease of use. Available with smooth, skirted sides to conceal trapway for easy cleaning, or with exposed trapway less seat, both feature our exclusive EverClean® surface to inhibit the growth of bacteria, and use 1.28 gpf volume to conserve water without sacrificing performance.





Optional Tank Cover Lock Device (TCLD) tank 4000769 with locking sensor tab now available for "vandal resistant" commercial bathroom applications.





2-1/2 inch diameter sensor module can be installed on wall within 3 feet of toilet or on top of toilet tank with supplied screws or backing tape.





When installed with recommended seats listed below, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.



TOUCHLESS FLUSH — Wave hand slowly within 1-1/2 inches of sensor face for approximately two seconds to trigger a powerful flush



MANUAL FLUSH — Push and hold the left side actuator button for approximately two seconds ensuring continual operation in the event batteries need replacing



BATTERIES INCLUDED — One-year battery life powered by 3 AAA sensor and 4 AA control module batteries, based on an average of 12 flushes per day



Includes signage to educate users how to activate the no-touch flush technology.

> Fixture Color



CADET TOUCHLESS TOILET COMBINATION	COMBINATION	BOWL	TANK	SLOW-CLOSE SEAT
Concealed Trap Elongated With Seat	2989709	3075000	4000709	502465G (packed with bowl)
Concealed Trap Elongated With TCLD Option and Seat	2989769	3075000	4000769	502465G (packed with bowl)
Exposed Trap Elongated Less Seat	215AA709	3517A101	4000709	5503A00B (order separately)
Exposed Trap Elongated With TCLD Option Less Seat	215AA769	3517A101	4000769	5503A00B (order separately)

AmericanStandard.com List Price Guide 2024-1

Studio® S Low Profile One-Piece Toilet – Powerful Yet Quiet Flush



Ultra-High Efficiency Toilet (UHET) uses a water saving, MaP PREMIUM listed, 1.0 gallon per flush (gpf) volume and obtains the best 1,000 g flush score*



PowerFlo™ technology requires no batteries or electrical power and uses a standard bathroom inlet water connection



CleanCurve® rim eliminates dirt buildup and smooth-sided, concealed trapway cleans easily



Slow-close seat included

12-inch rough configuration


Fits in the space of a traditional elongated toilet

Hidden supply-line installation option



Limited Lifetime Warranty on chinaware, 5-year warranty on all mechanical parts

How Does the PowerFlo™ Technology Work?



Water exits Regulator and enters the lower chambers

The water from the water supply line enters at the regulated inlet and flows to the self-contained flushing chambers located strategically behind the toilet bowl area, compresses with air, and is directed to the toilet via manifold and two water pathways.

 \star MaP testing performed by IAPMO R&T Lab. MaP report conducted by Gauley Associates Ltd and Koeller and Company.

As soon as the toilet's top flush actuator is pressed, water from 2 one pathway is directed into the rim providing a thorough CleanCurve rim wash while water in the second pathway goes directly to the 3 bowl jet which initiates the powerful siphon based flush that completely evacuates the bowl each and every time.

List Price Guide 2024-1 AmericanStandard.com

Toilets

Colony®3 Two-Piece Toilets







Features and Benefits

- Multiple combinations to meet your needs
 - Three available bowl options
 - Two available tank type options (10" and 12" rough-ins)
 - Right-hand trip lever option
- High Efficiency Toilets (1.28 gpf/4.8 Lpf) utilize 20% less water
- Each flush cleans the bowl with our PowerWash® rim
- Yields optimal flushing performance with a 3" flush valve and a 2" fully glazed trapway
- Includes color-matched trip lever (additional finishes coming soon)
- Limited lifetime warranty on ceramics, limited 2 year warranty on all mechanical parts
- Chair height bowls are ADA compliant
- Lined left-hand trip lever tank option available (order tank SKU 4425A154.020)







Product Configuration	Combination	Tank	Bowl	Tank Rough-in
Colony3 Two-Piece Chair Height Elongated Toilet	250AA104.020	4425A104.020	3437A101.020	12-Inch
Colony3 Two-Piece Chair Height Elongated Right-Hand Trip Lever Toilet	250AA105.020	4425A105.020	3437AI0I.020	12-Inch
Colony3 Two-Piece Chair Height Elongated 10-Inch Rough Toilet	250AB104.020	4425B104.020	3437AI0I.020	10-Inch
Colony3 Two-Piece Standard Height Elongated Toilet	250CA104.020	4425A104.020	3437C101.020	12-Inch
Colony3 Two-Piece Standard Height Elongated 10-Inch Rough Toilet	250CB104.020	4425B104.020	3437C101.020	10-Inch
Colonv3 Two-Piece Standard Height Round Front Toilet	250DA104.020	4425A104.020	3437D101.020	12-Inch
Colony3 Two-Piece Standard Height Round Front 10-Inch Rough Toilet	250DB104.020	4425B104.020	3437D101.020	10-Inch

AmericanStandard.com List Price Guide 2024-1

Two-Piece Toilet Ladder – GOOD, BETTER, BEST r for the

Offer your customers the best seat in the house



Reliability. Performance. The reasons your customers will invite you back again.					
Toilet Platform	GOOD Colony®3	BETTER Edgemere®	BETTER Cadet® PRO	BEST Champion® PRO	BEST VorMax®
Key Benefit	Worry-Free Reliability.	Elegant Design. Powerful Performance.	Plumber Tested & Approved.	Virtually Clog-Free. Flushes a bucket of golf balls	Maximum Rinsing Power f Cleanest Flush
Key Toilet Configuration (High Efficiency CH EL)	Combo 250AA104.020 = Tank 4425A104.020 + Bowl 3437A101.020	Combo 204AA104.020 = Tank 4519A104.020 + Bowl 3519A101.020	Combo 215AA104.020 = Tank 4188AA104.020 + Bowl 3517A101.020	Combo 211AA104.020 = Tank 4225A104.020 + Bowl 3195A101.020	Combo 238AA104.020 = Tank 4385A104.020 + Bowl 3385A101.020
Available Consumption(s)	1.28 gpf/4.8 Lpf	1.28 gpf/4.8 Lpf or dual flush 1.1/1.6 gpf; 4.2/6.0 Lpf	1.28 gpf/4.8 Lpf or 1.6 gpf/6.0 Lpf	1.28 gpf/4.8 Lpf or 1.6 gpf/6.0 Lpf	1.0 gpf/3.8 Lpf or 1.28 gpf/4.8 Lpf
Available Bowl Type(s)	CH EL; EL; RF	CH EL; CH RF	CH EL; CH RF; EL; RF; Compact CH EL	CHEL; CH RF; EL	CH EL
Available Rough-In(s)	10" or 12"	10" or 12"	10", 12" or 14"	12"	12"
Flush Valve Size	3"	3"	3"	4" Largest Available	1-3/4" Dual Injectors
Siphon Outlet Size B	2"	2"	2-1/8"	2-3/8" Largest Available	2-1/16"
Bowl Hydraulics	PowerWash® Rim	PowerWash® Rim	PowerWash® Rim	PowerWash [®] Rim	CleanCurve® Rim with Two Patented Flush Valves
Available Ceramic Color(s)	020	020	020; 021; 222	020; 021; 222	020
Toilet Trip Lever (supplied)	020 Plastic	002 Metal	002 Metal	002 Metal	002 Metal
Optional Trip Lever Finish(es)	002	243, 278, 295	013, 020, 099, 224, 243, 278, 295	013, 020, 224, 243, 278, 295	013, 278, 295
MaP Flush Score⁴	800 to 1,000 g	Best 1,000 g	Best 1,000 g	Best 1,000 g	Best 1,000 g

Ceramics Finishes	020 White	021 Bone	222 Linen	Trip Lever Finishes	002 Polished Chrome	013 Polished Nickel	020 White	099 Polished Brass	224 Oil Rubbed Bronze	243 Matte Black	278 Legacy Bronze	295 Brushed N
CH - Chair F	:H - Chair Height, EL - Elongated, RF - Round Front	yated, RF - Rou	ind Front	H 200		CH - Chair Height, EL - Elongated, RF - Round Front	=======================================	į				

EverClean

EverClean

EverClean†

EverClean[†]

Standard

Tank Trim Warranty

"Maximum Performance (MaP) testing performed by IAPMO R&T Lab. MaP Report conducted by Gauley Associates Ltd. and Koeller and Company.
"EverClean" is a permanent antimicrobial surface that inhibits the growth of stain and odor causing bacteria, mold and mildew.

List Price Guide 2024-1 AmericanStandard.com

Standard Toilets Overview

One-Piece Toilets



Two-Piece Toilets



AmericanStandard.com List Price Guide 2024-1

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Boulevard® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- LXP® (Luxury Performance) toilet
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl with smooth-sided, concealed trapway
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
 Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- PowerWash® rim helps clean bowl with each flush
- 16-1/2" (419 mm) rim height for accessible applications
- 2" (51 mm) trapway
- 3" (76 mm) flush valve
- Includes slow-close seat and cover with concealed seat ring and easy lift-off feature
- Two color-matched bolt hole covers
- 10-year warranty
- Design coordinates with Studio® and Boulevard® lavatories

Nominal Dimensions:

29-1/16 in x 14-1/2 in x 30-1/2 in (738 mm x 368 mm x 774 mm)



Description	Net Wt	SKU	Color	List Price
Boulevard® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat	105 lb 47.7 kg	2891128.020	White	1,128
Boulevard® One-Piece 1.28 gpf/4.8 Lpf Chair Height Right-Hand Trip Lever Elongated Toilet With Seat	106 lb 48.4 kg	2891813.020	White	1,133
Separate Components:				
Telescoping Slow-Close Easy Lift-Off Elongated Toilet Seat	4 lb 2.0 kg	5025A65G.020	White	131
Boulevard® One-Piece Toilet Tank Cover	7 lb 3.3 kg	735148-400.020	White	119
Left-Hand Trip Lever	0 lb	⊳7381064-2240A	Oil Rubbed Bronze	113
	0.3 kg -	⊳7381064-2430A	Matte Black	84
	_	⊳7381064-2950A	Brushed Nickel	67
Right-Hand Trip Lever	0 lb	>7381847-200.0020A	Polished Chrome	54
	0.1 kg	⊳7381847-200.2950A	Brushed Nickel	90

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Parts Program (Non-Premier)

High Efficiency (1.6 gpf/6.0 Lpf) Full Flush and (1.1 gpf/4.4 Lpf) Conserving Flush Toilet



Boulevard® One-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair Height Elongated Toilet With Seat

- LXP® (Luxury Performance) toilet
- 12" (305 mm) rough-in
- Chair Height elongated siphon action dual flush bowl with smooth-sided, concealed trapway
- High efficiency, low consumption, full flush (1.6 gpf/6.0 Lpf) or conserving flush (1.1 gpf/4.2 Lpf), utilizes 31% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- PowerWash® rim helps clean bowl with each flush
- 16-1/2" (419 mm) rim height
- •2" (51 mm) trapway
- 3" (76 mm) flush valve
- 9" x 8" (229 x 203 mm) water surface area
- Includes slow-close seat and cover with concealed seat ring and easy lift-off feature
- Chrome plated top-mounted push button actuator
 Two color-matched bolt hole covers
- 10-year warranty
- Design coordinates with Studio® and Boulevard® lavatories

Nominal Dimensions:

29-3/4 in x 14-1/2 in x 30-1/2 in (755 mm x 368 mm x 774 mm)



Description	Net Wt	SKU	Color	List Price
Boulevard® One-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair Height Elongated Toilet With Seat	106 lb 48.4 kg	2891200.020	White	1,234
Separate Components:				
Telescoping Slow-Close Easy Lift-Off Elongated Toilet Seat	4 lb 2.0 kg	5025A65G.020	White	131
Boulevard® One-Piece Dual Flush Toilet Tank Cover	10 lb 4.5 kg	735169-400.020	White	113
Top-of-Tank Actuator, Dual Flush	0 lb	⊳7381203-200.2950A	Brushed Nickel	109
	0.1 kg -	>7381203-200.2430A	Matte Black	132
	_	>7381203-200.0020A	Polished Chrome	15

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Compact Cadet® 3 One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- Chair Height elongated bowl
- Space saving compact elongated bowl fits in the space of a round front
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water • Meets EPA WaterSense® criteria
- 16-1/2" (419 mm) bowl rim height for accessible application
- EverClean® Antimicrobial Surface
- Includes slow-close seat and cover with EverClean® Surface
- · Seat features unique sanitary seat lift tab
- 3" (76 mm) flush valve
- 9" x 8" (229 x 203 mm) water surface area
- 2-1/8" (54 mm) trapway
- Two color-matched bolt caps
- Five-year warranty

Nominal Dimensions:

27-11/16 in x 15 in x 27-3/8 in (703 mm x 381 mm x 695 mm)



Description	Net Wt	SKU	Color	List Price
Compact Cadet® 3 One-Piece 1.28 gpf/4.8 Lpf	92 lb	2403128.020	White	630
Chair Height Elongated Toilet With Seat	41.9 kg	2403128.021	Bone	921
	-	2403128.222	Linen	921
Compact Cadet® 3 One-Piece 1.28 gpf/4.8 Lpf Chair Height Right-Hand Trip Lever Elongated Toilet With Seat		2403813.020	White	769
Separate Components:				
Cadet® 3 Slow-Close Elongated Toilet Seat	4 lb	5350110.020	White	81
	2.0 kg	5350110.021	Bone	110
	-	5350110.222	Linen	110
Compact Cadet® 3 One-Piece Toilet Tank Cover	15 lb	735125-400.020	White	151
	6.8 kg	735125-400.021	Bone	188
		735125-400.222	Linen	188
Left-Hand Trip Lever	0 lb	⊳738903-0020A	Polished Chrome	25
	0.0 kg	⊳738903-0200A	White	41
	-	>738903-2220A	Linen	47
	-	⊳738903-2430A	Matte Black	100
	-	⊳738903-2950A	Brushed Nickel	35
Right-Hand Trip Lever		>738919-0020A	Polished Chrome	25

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Champion® 4 One-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated Toilet With Seat

- Chair Height elongated siphon action jetted bowl
- EverClean® Antimicrobial Surface
- Low consumption (1.6 gpf/6.0 Lpf)
- 4" (102 mm) piston-action Accelerator™ flush valve 12" (305 mm) rough-in
- - 2-3/8" (60 mm) fully-glazed trapway
 - 16-1/2" (419 mm) rim height
- 100% factory flush tested
- Two color-matched bolt caps
- Includes color-matched Champion slow-close toilet seat
- 10-year warranty

Nominal Dimensions:

28-13/16 in x 16-3/4 in x 29-1/2 in (731 mm x 425 mm x 749 mm)



(,		
Description	Net Wt	SKU	Color	List Price
Champion® 4 One-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated Toilet With Seat	115 lb	2034314.020	White	838
	52.2 kg ⁻	2034314.021	Bone	1,048
	_	2034314.222	Linen	1,048
Separate Components:				
Champion® Slow-Close & Easy Lift-Off Elongated	3 lb	5321A65CT.020	White	98
Toilet Seat	1.6 kg	5321A65CT.021	Bone	123
		5321A65CT.222	Linen	123
Champion® 4 One-Piece Toilet Tank Cover	7 lb	735105-400.020	White Bone Linen White Bone	79
	3.6 kg ⁻	735105-400.021	Bone	101
	_	735105-400.222	White Bone Linen White Bone Linen White Bone Linen White Bone Linen Polished Chrome Polished Brass	101
Left-Hand Trip Lever	0 lb	>738772-0020A	Polished Chrome	27
	0.1 kg -	>738772-0990A	Polished Brass	43
	_	⊳738772-2950A	Brushed Nickel	44

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

List Price Guide 2024-1 AmericanStandard.com

Parts Program (Non-Premier)

[♦] Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Champion® 4 **One-Piece Toilets**

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Champion® 4 One-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated Toilet With Seat

- Elongated siphon action jetted bowl
 EverClean® Antimicrobial Surface
- Low consumption (1.6 gpf/6.0 Lpf)
- 4" (102 mm) piston-action Accelerator™ flush valve 12" (305 mm) rough-in
- 2-3/8" (60 mm) fully-glazed trapway
- 15" (381 mm) rim height
- 100% factory flush tested
- Two color-matched bolt caps
- Includes color-matched Champion slow-close toilet seat
- 10-year warranty

Nominal Dimensions:

29-3/4 in x 17-3/4 in x 29-1/2 in (755 mm x 450 mm x 749 mm)



·		'		
Description	Net Wt	SKU	Color	List Price
Champion® 4 One-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated Toilet With Seat	109 lb 49.5 kg	2004314.020	White	772
Separate Components:				
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb 1.6 kg	5321A65CT.020	White	98
Champion® 4 One-Piece Toilet Tank Cover	7 lb 3.6 kg	735105-400.020	White	79
Left-Hand Trip Lever	0 lb	>738772-0020A	Polished Chrome	27
	0.1 kg	>738772-0990A	Polished Brass	43
	-	⊳738772-2950A	Brushed Nickel	44

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

List Price Guide 2024-1 AmericanStandard.com

Parts Program (Non-Premier)

[♦] Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.



High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Colony® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- Chair Height elongated bowl
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- 16-1/2" (419 mm) bowl rim height for accessible application
- Includes slow-close seat and cover
- •3" (76 mm) flush valve
- 9" x 8" (229 x 203 mm) water surface area
- •2" (51 mm) trapway
- Chrome plated trip lever
- Two color-matched bolt caps
- Two-year warranty

Nominal Dimensions:

28-7/8 in x 16-3/8 in x 26-3/16 in (733 mm x 415 mm x 665 mm)



Description	Net Wt	SKU	Color	List Price
Colony® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat	71 lb 32.3 kg	2961A104SC.020	White	588
Separate Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71
Colony® One-Piece Toilet Tank Cover	7 lb 3.4 kg	735228-400.020	White	
Left-Hand Trip Lever	1 lb 0.5 ka	⊳7381951-200.0020A	Polished Chrome	12

Parts Program (Non-Premier)

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Loft® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- Chair Height elongated bowl
- Space saving compact design with side trip lever
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water • Meets EPA WaterSense® criteria
- 16-1/2" (419 mm) bowl rim height for accessible application
- EverClean® Antimicrobial Surface
- Includes slow-close telescoping toilet seat and cover with EverClean® Surface
- 3" (76 mm) flush valve
- 9" x 8" (229 x 203 mm) water surface area
- •2-1/8" (54 mm) trapway
- Two color-matched bolt caps
- Five-year warranty

Nominal Dimensions:

27-11/16 in x 14 in x 28-5/8 in (703 mm x 355 mm x 727 mm)



Description	Net Wt	SKU	Color	List Price
Loft® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat	89 lb 40.6 kg	2535128.020	White	750
Separate Components:				
Telescoping Slow-Close Easy Lift-Off Elongated Toilet Seat	4 lb 2.0 kg	5025A65G.020	White	131
Loft® One-Piece Toilet Tank Cover	10 lb 4.5 kg	735182-400.020	White	139
Left-Hand Trip Lever	0 lb 0.1 ka	⊳7381286-200.0020A	Polished Chrome	32

Parts Program (Non-Premier)

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Studio® S **One-Piece Toilets**

Ultra-High Efficiency (1.0 gpf/3.8 Lpf) Toilet



Studio® S One-Piece 1.0 gpf/3.8 Lpf Chair Height Elongated Toilet With Seat

- High performance, quiet PowerFlo™ flushing system requires no electrical power and uses standard inlet water connection
- 12" (305 mm) rough-in
- · Chair Height elongated siphon action bowl with smooth-sided, concealed trapway
- Ultra-High Efficiency Toilet (UHET) 1.0 gpf/3.8 Lpf)
- Meets EPA WaterSense® and MaP PREMIUM critéria
- CleanCurve® rim eliminates area where dirt and build-up hide
- Generous 8-1/4" x 9-1/4" (210 x 235 mm) water surface area
- 2" (51 mm) fully glazed trapway Color-matched tank top actuator
- Includes slow-close seat and cover with easy lift-off feature



Nominal Dimensions:

29-1/2 in x 15-7/8 in x 16-3/4 in (749 mm x 403 mm x 425 mm)

Description	Net Wt	SKU	Color	List Price
Studio® S One-Piece 1.0 gpf/3.8 Lpf Chair Height Elongated Toilet With Seat	109 lb 49.7 kg	2548A100.020	White	1,469
Separate Components:				
Studio® S Elongated Toilet Seat	3 lb 1.7 kg	⊳5041A65G.0200A	White	127

Parts Program (Non-Premier)

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

List Price Guide 2024-1 AmericanStandard.com

^{*}MaP testing performed by IAPMO R&T Lab. MaP report conducted by Gauley Associates Ltd. and Koeller and Company.

Town Square® S

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Town Square® S One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- LXP® (Luxury Performance) toilet
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl with smooth-sided, concealed trapway
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Classic American traditional styling
- EverClean® Antimicrobial Surface
- PowerWash® rim helps clean bowl with each flush
- 16-1/2" (419 mm) rim height for accessible applications
- 2" (51 mm) trapway
- 3" (76 mm) flush valve
- Chrome trip lever matches Town Square® S faucets and accessories
- Includes slow-close seat and cover with concealed seat ring and easy lift-off feature
- Two color-matched bolt hole covers
- 10-year warranty
- Design coordinates with Town Square® S suite

Nominal Dimensions:

30-1/2 in x 16-3/8 in x 30-9/16 in (774 mm x 415 mm x 776 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S One-Piece 1.28 gpf/4.8 Lpf Chair	107 lb	2851A104.020	White	1,058
Height Elongated Toilet With Seat	48.6 kg	2851A104.222	Linen	1,322
Town Square® S One-Piece 1.28 gpf/4.8 Lpf Chair Height Right-Hand Trip Lever Elongated Toilet With Seat		2851A105.020	White	1,064
Separate Components:				
Traditional Slow-Close & Easy Lift-Off Elongated	6 lb	5020A65G.020	White	131
Toilet Seat	3.0 kg	5020A65G.222	White Linen White	162
Town Square® S One-Piece Toilet Tank Cover	9 lb 4.3 kg	735226-400.020	White	117
		735226-400.222	Linen	146
Left-Hand Trip Lever	0 lb	⊳7381105-0020A	Polished Chrome	44
	0.3 kg	⊳7381105-0130A	Polished Nickel	58
	-	⊳7381105-2240A	Oil Rubbed Bronze	109
	-	⊳7381105-2780A	Legacy Bronze	72
		>7381105-2950A	Brushed Nickel	63
Right-Hand Trip Lever	0 lb 0.2 kg	⊳7381020-0020A	Polished Chrome	44

Parts Program (Non-Premier)

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.



Townsend VorMax One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet with Seat

- Two patented flush valves and maximum rinsing power for the cleanest flush*
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
 Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- CleanCurve® rim eliminates rim area where dirt and build-up hide
- 16-1/2" (419 mm) rim height for accessible applications
- 2-1/16" (52 mm) trapway
- Dual injection flush valves
- Includes slow-close seat and cover
- Two color-matched bolt caps
- 10-year warranty
 Design coordinates with Townsend® suite

Nominal Dimensions:

29-1/2 in x 16-7/8 in x 29-3/4 in (749 mm x 428 mm x 755 mm)



Description	Net Wt	SKU	Color	List Price
Townsend VorMax One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet with Seat	100 lb 45.8 kg	2922A104.020	White	886
Separate Components:				
Contemporary Slow-Close & Easy Lift-Off Elongated Toilet Seat for VorMax® CleanCurve® Style Rims	3 lb 1.7 kg	5055A65C.020	White	108
Townsend® VorMax® One-Piece Toilet Tank Cover	7 lb 3.5 kg	735212-400.020	White	111
Left-Hand Trip Lever	0 lb	>7381735-200.0020A	Polished Chrome	79
	0.1 kg -	>7381735-200.0130A	Polished Nickel	74
	-	⊳7381735-200.2430A	Matte Black	101
	_	>7381735-200.2780A	Legacy Bronze	105
	-	>7381735-200.2950A	Brushed Nickel	85

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Parts Program (Non-Premier)

^{*}Compared to American Standard Champion toilets.

Tropic® One-Piece Toilets

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Tropic® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- LXP® (Luxury Performance) toilet 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl with smooth-sided, concealed trapway
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- PowerWash® rim helps clean bowl with each flush
- 16-1/2" (419 mm) rim height for accessible applications
- 2" (51 mm) trapway 3" (76 mm) flush valve
- Chrome trip lever
- Includes slow-close seat and cover with concealed seat ring and easy lift-off feature
- Two color-matched bolt hole covers
- 10-year warranty
- Transitional design coordinates with Tropic® lavatories and faucets

Nominal Dimensions:

29-3/4 in x 16-3/4 in x 30-1/2 in (755 mm x 425 mm x 774 mm)



Description	Net Wt	SKU	Color	List Price
Tropic® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat	97 lb 44.4 kg	2786128.020	White	1,128
Separate Components:				
Transitional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5024A65G.020	White	131
Tropic® One-Piece Toilet Tank Cover	7 lb 3.3 kg	735147-400.020	White	119
Left-Hand Trip Lever	0 lb 0.4 kg	⊳7381097-2950A	Brushed Nickel	89

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Aspirations™

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Aspirations™ Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Elongated Toilet With Seat

- Combination bowl and tank, with seat
- 12" (305 mm) rough-in with 16-1/2" (419 mm) rim height for accessible application
- Chair-height elongated siphon action jetted bowl with smooth-sided, concealed trapway for easy cleaning
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- EverClean® surface inhibits the growth of stain- and odor-causing bacteria, mold, and mildew on the surface
- 2-1/8" (54 mm) fully glazed trapway with 3" (76 mm) flush valve
- Generous 9" x 8" (229 x 203 mm) water surface area helps keep bowl clean
- PowerWash® rim scrubs bowl with each flush
- Chrome trip lever included (Matte Black and Brushed Nickel option)
- Lifetime warranty on ceramics, 10 year warranty on all mechanical parts, and 1 year warranty on seat
- Design coordinates with Aspirations[™] suite

Nominal Dimensions:

30-3/16 in x 14-11/16 in x 30-11/16 in (766 mm x 373 mm x 779 mm)



Description	Net Wt	SKU	Color	List Price
Aspirations Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Elongated Toilet With Seat		252AA899.020	White	659
Aspirations Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Right-Hand Trip Lever Elongated Toilet With Seat	_	252AA898.020	White	666
Separate Components:				
Aspirations Skirted Chair Height Bowl With Seat	79 lb 36.0 kg	3419A100.020	White	490
Aspirations 1.28 gpf/4.8 Lpf 12-Inch Rough Right- Hand Trip Lever Tank	27 lb 12.4 kg	4448A808.020	White	176
Aspirations 1.28 gpf/4.8 Lpf 12-Inch Rough Tank		4448A809.020	White	169
Aspirations Slow-Close & Easy Lift-Off Elongated Toilet Seat	5 lb 2.3 kg	5036A65G.020	White	65
Aspirations Tank Cover	7 lb 3.2 kg	735232-400.020	White	104
Left-Hand Trip Lever	1 lb 0.3 kg	>7381987-100.0020A	Polished Chrome	42
		⊳7381987-100.2430A	Matte Black	63
	_	⊳7381987-100.2950A	Brushed Nickel	59
Right-Hand Trip Lever	-	>7381987-101.0020A	Polished Chrome	42
	_	⊳7381987-101.2430A	Matte Black	63
	_	⊳7381987-101.2950A	Brushed Nickel	59

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

AmericanStandard.com List Price Guide 2024-1

Parts Program (Non-Premier)

Cadet® Touchless - Skirted Design

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Cadet® Touchless Chair Height Elongated Toilet With Concealed Trapway

- Simple hand wave touchless flush technology
- 2-1/2" (64 mm) diameter sensor module can be installed on wall within 3 feet of toilet or on top of toilet tank itself
- Siphon action jetted bowl with smooth-sided, concealed trapway
- Ultra-low consumption (1.28 gpf/4.8 Lpf) utilizes 20% less water
- Meets EPA WaterSense® criteria
- 12" (305 mm) rough installation
- 3" (76 mm) flush valve with integrated fill valve
- 2-1/8" (54 mm) trapway bowl with EverClean® surface included
- Obtains best 1,000g MaP flush score*
- Includes top mount, slow-close seat and cover with easy lift-off feature for cleaning
- Powered by 3AAA sensor and 4AA control module batteries (included)
- Convenient, manual Polished Chrome override flush actuator on side of tank
- Limited lifetime warranty on chinaware, limited five-year warranty on all mechanical parts, and limited one-year warranty on electronic parts and seat

Nominal Dimensions:

30-3/16 in x 15-13/16 in x 30-11/16 in (766 mm x 401 mm x 779 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® Touchless Chair Height Elongated Toilet With Concealed Trapway		2989709.020	White	726
Cadet® Touchless Chair Height Elongated Skirted Toilet with Seat and Locking Device	_	2989769.020	White	762
Separate Components:				
Cadet® 3 FloWise® Skirted Chair Height Elongated Bowl With Seat	72 lb 33.1 kg	3075000.020	White	471
Cadet® Touchless 1.28 gpf Single Flush Toilet Tank Only	29 lb 13.3 kg	4000709.020	White	255
Cadet Touchless 1.28 gpf Single Flush Toilet Tank Only with Locking Device	_	4000769.020	White	291
Studio 12-Inch Rough Tank Cover	7 lb 3.3 kg	735158-400.020	White	71
Touchless Sensor	0 lb 0.2 kg	>7381981-201.0070A	No Finish	97
Manual Override Button	0 lb	⊳7381982-201.0020A	Polished Chrome	9
	0.0 kg -	⊳7381982-201.0200A	White	9
Optional Components:				
Transitional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5024A65G.020	White	131

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Cadet® - Skirted Design

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Cadet®3 FloWise™ Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- Combination bowl and tank, with seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- Siphon action jetted bowl with smooth-sided, concealed trapway
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
 PowerWash® rim scrubs bowl with each flush
- •3" (76 mm) flush valve
- Chrome plated trip lever
- Includes top-mount slow-close seat and cover with easy lift off feature
- Two color-matched bolt hole covers
- Five-year warranty

Nominal Dimensions:

30-1/4 in x 15-3/4 in x 30-3/4 in (768 mm x 400 mm x 781 mm)



Description	Net Wt	SKU	Color	List Price
Cadet®3 FloWise™ Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat		2989101.020	White	607
Cadet® 3 FloWise® Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Right-Hand Trip Lever Elongated Toilet With Seat	_	2989813.020	White	614
Separate Components:				
Cadet® 3 FloWise® Skirted Chair Height Elongated Bowl With Seat	72 lb 33.1 kg	3075000.020	White	471
Cadet® 3 FloWise® 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	29 lb 13.3 kg	4000101.020	White	136
Cadet® 3 FloWise® 1.28 gpf/4.8 Lpf 12-Inch Rough Right Hand Trip Lever Tank	_	4000813.020	White	143
Cadet® 3 FloWise® 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735154-400.020	White	75
Transitional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5024A65G.020	White	131
Left-Hand Trip Lever	0 lb	⊳738903-0020A	Polished Chrome	25
	0.0 kg -	⊳738903-0200A	White	41
	_	⊳738903-2430A	Matte Black	100
	_	⊳738903-2950A	Brushed Nickel	35
Right-Hand Trip Lever	_	⊳738919-0020A	Polished Chrome	25

Parts Program (Non-Premier)

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Cadet® - Skirted Design

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Cadet® 3 FloWise™ Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet With Seat

- · Combination bowl and tank, with seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- Siphon action jetted bowl with smooth-sided, concealed trapway
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- PowerWash® rim scrubs bowl with each flush
- 3" (76 mm) flush valve
- Chrome plated trip lever
- Includes top-mount slow-close seat and cover with easy lift off feature
- Two color-matched bolt hole covers
- Five-year warranty

Nominal Dimensions:

28-1/4 in x 15-3/4 in x 30-3/4 in (717 mm x 400 mm x 781 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 3 FloWise™ Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet With Seat		2988101.020	White	577
Cadet® 3 FloWise® Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Right-Hand Trip Lever Round Front Toilet With Seat	_	2988813.020	White	584
Separate Components:				
Cadet® 3 FloWise® Skirted Chair Height Round Front Bowl With Seat	68 lb 31.1 kg	3053000.020	White	441
Cadet® 3 FloWise® 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	29 lb 13.3 kg	4000101.020	White	136
Cadet® 3 FloWise® 1.28 gpf/4.8 Lpf 12-Inch Rough Right Hand Trip Lever Tank		4000813.020	White	143
Cadet® 3 FloWise® 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735154-400.020	White	75
Transitional Slow-Close & Easy Lift-Off Round Front Toilet Seat	4 lb 2.1 kg	5024B65G.020	White	120
Left-Hand Trip Lever	0 lb	⊳738903-0020A	Polished Chrome	25
	0.0 kg	⊳738903-0200A	White	41
	_	⊳738903-2430A	Matte Black	100
	-	⊳738903-2950A	Brushed Nickel	35
Right-Hand Trip Lever	_	⊳738919-0020A	Polished Chrome	25

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.



Cadet® Touchless Chair Height Elongated Toilet Less Seat

- Combination tank and bowl, less seat
- · Simple hand wave touchless flush technology
- 2-1/2" (64 mm) diameter sensor module can be installed on wall within 3 feet of toilet or on top of toilet tank itself
- Siphon action jetted bowl
- Ultra-low consumption (1.28 gpf/4.8 Lpf) utilizes 20% less water
- Meets EPA WaterSense® criteria
- 12" (305 mm) rough installation
- 3" (76 mm) flush valve with integrated fill valve
- 2-1/8" (54 mm) trapway bowl with EverClean® surface included
- Obtains best 1,000g MaP flush score*
- Powered by 3AAA sensor and 4AA control module batteries (included)
- Convenient, manual Polished Chrome override flush actuator on side of tank
- Limited lifetime warranty on chinaware, limited five-year warranty on all mechanical parts, and limited one-year warranty on electronic parts

Nominal Dimensions:

30-3/16 in x 15-13/16 in x 30-11/16 in (766 mm x 401 mm x 779 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® Touchless Chair Height Elongated Toilet Less Seat		215AA709.020	White	519
Cadet® Touchless Chair Height Elongated Toilet with Locking Device - Less Seat	_	215AA769.020	White	555
Separate Components:				
Cadet® PRO Chair Height Elongated Toilet Bowl Only	55 lb 25.0 kg	3517A101.020	White	264
* Cadet® Touchless 1.28 gpf Single Flush Toilet Tank Only	29 lb 13.3 kg	4000709.020	White	255
* Cadet Touchless 1.28 gpf Single Flush Toilet Tank Only with Locking Device		4000769.020	White	291
Studio 12-Inch Rough Tank Cover	7 lb 3.3 kg	735158-400.020	White	71
Touchless Sensor	0 lb 0.2 kg	>7381981-201.0070A	No Finish	97
Manual Override Button	0 lb	>7381982-201.0020A	Polished Chrome	9
	0.0 kg -	>7381982-201.0200A	White	9
Optional Components:				
* Transitional Slow-Close Elongated Toilet Seat	2 lb 1.3 kg	5503A00B.020	White	57

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

AmericanStandard.com List Price Guide 2024-1

^{*} Tank and seat only are Premier

Cadet® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/s" (419 mm) rim height for accessible application
 2-1/8" (54 mm) fully glazed trapway
 9" x 8" (229 x 203 mm) water surface area
 3" (76 mm) flush valve

- Five-year warranty

Nominal Dimensions:

30-1/4 in x 17-1/4 in x 30-1/4 in (768 mm x 438 mm x 768 mm)



30-1/4 111 X 17-1/4 111 X 30-1/4 111 (700 111111 X 430 111111	x 700 mm,			DPMO NET
Description	Net Wt	SKU	Color	List Pric
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair		215AA104.020	White	413
Height Elongated Toilet Less Seat	_	215AA104.021	Bone	509
	_	215AA104.222	Linen	509
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Right-Hand Trip Lever Toilet Less Seat	_	215AA105.020	White	421
Separate Components:				
Cadet® PRO Chair Height Elongated Toilet Bowl	55 lb	3517A101.020	White	264
Only	25.0 kg	3517A101.021	Bone	327
	_	3517A101.222	Linen	327
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb	4188A104.020	White	149
	12.6 kg - -	4188A104.021	Bone	182
		4188A104.222	Linen	182
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Right-Hand Trip Lever Tank	_	4188A105.020	White	157
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White	94
		735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	>7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	⊳7381231-200.2430A	Matte Black	52
	0.1 kg -	⊳7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	⊳7381231-200.2950A	Brushed Nickel	54
Right-Hand Trip Lever	0 lb	⊳7381231-201.0020A	Polished Chrome	37
	0.2 kg -	>7381231-201.2950A	Brushed Nickel	54

Parts Program (Non-Premier) Other seat options

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

29-1/8 in x 17-3/8 in x 30-3/8 in (739 mm x 441 mm x 771 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair		215AA004.020	White	413
Height Elongated Toilet Less Seat	-	215AA004.021	Bone	509
	-	215AA004.222	Linen	509
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated Right-Hand Trip Lever Toilet Less Seat	-	215AA005.020	White	421
Separate Components:				
Cadet® PRO Chair Height Elongated Toilet Bowl	55 lb	3517A101.020	White	264
Only	25.0 kg ⁻	3517A101.021	Bone	327
	-	3517A101.222	Linen	327
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	27 lb	4188A004.020	White	149
	12.6 kg	4188A004.021	Bone	182
	-	4188A004.222	Linen	182
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Right- Hand Trip Lever Tank		4188A005.020	White	157
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg -	735172-400.020	White	94
		735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	⊳7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg	⊳7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	>7381231-200.2430A	Matte Black	52
	0.1 kg -	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Right-Hand Trip Lever	0 lb 0.2 kg	>7381231-201.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

 \diamond Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

AmericanStandard.com



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway
 9" x 8" (229 x 203 mm) water surface area
 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/4 in x 17-1/4 in x 30-1/4 in (717 mm x 438 mm x 768 mm)



Description	Net Wt	SKU	Color	List Pric
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair		215BA104.020	White	396
Height Round Front Toilet Less Seat	_	215BA104.021	Bone	489
	_	215BA104.222	Linen	489
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Right-Hand Trip Lever Toilet Less Seat		215BA105.020	White	404
Separate Components:				
Cadet® PRO Chair Height Round Front Bowl	52 lb	3517B101.020	White	247
	23.9 kg -	3517B101.021	Bone	307
	_	3517B101.222	Linen	307
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb	4188A104.020	White	149
	12.6 kg	4188A104.021	Bone	182
	_	4188A104.222	Linen	182
Cadet [®] PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Right-Hand Trip Lever Tank		4188A105.020	White	157
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White	94
		735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	⊳7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	>7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	>7381231-200.2430A	Matte Black	52
	0.1 kg -	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Right-Hand Trip Lever	0 lb 0.2 kg	>7381231-201.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	White	65
	1.4 kg	5259B65MT.021	Bone	71

▶ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Round Front Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-½" (419 mm) rim height for accessible application 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- •3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/4 in x 17-1/4 in x 30-1/4 in (717 mm x 438 mm x 768 mm)



28-1/4 in x 17-1/4 in x 30-1/4 in (717 mm x 438 mm x 768 mm)				
Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair		215BA004.020	White	396
Height Round Front Toilet Less Seat	_	215BA004.021	Bone	489
		215BA004.222	Linen	489
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Round Front Right-Hand Trip Lever Toilet Less Seat	_	215BA005.020	White	404
Separate Components:				
Cadet® PRO Chair Height Round Front Bowl	52 lb	3517B101.020	White	247
	23.9 kg ⁻	3517B101.021	Bone	307
	_	3517B101.222	Linen	307
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	27 lb	4188A004.020	White	149
	12.6 kg	4188A004.021	Bone	182
	_	4188A004.222	Linen	182
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Right- Hand Trip Lever Tank		4188A005.020	White	157
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg -	735172-400.020	White	94
		735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	⊳7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg	⊳7381231-200.0990A	Polished Brass	45
	_	⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	⊳7381231-200.2430A	Matte Black	52
	0.1 kg -	⊳7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Right-Hand Trip Lever	0 lb 0.2 kg	>7381231-201.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	White	65
	1.4 kg	5259B65MT.021	Bone	71
	_	5259B65MT.222	Linen	71

Other seat options Additional tanks ADA when installed with provided

Parts Program (Non-Premier)

seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements

 \Leftrightarrow Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

AmericanStandard.com



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- •3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/2 in x 18 in x 30-1/4 in (723 mm x 457 mm x 768 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair		215AB104.020	White	467
Height Elongated 10-Inch Rough Toilet Less Seat	_	215AB104.021	Bone	669
	_	215AB104.222	Linen	669
Separate Components:				
Cadet® PRO Chair Height Elongated Toilet Bowl	55 lb	3517A101.020	White	264
Only	25.0 kg	3517A101.021	Bone	327
	_	3517A101.222	Linen	327
Cadet® PRO 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	27 lb	4188B104.020	White	203
	12.3 kg	4188B104.021	Bone	342
		4188B104.222	Linen	342
Cadet [®] PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White	107
		735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
	-	⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	⊳7381231-200.2430A	Matte Black	52
	0.1 kg -	⊳7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-½" (419 mm) rim height for accessible application
 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

26-1/4 in x 18 in x 30-1/4 in (666 mm x 457 mm x 768 mm)



Description	Net Wt	SKU	Color	List Pric
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair		215BB104.020	White	450
Height Round Front 10-Inch Rough Toilet Less Seat	_	215BB104.021	Bone	649
		215BB104.222	Linen	649
Separate Components:				
Cadet® PRO Chair Height Round Front Bowl	52 lb	3517B101.020	White	247
	23.9 kg ⁻	3517B101.021	Bone	307
	_	3517B101.222	Linen	307
Cadet® PRO 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	27 lb	4188B104.020	White	203
	12.3 kg	4188B104.021	Bone	342
		4188B104.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb	735173-400.020	White	107
	2.9 kg	735173-400.021	Bone	124
	_	735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	⊳7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	>7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	⊳7381231-200.2430A	Matte Black	52
	0.1 kg -	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	White	65
	1.4 kg	5259B65MT.021	Bone	71
		5259B65MT.222	Linen	71

Parts Program (Non-Premier) Other seat options Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-½" (419 mm) rim height for accessible application
 2-1/8" (54 mm) fully glazed trapway
 9" x 8" (229 x 203 mm) water surface area

- 3" (76 mm) flush valve Five-year warranty

Nominal Dimensions:

28-1/2 in x 18 in x 30-1/4 in (723 mm x 457 mm x 768 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair		215AB004.020	White	467
Height Elongated 10-Inch Rough Toilet Less Seat		215AB004.021	Bone	669
		215AB004.222	Linen	669
Separate Components:				
Cadet® PRO Chair Height Elongated Toilet Bowl	55 lb	3517A101.020	White	264
Only	25.0 kg	3517A101.021	Bone	327
	_	3517A101.222	Linen	327
Cadet® PRO 1.6 gpf/6.0 Lpf 10-Inch Rough Tank	27 lb	4188B004.020	White	203
	12.3 kg	4188B004.021	Bone	342
		4188B004.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White	107
		735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg	⊳7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	>7381231-200.2430A	Matte Black	52
	0.1 kg -	⊳7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg	5257A65MT.021	Bone	78
	-	5257A65MT.222	Linen	78

> Parts Program (Non-Premier) Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

List Price Guide 2024-1

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Round Front 10-Inch Rough Toilet Less Seat

- · Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 10-92 (419 min) rim height for accessible a
 2-1/8" (54 mm) fully glazed trapway
 9" x 8" (229 x 203 mm) water surface area
 3" (76 mm) flush valve
 Five-year warranty

Nominal Dimensions:

26-1/4 in x 18 in x 30-1/4 in (666 mm x 457 mm x 768 mm)



Description	Net Wt	SKU	Color	List Pric
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair		215BB004.020	White	450
Height Round Front 10-Inch Rough Toilet Less Seat		215BB004.021	Bone	649
		215BB004.222	Linen	649
Separate Components:				
Cadet® PRO Chair Height Round Front Bowl	52 lb	3517B101.020	White	247
	23.9 kg	3517B101.021	Bone	307
	_	3517B101.222	Linen	307
Cadet® PRO 1.6 gpf/6.0 Lpf 10-Inch Rough Tank	27 lb	4188B004.020	White	203
	12.3 kg	4188B004.021	Bone	342
		4188B004.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White	107
		735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	⊳7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	>7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	⊳7381231-200.2430A	Matte Black	52
	0.1 kg -	⊳7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	White	65
	1.4 kg	5259B65MT.021	Bone	71
	_	5259B65MT.222	Linen	71

Parts Program (Non-Premier) Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Compact Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- Space saving elongated bowl fits in the space of a round front
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim scrubs bowl with each flush
- Trade specific tank
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-½" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway
 9" x 8" (229 x 203 mm) water surface area
 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/4 in x 18 in x 30-3/8 in (717 mm x 457 mm x 771 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Compact		215FA104.020	White	481
Chair Height Elongated Toilet Less Seat	_	215FA104.021	Bone	817
	_	215FA104.222	Linen	817
Separate Components:				
Cadet® PRO Compact Chair Height Elongated	55 lb	3517F101.020	White	278
Bowl	25.0 kg	3517F101.021	Bone	475
	_	3517F101.222	Linen	475
Cadet® PRO 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	27 lb	4188B104.020	White	203
	12.3 kg ⁻	4188B104.021	Bone	342
		4188B104.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White	107
		735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
	_	⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	⊳7381231-200.2430A	Matte Black	52
	0.1 kg -	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg ⁻	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Compact Chair Height Elongated 14-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- Space saving elongated bowl fits in the space of a round front
- 14" (356 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim scrubs bowl with each flush
- Trade specific tank
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
 16-½" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

30 in x 17-3/8 in x 30-3/8 in (762 mm x 441 mm x 771 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Compact		215FC104.020	White	427
Chair Height Elongated 14-Inch Rough Toilet Less Seat		215FC104.021	Bone	657
		215FC104.222	Linen	657
Separate Components:				
Cadet® PRO Compact Chair Height Elongated	55 lb	3517F101.020	White	278
Bowl	25.0 kg	3517F101.021	Bone	475
	_	3517F101.222	Linen	475
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb	4188A104.020	White	149
	12.6 kg	4188A104.021	Bone	182
	_	4188A104.222	Linen	182
Cadet [®] PRO 12-Inch Rough Toilet Tank Cover	7 lb	735172-400.020	White	94
	3.3 kg - -	735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	>7381231-200.2430A	Matte Black	52
	0.1 kg -	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Compact Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- · Space saving elongated bowl fits in the space of a round front
- 12" (305 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- Perclean Antimicrobial Surface
 16-1/s" (419 mm) rim height for accessible application
 2-1/8" (54 mm) fully glazed trapway
 9" x 8" (229 x 203 mm) water surface area
 3" (76 mm) flush valve

- Five-year warranty

Nominal Dimensions:

28-1/4 in x 18 in x 30-3/8 in (717 mm x 457 mm x 771 mm)



Description	Net Wt	SKU	Color	List Pric
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Compact		215FA004.020	White	481
Chair Height Elongated Toilet Less Seat	_	215FA004.021	Bone	817
		215FA004.222	Linen	817
Separate Components:				
Cadet® PRO Compact Chair Height Elongated	55 lb	3517F101.020	White	278
Bowl	25.0 kg	3517F101.021	Bone	475
		3517F101.222	Linen	475
Cadet® PRO 1.6 gpf/6.0 Lpf 10-Inch Rough Tank	27 lb	4188B004.020	White	203
	12.3 kg	4188B004.021	Bone	342
		4188B004.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White	107
		735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	⊳7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg	>7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	⊳7381231-200.2430A	Matte Black	52
	0.1 kg -	⊳7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Compact Chair Height Elongated 14-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- Space saving elongated bowl fits in the space of a round front
- 14" (356 mm) rough-in
- · Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-½" (419 mm) rim height for accessible application
 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

30 in x 17-3/8 in x 30-3/8 in (762 mm x 441 mm x 771 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Compact		215FC004.020	White	427
Chair Height Elongated 14-Inch Rough Toilet Less Seat	_	215FC004.021	Bone	657
		215FC004.222	Linen	657
Separate Components:				
Cadet® PRO Compact Chair Height Elongated	55 lb	3517F101.020	White	278
Bowl	25.0 kg	3517F101.021	Bone	475
		3517F101.222	Linen	475
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	27 lb	4188A004.020	White	149
	12.6 kg	4188A004.021	Bone	182
		4188A004.222	Linen	182
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White	94
		735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	⊳7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	>7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	⊳7381231-200.2430A	Matte Black	52
	0.1 kg -	⊳7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve Five-year warranty

Nominal Dimensions:

30-1/4 in x 17-1/4 in x 28-7/8 in (768 mm x 438 mm x 733 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard		215CA104.020	White	366
Height Elongated Toilet Less Seat	_	215CA104.021	Bone	451
	_	215CA104.222	Linen	451
Separate Components:				
Cadet® PRO Standard Height Elongated Bowl	50 lb	3517C101.020	White	217
	23.1 kg ⁻	3517C101.021	Bone	269
	_	3517C101.222	Linen	269
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb	4188A104.020	White	149
	12.6 kg	4188A104.021	Bone	182
		4188A104.222	Linen	182
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White	94
		735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
	-	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	>7381231-200.2430A	Matte Black	52
	0.1 kg -	⊳7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff [™] Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg ⁻	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options Additional tanks Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Round Front Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve Five-year warranty

Nominal Dimensions:

28-1/4 in x 17-1/4 in x 28-7/8 in (717 mm x 438 mm x 733 mm)



List Price Guide 2024-1

Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard		215DA104.020	White	325
Height Round Front Toilet Less Seat		215DA104.021	Bone	401
		215DA104.222	Linen	401
Separate Components:				
Cadet® PRO Standard Height Round Front Bowl	46 lb	3517D101.020	White	176
	21.3 kg	3517D101.021	Bone	219
	_	3517D101.222	Linen	219
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb	4188A104.020	White	149
	12.6 kg	4188A104.021	Bone	182
		4188A104.222	Linen	182
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White	94
		735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
	_	⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	⊳7381231-200.2430A	Matte Black	52
	0.1 kg -	⊳7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	White	65
	1.4 kg	5259B65MT.021	Bone	71
	_	5259B65MT.222	Linen	71

Parts Program (Non-Premier) Other seat options Additional tanks Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

AmericanStandard.com

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- •3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

30-1/4 in x 17-1/4 in x 28-7/8 in (768 mm x 438 mm x 733 mm)

Description	Net Wt	SKU	Color	List Pric
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard		215CA004.020	White	366
Height Elongated Toilet Less Seat	_	215CA004.021	Bone	451
	_	215CA004.222	Linen	451
Separate Components:				
Cadet® PRO Standard Height Elongated Bowl	50 lb	3517C101.020	White	217
	23.1 kg ⁻	3517C101.021	Bone	269
	_	3517C101.222	Linen	269
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	27 lb	4188A004.020	White	149
	12.6 kg	4188A004.021	Bone	182
	_	4188A004.222	Linen	182
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White	94
		735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
	_	⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	⊳7381231-200.2430A	Matte Black	52
	0.1 kg -	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options Additional tanks

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

[♦] Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

List Price Guide 2024-1

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Round Front Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area 3" (76 mm) flush valve

- Five-year warranty
 Round Front Toilet Less Seat

Nominal Dimensions:

28-1/4 in x 17-1/4 in x 28-7/8 in (717 mm x 438 mm x 733 mm)

Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard		215DA004.020	White	325
Height Round Front Toilet Less Seat		215DA004.021	Bone	401
		215DA004.222	Linen	401
Separate Components:				
Cadet® PRO Standard Height Round Front Bowl	46 lb	3517D101.020	White	176
	21.3 kg	3517D101.021	Bone	219
	_	3517D101.222	Linen	219
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	27 lb	4188A004.020	White	149
	12.6 kg	4188A004.021	Bone	182
		4188A004.222	Linen	182
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White	94
		735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	⊳7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg	⊳7381231-200.0990A	Polished Brass	45
	_	⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	>7381231-200.2430A	Matte Black	52
	0.1 kg -	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff [™] Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	White	65
	1.4 kg	5259B65MT.021	Bone	71
	_	5259B65MT.222	Linen	71

Parts Program (Non-Premier) Other seat options Additional tanks

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

AmericanStandard.com



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- •3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/2 in x 18 in x 29 in (723 mm x 457 mm x 736 mm)



,_ ,_ ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	,			DAPMO NAT
Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard		215CB104.020	White	420
Height Elongated 10-Inch Rough Toilet Less Seat	_	215CB104.021	Bone	611
	_	215CB104.222	Linen	611
Separate Components:				
Cadet® PRO Standard Height Elongated Bowl	50 lb	3517C101.020	White	217
	23.1 kg ⁻	3517C101.021	Bone	269
		3517C101.222	Linen	269
Cadet® PRO 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	27 lb	4188B104.020	White	203
	12.3 kg	4188B104.021	Bone	342
		4188B104.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White	107
		735173-400.021	Bone	124
	_	735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
	-	⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	⊳7381231-200.2430A	Matte Black	52
	0.1 kg -	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg -	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options Additional tanks Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Round Front 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area 3" (76 mm) flush valve

- Five-year warranty
 Round Front Toilet Less Seat

Nominal Dimensions:

26-1/4 in x 18 in x 29 in (666 mm x 457 mm x 736 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard		215DB104.020	White	379
Height Round Front 10-Inch Rough Toilet Less Seat	_	215DB104.021	Bone	561
	_	215DB104.222	Linen	561
Separate Components:				
Cadet® PRO Standard Height Round Front Bowl	46 lb	3517D101.020	White	176
	21.3 kg	3517D101.021	Bone	219
	_	3517D101.222	Linen	219
Cadet® PRO 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	27 lb	4188B104.020	White	203
	12.3 kg ⁻	4188B104.021	Bone	342
	_	4188B104.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb	735173-400.020	White	107
	2.9 kg - -	735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
	_	⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	⊳7381231-200.2430A	Matte Black	52
	0.1 kg -	⊳7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	White	65
	1.4 kg	5259B65MT.021	Bone	71
	_	5259B65MT.222	Linen	71

Parts Program (Non-Premier) Other seat options Additional tanks Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

AmericanStandard.com

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- •3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/2 in x 18 in x 29 in (723 mm x 457 mm x 736 mm)

Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard		215CB004.020	White	420
Height Elongated 10-Inch Rough Toilet Less Seat		215CB004.021	Bone	611
		215CB004.222	Linen	611
Separate Components:				
Cadet® PRO Standard Height Elongated Bowl	50 lb	3517C101.020	White	217
	23.1 kg ⁻	3517C101.021	Bone	269
		3517C101.222	Linen	269
Cadet® PRO 1.6 gpf/6.0 Lpf 10-Inch Rough Tank	27 lb	4188B004.020	White	203
	12.3 kg	4188B004.021	Bone	342
		4188B004.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White	107
		735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	⊳7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	⊳7381231-200.2430A	Matte Black	52
	0.1 kg -	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg ⁻	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier)
 Other seat options
 Additional tanks
 Mosts all ANSI/ASME Low Const

 $\label{lem:mets} \textbf{Meets all ANSI/ASME Low Consumption, Water Conservation Requirements}.$

 \diamond Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Round Front 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area •3" (76 mm) flush valve
- Five-year warranty
 Round Front Toilet Less Seat

Nominal Dimensions:

26-1/4 in x 18 in x 29 in (666 mm x 457 mm x 736 mm)

· · · · · · · · · · · · · · · · · · ·	,			
Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard		215DB004.020	White	379
Height Round Front 10-Inch Rough Toilet Less Seat	_	215DB004.021	Bone	561
	_	215DB004.222	Linen	561
Separate Components:				
Cadet® PRO Standard Height Round Front Bowl	46 lb	3517D101.020	White	176
	21.3 kg	3517D101.021	Bone	219
	_	3517D101.222	Linen	219
Cadet® PRO 1.6 gpf/6.0 Lpf 10-Inch Rough Tank	27 lb	4188B004.020	White	203
	12.3 kg	4188B004.021	Bone	342
		4188B004.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White	107
		735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg	>7381231-200.0990A	Polished Brass	45
	-	⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	⊳7381231-200.2430A	Matte Black	52
	0.1 kg -	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	White	65
	1.4 kg	5259B65MT.021	Bone	71
	_	5259B65MT.222	Linen	71

Parts Program (Non-Premier) Other seat options Additional tanks

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.



Cadet® Ovation Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- Toilet-To-Go (TTG) shipped in single carton
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim scrubs bowl with each flush
- · Chrome trip lever
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- •3" (76 mm) flush valve
- Includes wax ring and color-matched slow-close toilet seat and cover
 Limited Lifetime warranty on Chinaware, 5 year warranty on mechanical parts, 1 year warranty on seat

Nominal Dimensions:

30-3/4 in x 16-3/16 in x 30-3/16 in (781 mm x 411 mm x 766 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® Ovation Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat	85 lb 39.0 kg	760AA101.020	White	437
Separate Components:				
Cadet Ovation 12-Inch Rough Tank	27 lb 12.4 kg	4299A101R.020	White	0
Transitional Slow-Close Elongated Toilet Seat	2 lb 1.3 kg	5503A00B.020	White	57
Left-Hand Trip Lever	0 lb 0.1 kg	>7381919-200.0020A	Polished Chrome	9

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator™ flush valve
- 2-3/8" (60 mm) fully-glazed trapway
 16-½" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- 10-year warranty

Nominal Dimensions:

30-1/4 in x 19 in x 31 in (768 mm x 482 mm x 787 mm)



00 1/4 111 X 13 111 X 01 111 (100 111111 X 402 111111 X 101 11	,			DAPMO KAT	
Description	Net Wt	SKU	Color	List Price	
Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair		211AA104.020	White	533	
Height Elongated Toilet Less Seat	_	211AA104.021	Bone	670	
	_	211AA104.222	Linen	670	
Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Right-Hand Trip Lever Toilet Less Seat		211AA105.020	White	563	
Separate Components:					
Champion® PRO Chair Height Elongated Bowl	57 lb	3195A101.020	White	303	
	25.9 kg	3195A101.021	Bone	378	
	_	3195A101.222	Linen	378	
Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	31 lb 14.1 kg	4225A104.020	White	230	
	31 lb	4225A104.021	Bone	292	
	14.3 kg	4225A104.222	Linen	292	
Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Right Hand Trip Lever Tank		4225A105.020	White	260	
Champion® PRO 12-Inch Rough Toilet Tank Cover	8 lb 3.7 kg	735171-400.020	White	98	
		735171-400.021	Bone	124	
		735171-400.222	Linen	124	
Left-Hand Trip Lever	0 lb 0.2 kg	>7381232-200.0020A	Polished Chrome	42	
	0 lb 0.1 kg	>7381232-200.0130A	Polished Nickel	46	
	0 lb	>7381232-200.0200A	White	52	
	0.2 kg	>7381232-200.2240A	Oil Rubbed Bronze	103	
	0 lb	⊳7381232-200.2430A	Matte Black	59	
	0.1 kg -	>7381232-200.2780A	Legacy Bronze	78	
	0 lb	>7381232-200.2950A	Brushed Nickel	55	
Right-Hand Trip Lever	0.2 kg	>7381232-201.0020A	Polished Chrome	34	
	-	⊳7381232-201.2950A	Brushed Nickel	55	
Optional Components:					
Champion® Slow-Close & Easy Lift-Off Elongated	3 lb	5321A65CT.020	White	98	
Toilet Seat	1.6 kg	5321A65CT.021	Bone	123	
		5321A65CT.222	Linen	123	

▶ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet Less Seat

- Combination bowl and tank, less seat
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface

- 4" (102 mm) piston-action Accelerator™ flush valve 2-3/8" (60 mm) fully-glazed trapway 16-½" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- 10-year warranty

Nominal Dimensions:

28-1/4 in x 19 in x 31 in (717 mm x 482 mm x 787 mm)



20 1/4 111 X 13 111 X 01 111 (7 17 111111 X 402 111111 X 707 111	111)			107 NO NO.
Description	Net Wt	SKU	Color	List Price
Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair		211BA104.020	White	477
Height Round Front Toilet Less Seat	_	211BA104.021	Bone	598
	_	211BA104.222	Linen	598
Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Right-Hand Trip Lever Toilet Less Seat		211BA105.020	White	507
Separate Components:				
Champion® PRO Chair Height Round Front Bowl	57 lb	3195B101.020	White	247
	25.9 kg ⁻	3195B101.021	Bone	306
	_	3195B101.222	Linen	306
Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	31 lb 14.1 kg	4225A104.020	White	230
	31 lb	4225A104.021	Bone	292
	14.3 kg	4225A104.222	Linen	292
Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Right Hand Trip Lever Tank	_	4225A105.020	White	260
Champion® PRO 12-Inch Rough Toilet Tank Cover	8 lb 3.7 kg -	735171-400.020	White	98
		735171-400.021	Bone	124
		735171-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	⊳7381232-200.0020A	Polished Chrome	42
	0 lb 0.1 kg	⊳7381232-200.0130A	Polished Nickel	46
	0 lb	>7381232-200.0200A	White	52
	0.2 kg -	>7381232-200.2240A	Oil Rubbed Bronze	103
	0 lb	>7381232-200.2430A	Matte Black	59
	0.1 kg -	⊳7381232-200.2780A	Legacy Bronze	78
	0 lb	⊳7381232-200.2950A	Brushed Nickel	55
Right-Hand Trip Lever	0.2 kg -	>7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Champion® Slow-Close & Easy Lift-Off Round	3 lb	5320B65CT.020	White	83
Front Toilet Seat	1.4 kg	5320B65CT.021	Bone	110
	_	5320B65CT.222	Linen	110

▶ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever and metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator[™] flush valve
- 2-3/8" (60 mm) fully-glazed trapway 16-1/2" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- 10-year warranty

Nominal Dimensions:

29-3/16 in x 19 in x 30-7/8 in (741 mm x 482 mm x 784 mm)



Description	Net Wt	SKU	Color	List Price
Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair		211AA004.020	White	533
Height Elongated Toilet Less Seat		211AA004.021	Bone	670
		211AA004.222	Linen	670
Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated Right-Hand Trip Lever Toilet Less Seat		211AA005.020	White	563
Separate Components:				
Champion® PRO Chair Height Elongated Bowl	57 lb	3195A101.020	White	303
	25.9 kg ⁻	3195A101.021	Bone	378
	_	3195A101.222	Linen	378
Champion® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough	31 lb	4225A004.020	White	230
Tank	14.1 kg ⁻	4225A004.021	Bone	292
	_	4225A004.222	Linen	292
Champion® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Right-Hand Trip Lever Tank	_	4225A005.020	White	260
Champion® PRO 12-Inch Rough Toilet Tank Cover	8 lb 3.7 kg	735171-400.020	White	98
		735171-400.021	Bone	124
		735171-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	⊳7381232-200.0020A	Polished Chrome	42
	0 lb 0.1 kg	>7381232-200.0130A	Polished Nickel	46
	0 lb 0.2 kg -	>7381232-200.0200A	White	52
	0.2 kg	>7381232-200.2240A	Oil Rubbed Bronze	103
	0 lb	⊳7381232-200.2430A	Matte Black	59
	0.1 kg -	⊳7381232-200.2780A	Legacy Bronze	78
	0 lb	>7381232-200.2950A	Brushed Nickel	55
Right-Hand Trip Lever	0.2 kg -	⊳7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Champion® Slow-Close & Easy Lift-Off Elongated	3 lb	5321A65CT.020	White	98
Toilet Seat	1.6 kg		_	
Toilet Seat	J	5321A65CT.021	Bone	123

Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

 \diamond Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Round Front Toilet Less Seat

- Combination bowl and tank, less seat
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator™ flush valve
- 2-3/8" (60 mm) fully-glazed trapway 12" (305 mm) rough-in
- 10-year warranty

Nominal Dimensions:

28-1/4 in x 19 in x 31 in (717 mm x 482 mm x 787 mm)



20-1/4 X 19 X 31 (7 17 11 X 402 11 X 707				
Description	Net Wt	SKU	Color	List Price
Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair		211BA004.020	White	477
Height Round Front Toilet Less Seat	_	211BA004.021	Bone	598
	_	211BA004.222	Linen	598
Champion PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Round Front Right-Hand Trip Lever Toilet Less Seat		211BA005.020	White	507
Separate Components:				
Champion® PRO Chair Height Round Front Bowl	57 lb	3195B101.020	White	247
	25.9 kg	3195B101.021	Bone	306
	_	3195B101.222	Linen	306
Champion® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough	31 lb	4225A004.020	White	230
Tank	14.1 kg =	4225A004.021	Bone	292
		4225A004.222	Linen	292
Champion® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Right-Hand Trip Lever Tank	_	4225A005.020	White	260
Champion® PRO 12-Inch Rough Toilet Tank Cover	8 lb 3.7 kg	735171-400.020	White	98
		735171-400.021	Bone	124
		735171-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381232-200.0020A	Polished Chrome	42
	0 lb 0.1 kg	>7381232-200.0130A	Polished Nickel	46
	0 lb	>7381232-200.0200A	White	52
	0.2 kg	⊳7381232-200.2240A	Oil Rubbed Bronze	103
	0 lb	>7381232-200.2430A	Matte Black	59
	0.1 kg -	>7381232-200.2780A	Legacy Bronze	78
	0 lb	⊳7381232-200.2950A	Brushed Nickel	55
Right-Hand Trip Lever	0.2 kg	⊳7381232-201.0020A	Polished Chrome	34
	-	⊳7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Champion® Slow-Close & Easy Lift-Off Round	3 lb	5320B65CT.020	White	83
Front Toilet Seat	1.4 kg	5320B65CT.021	Bone	110
		5320B65CT.222	Linen	110

Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

 \diamond Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
 High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
 Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator™ flush valve
- 2-3/8" (60 mm) fully-glazed trapway
- 12" (305 mm) rough-in
- 10-year warranty

Nominal Dimensions:

30-1/4 in x 19 in x 29-3/8 in (768 mm x 482 mm x 746 mm)



Champion® DDO Two Disco 1 00 anf/4 0 Laf				
Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet Less Seat		211CA104.020	White	490
Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Right-Hand Trip Lever Elongate Toilet Less Seat	d	211CA105.020	White	520
Separate Components:				
Champion® PRO Standard Height Elongated Bov	vl 55 lb 25.1 kg	3195C101.020	White	260
Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	31 lb 14.1 kg	4225A104.020	White	230
Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Right Hand Trip Lever Tank	31 lb 14.3 kg	4225A105.020	White	260
Champion® PRO 12-Inch Rough Toilet Tank Cove	er 8 lb 3.7 kg	735171-400.020	White	98
Left-Hand Trip Lever	0 lb 0.2 kg	>7381232-200.0020A	Polished Chrome	42
	0 lb 0.1 kg	>7381232-200.0130A	Polished Nickel	46
	0 lb	>7381232-200.0200A	White	52
	0.2 kg -	>7381232-200.2240A	Oil Rubbed Bronze	103
	0 lb	⊳7381232-200.2430A	Matte Black	59
	0.1 kg -	>7381232-200.2780A	Legacy Bronze	78
	0 lb	⊳7381232-200.2950A	Brushed Nickel	55
Right-Hand Trip Lever	— 0.2 kg -	⊳7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	d 3 lb 1.6 kg	5321A65CT.020	White	98

CIVII

0-1--

Parts Program (Non-Premier) Other seat options Additional tanks Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
 Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator[™] flush valve
- 2-3/8" (60 mm) fully-glazed trapway
- 12" (305 mm) rough-in
- 10-year warranty

Nominal Dimensions:

30-1/4 in x 19 in x 29-3/8 in (768 mm x 482 mm x 746 mm)

Description	Net Wt	SKU	Color	List Price
Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated Toilet Less Seat		211CA004.020	White	490
Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Right-Hand Trip Lever Elongated Toilet Less Seat		211CA005.020	White	520
Separate Components:				
Champion® PRO Standard Height Elongated Bowl	55 lb 25.1 kg	3195C101.020	White	260
Champion® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	31 lb 14.1 kg	4225A004.020	White	230
Champion® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Right-Hand Trip Lever Tank		4225A005.020	White	260
Champion® PRO 12-Inch Rough Toilet Tank Cover	8 lb 3.7 kg	735171-400.020	White	98
Left-Hand Trip Lever	0 lb 0.2 kg	>7381232-200.0020A	Polished Chrome	42
	0 lb 0.1 kg	>7381232-200.0130A	Polished Nickel	46
	0 lb	>7381232-200.0200A	White	52
	0.2 kg -	>7381232-200.2240A	Oil Rubbed Bronze	103
	0 lb	⊳7381232-200.2430A	Matte Black	59
	0.1 kg -	>7381232-200.2780A	Legacy Bronze	78
	0 lb	⊳7381232-200.2950A	Brushed Nickel	55
Right-Hand Trip Lever	0.2 kg -	⊳7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb 1.6 kg	5321A65CT.020	White	98

Parts Program (Non-Premier) Other seat options Additional tanks

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Colony®3

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- High efficiency toilet (HET), ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
 Meets EPA WaterSense® criteria

- PowerWash® rim helps clean bowl with each flush
 3" (76 mm) flush valve with 2" (51 mm) fully glazed trapway for optimal flushing performance
- 16-1/2" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- Generous 9" x 8" (229 x 203 mm) water surface area
- Color-matched trip lever is supplied
- Limited lifetime warranty on chinaware, limited 2-year warranty on all mechanical parts, and limited 1-year warranty on seat which is purchased separately

Nominal Dimensions:

29-3/4 in x 17-15/16 in x 29-15/16 in (755 mm x 455 mm x 760 mm)



Description	Net Wt	SKU	Color	List Price
Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Elongated Toilet Less Seat		250AA104.020	White	348
Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Elongated Right-Hand Trip Lever Toilet	_	250AA105.020	White	348
Separate Components:				
Colony®3 Chair-Height Elongated Bowl	49 lb 22.4 kg	3437A101.020	White	223
Colony®3 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb	4425A104.020	White	125
Colony®3 1.28 gpf/4.8 Lpf 12-Inch Rough Right- Hand Trip Lever Tank	12.4 kg ⁻	4425A105.020	White	125
Colony/Evolution2/Colony®3 Toilet Tank Cover	7 lb 3.3 kg	735131-400.020	White	81
Left-Hand 30 Degree Plastic Toilet Trip Lever	0 lb	⊳047192-0020A	Polished Chrome	30
	0.0 kg -	⊳047192-0200A	White	25
Right-Hand Trip Lever	_	⊳738171-0020A	Polished Chrome	25
		⊳738171-0200A	White	25
Optional Components:				
Transitional Slow-Close Elongated Toilet Seat	2 lb 1.3 kg	5503A00B.020	White	57

Parts Program (Non-Premier) Other seat options **Additional Tanks** ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.



Colony®3

Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Elongated 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- High efficiency toilet (HET), ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- 3" (76 mm) flush valve with 2" (51 mm) fully glazed trapway for optimal flushing performance
- 16-1/2" (419 mm) rim height for accessible applications
- 10" (254 mm) rough-in
- Generous 9" x 8" (229 x 203 mm) water surface area
- Color-matched trip lever is supplied
- Limited lifetime warranty on chinaware, limited 2-year warranty on all mechanical parts, and limited 1-year warranty on seat which is purchased separately

Nominal Dimensions:

29-3/4 in x 18-11/16 in x 29-15/16 in (756 mm x 474 mm x 760 mm)



Description	Net Wt	SKU	Color	List Price
Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Chair-Heigl Elongated 10-Inch Rough Toilet Less Seat	nt	250AB104.020	White	385
Separate Components:				
Colony®3 Chair-Height Elongated Bowl	49 lb 22.4 kg	3437A101.020	White	223
Colony®3 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	26 lb 12.0 kg	4425B104.020	White	162
Colony®3 10-Inch Rough Toilet Tank Cover	6 lb 3.1 kg	735235-400.020	White	75
Left-Hand 30 Degree Plastic Toilet Trip Lever	0 lb	>047192-0020A	Polished Chrome	30
	0.0 kg -	⊳047192-0200A	White	25
Optional Components:				
Transitional Slow-Close Elongated Toilet Seat	2 lb 1.3 kg	5503A00B.020	White	57

▷ Parts Program (Non-Premier)
Other seat options
Additional Tanks
ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.
Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- High efficiency toilet (HET), ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- 3" (76 mm) flush valve with 2" (51 mm) fully glazed trapway for optimal flushing performance
- 12" (305 mm) rough-in Generous 9" x 8" (229 x 203 mm) water surface area
- Color-matched trip lever is supplied
- Limited lifetime warranty on chinaware, limited 2-year warranty on all mechanical parts, and limited 1-year warranty on seat which is purchased separately

Nominal Dimensions:

29-3/4 in x 17-15/16 in x 28-7/16 in (755 mm x 455 mm x 722 mm)



Description	Net Wt	SKU	Color	List Price
Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Elongated Toilet Less Seat		250CA104.020	White	275
Separate Components:				
Colony®3 Standard Height Elongated Bowl	43 lb 19.6 kg	3437C101.020	White	150
Colony®3 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb 12.4 kg	4425A104.020	White	125
Colony/Evolution2/Colony®3 Toilet Tank Cover	7 lb 3.3 kg	735131-400.020	White	81
Left-Hand 30 Degree Plastic Toilet Trip Lever	0 lb	⊳047192-0020A	Polished Chrome	30
	0.0 kg -	⊳047192-0200A	White	25
Optional Components:				
Transitional Slow-Close Elongated Toilet Seat	2 lb 1.3 kg	5503A00B.020	White	57

Parts Program (Non-Premier) Other seat options **Additional Tanks** Meets all ANSI/ASME Low Consumption, Water Conservation Requirements. Colony®3 **Two-Piece Toilets**

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Elongated 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- High efficiency toilet (HET), ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- 3" (76 mm) flush valve with 2" (51 mm) fully glazed trapway for optimal flushing performance
- 10" (254 mm) rough-in
- Generous 9" x 8" (229 x 203 mm) water surface area
- Color-matched trip lever is supplied
- Limited lifetime warranty on chinaware, limited 2-year warranty on all mechanical parts, and limited 1-year warranty on seat which is purchased separately

Nominal Dimensions:

27-3/4 in x 18-11/16 in x 28-7/16 in (705 mm x 474 mm x 722 mm)



Description	Net Wt	SKU	Color	List Price
Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Elongated 10-Inch Rough Toilet Less Seat		250CB104.020	White	312
Separate Components:				
Colony®3 Standard Height Elongated Bowl	43 lb 19.6 kg	3437C101.020	White	150
Colony®3 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	26 lb 12.0 kg	4425B104.020	White	162
Colony®3 10-Inch Rough Toilet Tank Cover	6 lb 3.1 kg	735235-400.020	White	75
Left-Hand 30 Degree Plastic Toilet Trip Lever	0 lb	>047192-0020A	Polished Chrome	30
	0.0 kg —	⊳047192-0200A	White	25
Optional Components:				
Transitional Slow-Close Elongated Toilet Seat	2 lb 1.3 kg	5503A00B.020	White	57

Other seat options **Additional Tanks** Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Colony®3

Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Round-Front Toilet Less Seat

- Combination bowl and tank, less seat
- High efficiency toilet (HET), ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- •3" (76 mm) flush valve with 2" (51 mm) full glazed trapway for optimal flushing performance
- 12" (305 mm) rough-in
- Generous 9" x 8" (229 x 203 mm) water surface area
- Color-matched trip lever is supplied
- Limited lifetime warranty on chinaware, limited 2-year warranty on all mechanical parts, and limited 1-year warranty on seat which is purchased separately

Nominal Dimensions:

27-13/16 in x 17-15/16 in x 28-7/16 in (706 mm x 455 mm x 722 mm)



Description	Net Wt	SKU	Color	List Price
Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Round-Front Toilet Less Seat	t	250DA104.020	White	232
Separate Components:				
Colony®3 Standard Height Round-Front Bowl	40 lb 18.4 kg	3437D101.020	White	107
Colony®3 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb 12.4 kg	4425A104.020	White	125
Colony/Evolution2/Colony®3 Toilet Tank Cover	7 lb 3.3 kg	735131-400.020	White	81
Left-Hand 30 Degree Plastic Toilet Trip Lever	0 lb	⊳047192-0020A	Polished Chrome	30
	0.0 kg -	⊳047192-0200A	White	25
Optional Components:				
Transitional Slow-Close Round-Front Toilet Seat	2 lb 1.2 kg	5503B00B.020	White	51

▷ Parts Program (Non-Premier)
 Other seat options
 Additional Tanks
 Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Colony®3 Two-Piece Toilets

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Round-Front 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- High efficiency toilet (HET), ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less wate
- Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- 3" (76 mm) flush valve with 2" (51 mm) full glazed trapway for optimal flushing performance
- 10" (254 mm) rough-in
- Generous 9" x 8" (229 x 203 mm) water surface area
- Color-matched trip lever is supplied
- Limited lifetime warranty on chinaware, limited 2-year warranty on all mechanical parts, and limited 1-year warranty on seat which is purchased separately

Nominal Dimensions:

25-13/16 in x 18-11/16 in x 28-7/16 in (655 mm x 474 mm x 722 mm)



Description	Net Wt	SKU	Color	List Price
Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Round-Fron 10-Inch Rough Toilet Less Seat	t	250DB104.020	White	269
Separate Components:				
Colony®3 Standard Height Round-Front Bowl	40 lb 18.4 kg	3437D101.020	White	107
Colony®3 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	26 lb 12.0 kg	4425B104.020	White	162
Colony®3 10-Inch Rough Toilet Tank Cover	6 lb 3.1 kg	735235-400.020	White	75
Left-Hand 30 Degree Plastic Toilet Trip Lever	0 lb	⊳047192-0020A	Polished Chrome	30
	0.0 kg	⊳047192-0200A	White	25
Optional Components:				
Transitional Slow-Close Round-Front Toilet Seat	2 lb 1.2 kg	5503B00B.020	White	51

▷ Parts Program (Non-Premier)
 Other seat options
 Additional Tanks
 Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.



High Efficiency, Low Consumption - Full Flush (1.6 gpf/6.0 Lpf) - Conserving Flush (1.1 gpf/4.2 Lpf)



Edgemere® Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair-Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, low consumption, full flush (1.6 gpf/6.0 Lpf), conserving flush (1.1 gpf/4.2 Lpf)
- Meets EPA WaterSense® criteria
- PowerWash® rim scrubs bowl with each flush
- Chrome top-of-tank push button actuator
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- •2" (51 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- Five-year warranty
- Design coordinates with Edgemere® suite

Nominal Dimensions:

30-3/16 in x 17 in x 31-1/8 in (766 mm x 431 mm x 790 mm)



Description	Net Wt	SKU	Color	List Price
Edgemere® Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair-Height Elongated Toilet Less Seat		204AA200.020	White	437
Separate Components:				
Edgemere® Chair-Height Elongated Bowl	54 lb 24.7 kg	3519A101.020	White	224
Edgemere® Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf 12 in. Rough Tank	27 lb 12.4 kg	4519A200.020	White	213
Top-of-tank Actuator, Dual Flush	0 lb 0.1 kg	>7381092-202.0020A	Polished Chrome	8
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 ka	5257A65MT.020	White	71

▷ Parts Program (Non-Premier)
 Other seat options
 Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.



High Efficiency, Low Consumption - Full Flush (1.6 gpf/6.0 Lpf) - Conserving Flush (1.1 gpf/4.2 Lpf)



Edgemere® Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair-Height Round-Front Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, low consumption, full flush (1.6 gpf/6.0 Lpf), conserving flush (1.1 gpf/4.2 Lpf)
- Meets EPA WaterSense® criteria
- PowerWash® rim scrubs bowl with each flush
- Chrome top-of-tank push button actuator
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- •2" (51 mm) fully glazed trapway
- •9" x 8" (229 x 203 mm) water surface area
- Five-year warranty
- Design coordinates with Edgemere® suite

Nominal Dimensions:

28-3/16 in x 17 in x 31-1/8 in (715 mm x 431 mm x 790 mm)



Description	Net Wt	SKU	Color	List Pric
Edgemere® Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair-Height Round-Front Toilet Less Seat		204BA200.020	White	358
Separate Components:				
Edgemere® Chair-Height Round-Front Bowl	52 lb 23.6 kg	3519B101.020	White	145
Edgemere® Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf 12 in. Rough Tank	27 lb 12.4 kg	4519A200.020	White	213
Top-of-tank Actuator, Dual Flush	0 lb 0.1 kg	>7381092-202.0020A	Polished Chrome	8
Optional Components:				
Cardiff [™] Slow-Close Round Front Toilet Seat	3 lb 1.4 ka	5259B65MT.020	White	65

 \triangleright Parts Program (Non-Premier) Other seat options

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim scrubs bowl with each flush
- Chrome trip lever
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2" (51 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area 3" (76 mm) flush valve
- Five-year warranty
- Design coordinates with Edgemere® suite of fixtures

Nominal Dimensions:

30-3/16 in x 17 in x 31-1/8 in (766 mm x 431 mm x 790 mm)



Description	Net Wt	SKU	Color	List Price
Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair- Height Elongated Toilet Less Seat		204AA104.020	White	360
Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair- Height Elongated Right-Hand Trip Lever Toilet Less Seat		204AA105.020	White	380
Separate Components:				
Edgemere® Chair-Height Elongated Bowl	54 lb 24.7 kg	3519A101.020	White	224
Edgemere® 1.28 gpf/4.8 Lpf 12 in. Rough Tank	27 lb 12.4 kg	4519A104.020	White	136
Edgemere® 1.28 gpf/4.8 Lpf 12 in. Rough Right- Hand Trip Lever Tank		4519A105.020	White	156
Edgemere® 12 in. Rough Toilet Tank Cover	6 lb 3.0 kg	735214-400.020	White	68
Left-Hand Trip Lever	0 lb	>7381741-200.0020A	Polished Chrome	42
	0.1 kg -	>7381741-200.2430A	Matte Black	50
	_	>7381741-200.2780A	Legacy Bronze	78
	_	>7381741-200.2950A	Brushed Nickel	59
Right-Hand Trip Lever	0 lb 0.2 kg	>7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Cardiff [™] Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71

Parts Program (Non-Premier) Other seat options

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

List Price Guide 2024-1 AmericanStandard.com

Edgemere® - SpaLet® Bundle

High Efficiency, Ultra-Low Consumption (1.28 gpf/4.8 Lpf)



AquaWash® 1.0 SpaLet® Bidet Seat and Edgemere® Chair Height Elongated 1.28 gpf/4.8 Lpf Toilet Combo

- Clean, graceful lines make it ideal for a powder room or a spa-like setting
- Chair height and elongated bowl for greater comfort
- High Efficiency Toilet (HET), ultra-low consumption (4.8 Lpf/1.28 gpf) utilizes 20% less water
- WaterSense® certified for water efficiency
- PowerWash® rim scrubs the bowl with each flush
- Non-electric bidet feature with adjustable spray volume
- Independent self-cleaning dual nozzles for effective front and back cleansing
- "No Slam" slow-close seat and lid for user convenience
- One-push removable seat for easier cleaning of the seat and bowl
- Manual Side Lever : Easy to operate

Nominal Dimensions:

30-3/16 in x 17 in x 31-1/8 in (766 mm x 431 mm x 790 mm)



Description	Net Wt	SKU	Color	List Price
AquaWash® 1.0 SpaLet® Bidet Seat and Edgemere® Chair Height Elongated 1.28 gpf/4.8 Lpf Toilet Combo		602AA001.020	White	506
Separate Components:				
Edgemere® Chair-Height Elongated Bowl	54 lb 24.7 kg	3519A101.020	White	224
Edgemere® 1.28 gpf/4.8 Lpf 12 in. Rough Tank	27 lb 12.4 kg	4519A104.020	White	136
AquaWash® 1.0 Non-Electric SpaLet® Bidet Seat With Manual Operation	4 lb 2.0 kg	5900A05GT.020	White	146

Edgemere® - SpaLet® Bundle

High Efficiency, Ultra-Low Consumption (1.28 gpf/4.8 Lpf)



AquaWash® 2.0 SpaLet® Bidet Seat and Edgemere® Chair Height Elongated 1.28 gpf/4.8 Lpf Toilet Combo

- Clean, graceful lines make it ideal for a powder room or a spa-like setting
 Chair height and elongated bowl for greater comfort
 High Efficiency Toilet (HET), ultra-low consumption (4.8 Lpf/1.28 gpf) utilizes 20% less water
 WaterSense® certified for water efficiency
- PowerWash® rim scrubs the bowl with each flush
- Independent self-cleaning dual nozzles for effective front and back cleansing
- Instant heating ensures constant availability of warm water
- · Heated seat with two adjustable temperature for added comfort
- Adjustable water temperature of two temperature levels
- Soft night light guides you at night

Nominal Dimensions:

30-3/16 in x 17 in x 31-1/8 in (766 mm x 431 mm x 790 mm)



Description	Net Wt	SKU	Color	List Price
AquaWash® 2.0 SpaLet® Bidet Seat and Edgemere® Chair Height Elongated 1.28 gpf/4.8 Lpf Toilet Combo		602AA002.020	White	868
Separate Components:				
Edgemere® Chair-Height Elongated Bowl	54 lb 24.7 kg	3519A101.020	White	224
Edgemere® 1.28 gpf/4.8 Lpf 12 in. Rough Tank	27 lb 12.4 kg	4519A104.020	White	136
AquaWash® 2.0 Electric SpaLet® Bidet Seat With Manual Operation	7 lb 3.3 kg	8019A60GPC.020	White	508

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Round-Front Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim scrubs bowl with each flush
- Chrome trip lever
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2" (51 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- •3" (76 mm) flush valve
- Five-year warranty
 Design coordinates with Edgemere® suite of fixtures

Nominal Dimensions:

28-3/16 in x 17 in x 31-1/8 in (715 mm x 431 mm x 790 mm)



Description	Net Wt	SKU	Color	List Price
Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair- Height Round-Front Toilet Less Seat		204BA104.020	White	281
Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair- Height Round-Front Right-Hand Trip Lever Toilet Less Seat		204BA105.020	White	281
Separate Components:				
Edgemere® Chair-Height Round-Front Bowl	52 lb 23.6 kg	3519B101.020	White	145
Edgemere® 1.28 gpf/4.8 Lpf 12 in. Rough Tank	27 lb	4519A104.020	White	136
Edgemere® 1.28 gpf/4.8 Lpf 12 in. Rough Right- Hand Trip Lever Tank	- 12.4 kg -	4519A105.020	White	156
Edgemere® 12 in. Rough Toilet Tank Cover	6 lb 3.0 kg	735214-400.020	White	68
Left-Hand Trip Lever	0 lb	>7381741-200.0020A	Polished Chrome	42
	0.1 kg -	>7381741-200.2430A	Matte Black	50
	-	⊳7381741-200.2780A	Legacy Bronze	78
	_	>7381741-200.2950A	Brushed Nickel	59
Right-Hand Trip Lever	0 lb 0.2 kg	>7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White	65

Parts Program (Non-Premier) Other seat options

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim scrubs bowl with each flush
- · Chrome trip lever
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2" (51 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- •3" (76 mm) flush valve
- Five-year warranty
 Design coordinates with Edgemere® suite

Nominal Dimensions:

28-3/16 in x 18-7/8 in x 30-1/4 in (715 mm x 479 mm x 768 mm)



Description	Net Wt	SKU	Color	List Price
Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated 10-Inch Rough Toilet Less Seat		204AB104.020	White	391
Separate Components:				
Edgemere® Chair-Height Elongated Bowl	54 lb 24.7 kg	3519A101.020	White	224
Edgemere® 1.28 gpf/4.8 Lpf 10 in. Rough Tank	27 lb 12.3 kg	4519B104.020	White	167
Edgemere® 10 in. Rough Toilet Tank Cover	8 lb 4.1 kg	735213-400.020	White	66
Left-Hand Trip Lever	0 lb	>7381741-200.0020A	Polished Chrome	42
	0.1 kg -	>7381741-200.2430A	Matte Black	50
	_	>7381741-200.2780A	Legacy Bronze	78
	-	>7381741-200.2950A	Brushed Nickel	59
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71

Parts Program (Non-Premier) Other seat options

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

List Price Guide 2024-1 AmericanStandard.com

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Round-Front 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim scrubs bowl with each flush
- Chrome trip lever
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2" (51 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- •3" (76 mm) flush valve
- Five-year warranty
 Design coordinates with Edgemere® suite

Nominal Dimensions:

26-3/16 in x 18-7/8 in x 30-5/16 in (665 mm x 479 mm x 769 mm)



Description	Net Wt	SKU	Color	List Price
Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair- Height Round-Front 10 in. Rough Toilet Less Seat	t	204BB104.020	White	345
Separate Components:				
Edgemere® Chair-Height Round-Front Bowl	52 lb 23.6 kg	3519B101.020	White	145
Edgemere® 1.28 gpf/4.8 Lpf 10 in. Rough Tank	27 lb 12.3 kg	4519B104.020	White	167
Edgemere® 10 in. Rough Toilet Tank Cover	8 lb 4.1 kg	735213-400.020	White	66
Left-Hand Trip Lever	0 lb	⊳7381741-200.0020A	Polished Chrome	42
	0.1 kg -	>7381741-200.2430A	Matte Black	50
	_	>7381741-200.2780A	Legacy Bronze	78
	_	⊳7381741-200.2950A	Brushed Nickel	59
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White	65

Parts Program (Non-Premier) Other seat options

H₂Optimum®

Ultra-High Efficiency (1.1 gpf/4.2 Lpf) Toilets



H2Optimum® Two-Piece 1.1 gpf/4.2 Lpf Chair Height Elongated Toilet Less Seat

- Siphonic action combination bowl and tank, less seat
- Ultra-High Efficiency Toilet (UHET) 1.1 gpf/4.2 Lpf
 Meets EPA WaterSense® and MaP PREMIUM criteria
 16-½" (419 mm) rim height
 12" (305 mm) rough-in

- EverClean® Antimicrobial Surface
 PowerWash® rim scrubs bowl with each flush
- 9" x 8" (229 x 203 mm) water surface area
- · Chrome trip lever
- Sanitary dam on bowl
- •2" (51 mm) fully glazed trapway
- Two color-matched bolt caps
- Five-year warranty

Nominal Dimensions:

29-3/4 in x 15 in x 31-1/2 in (755 mm x 381 mm x 800 mm)





List Price Guide 2024-1

Description	Net Wt	SKU	Color	List Price
H2Optimum® Two-Piece 1.1 gpf/4.2 Lpf Chair Height Elongated Toilet Less Seat		288AA114.020	White	389
H2Optimum® Two-Piece 1.1 gpf/4.2 Lpf Chair Height Right-Hand Trip Lever Elongated Toilet Less Seat	_	288AA115.020	White	413
Separate Components:				
H2Option® and H2Optimum® Chair Height Elongated Bowl	45 lb 20.6 kg	3705216.020	White	249
H2Optimum® 1.1 gpf/4.2 Lpf 12-Inch Rough Tank	30 lb	4133A114.020	White	140
H2Optimum® 1.1 gpf/4.2 Lpf 12-Inch Rough Right- Hand Trip Lever Tank	13.9 kg =	4133A115.020	White	164
H2Option® ADA and H2Optimum® 12-Inch Rough Toilet Tank Cover	8 lb 3.9 kg	735177-400.020	White	91
Right-Hand Trip Lever	0 lb 0.2 kg	>7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71

Parts Program (Non-Premier)

Other seat options

H₂Optimum®

Ultra-High Efficiency (1.1 gpf/4.2 Lpf) Toilet



H2Optimum® Two-Piece 1.1 gpf/4.2 Lpf Standard Height Elongated Toilet Less Seat

- Siphonic action combination bowl and tank, less seat
 Ultra-High Efficiency Toilet (UHET) 1.1 gpf/4.2 Lpf
 Meets EPA WaterSense® and MaP PREMIUM criteria

- 12" (305 mm) rough-in
 EverClean® Antimicrobial Surface
 PowerWash® rim scrubs bowl with each flush
- 9" x 8" (229 x 203 mm) water surface area
- · Chrome trip lever
- Sanitary dam on bowl
- 2" (51 mm) fully glazed trapway Two color-matched bolt caps
- Five-year warranty

Nominal Dimensions:

29-3/4 in x 15 in x 30 in (755 mm x 381 mm x 762 mm)





Description	Net Wt	SKU	Color	List Price
H2Optimum® Two-Piece 1.1 gpf/4.2 Lpf Standard Height Elongated Toilet Less Seat		288CA114.020	White	353
Separate Components:				
H2Option® and H2Optimum® Standard Height Elongated Bowl	43 lb 19.6 kg	3706216.020	White	213
H2Optimum® 1.1 gpf/4.2 Lpf 12-Inch Rough Tank	30 lb 13.9 kg	4133A114.020	White	140
H2Option® ADA and H2Optimum® 12-Inch Rough Toilet Tank Cover	8 lb 3.9 kg	735177-400.020	White	91
Optional Components:				
Cardiff [™] Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71

Parts Program (Non-Premier) Other seat options $\stackrel{\cdot}{\text{Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.}}$

H₂Optimum®

Ultra-High Efficiency (1.1 gpf/4.2 Lpf) Toilet




H2Optimum® Two-Piece 1.1 gpf/4.2 Lpf Standard Height Round Front Toilet Less Seat

- Siphonic action combination bowl and tank, less seat
- Ultra-High Efficiency Toilet (UHET) 1.1 gpf/4.2 Lpf
- Meets EPA WaterSense® and MaP PREMIUM criteria
- 12" (305 mm) rough-in
- EverClean® Ántimicrobial Surface
- PowerWash® rim scrubs bowl with each flush
- 9" x 8" (229 x 203 mm) water surface area
- Chrome trip lever
- Sanitary dam on bowl
 2" (51 mm) fully glazed trapway
 Two color-matched bolt caps
- Five-year warranty
- Round Front Toilet

Nominal Dimensions:

27-3/4 in x 15 in x 30 in (704 mm x 381 mm x 762 mm)





Description	Net Wt	SKU	Color	List Price
H2Optimum® Two-Piece 1.1 gpf/4.2 Lpf Standard Height Round Front Toilet Less Seat		288DA114.020	White	289
Separate Components:				
H2Option® and H2Optimum® Standard Height Round Front Bowl	41 lb 19.0 kg	3708216.020	White	149
H2Optimum® 1.1 gpf/4.2 Lpf 12-Inch Rough Tank	30 lb 13.9 kg	4133A114.020	White	140
H2Option® ADA and H2Optimum® 12-Inch Rough Toilet Tank Cover	8 lb 3.9 kg	735177-400.020	White	91
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White	65

Parts Program (Non-Premier) Other seat options Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.



High Efficiency (1.28 gpf/4.8 Lpf) Full FLush - (0.92 gpf/3.5 Lpf) Conserving FlushToilets



H2Option® ADA Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Chair Height Elongated Toilet Less Seat

- Siphonic action dual flush combination bowl and tank, less seat
- High efficiency, low consumption, full flush (1.28 gpf/4.8 Lpf), conserving flush (0.92 gpf/3.5 Lpf)
- Meets EPA WaterSense® and MaP PREMIUM criteria
- 16-1/2" (419 mm) rim height
- 12" (305 mm) rough-in
- EverClean® Antimicrobial Surface
- PowerWash® rim scrubs bowl with each flush
- 9" x 8" (229 x 203 mm) water surface area
- ADA compliant configuration with left-hand trip lever
- Sanitary dam on bowl
- 2" (51 mm) fully glazed trapway
- Two color-matched bolt caps
- Five-year warranty


Nominal Dimensions:

29-3/4 in x 15 in x 31-1/2 in (755 mm x 381 mm x 800 mm)





Description	Net Wt	SKU	Color	List Price
H2Option® ADA Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Chair Height Elongated Toilet Less Seat		2886204.020	White	518
H2Option® ADA Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Chair Height Right-Hand Trip Lever Elongated Toilet Less Seat		2886205.020	White	524
Separate Components:				
H2Option® and H2Optimum® Chair Height Elongated Bowl	45 lb 20.6 kg	3705216.020	White	249
H2Option® ADA Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf 12-Inch Rough Tank	30 lb 13.9 kg	4133A204.020	White	269
H2Option® ADA Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf 12-Inch Rough Right Hand Trip Lever Tank		4133A205.020	White	275
H2Option® ADA and H2Optimum® 12-Inch Rough Toilet Tank Cover	8 lb 3.9 kg	735177-400.020	White	91
Left Hand Trip Lever	0 lb	>7381910-201.0020A	Polished Chrome	30
Right-Hand Trip Lever	- 0.2 kg -	⊳7381910-200.0020A	Polished Chrome	30
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71





High Efficiency (1.28 gpf/4.8 Lpf) Full FLush - (0.92 gpf/3.5 Lpf) Conserving FlushToilets



H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Chair Height Elongated Toilet Less Seat

- Siphonic action dual flush combination bowl and tank, less seat
- High efficiency, low consumption, full flush (1.28 gpf/4.8 Lpf), conserving flush (0.92 gpf/3.5 Lpf)
- Meets EPA WaterSense® and MaP PREMIUM criteria
- 16-1/2" (419 mm) rim height
- 12" (305 mm) rough-in
- EverClean® Antimicrobial Surface
- PowerWash® rim scrubs bowl with each flush
- 9" x 8" (229 x 203 mm) water surface area
- Chrome plated top-mounted push button actuator
- Sanitary dam on bowl
- 2" (51 mm) fully glazed trapway Two color-matched bolt caps

0.92 gpf/3.5 Lpf 12-Inch Rough Tank

H2Option® Dual Flush 1.28 gpf/4.8 Lpf and

0.92 gpf/3.5 Lpf 12-Inch Rough Lined Tank H2Option® Dual Flush 12-Inch Rough Toilet Tank

- Five-year warranty

Nominal Dimensions:

29-3/4 in x 15 in x 31-1/2 in (755 mm x 381 mm x 800 mm)



292

77

Description	Net Wt	SKU	Color	List Price
H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Chair Height Elongated Toilet Less Seat		2886218.020	White	510
H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Chair Height Elongated Toilet With Liner Less Seat		2886518.020	White	541
Separate Components:				
H2Option® and H2Optimum® Chair Height Elongated Bowl	45 lb 20.6 kg	3705216.020	White	249
H2Option® Dual Flush 1.28 gpf/4.8 Lpf and	26 lb	4133A218.020	White	261

4133A518.020

735138-400.020

White

White

Top-of-Tank Actuator, Dual Flush	0 lb 0.1 kg	⊳7381092-201.0020A	Polished Chrome	8
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71

12.2 kg

3.3 kg

Other seat options Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

AmericanStandard.com List Price Guide 2024-1



High Efficiency (1.28 gpf/4.8 Lpf) Full FLush - (0.92 gpf/3.5 Lpf) Conserving FlushToilets



H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Standard Height Elongated Toilet Less Seat

- Siphonic action dual flush combination bowl and tank, less seat
- High efficiency, low consumption, full flush (1.28 gpf/4.8 Lpf), conserving flush (0.92 gpf/3.5 Lpf)
 Meets EPA WaterSense® and MaP PREMIUM criteria
- 12" (305 mm) rough-in
- EverClean® Antimicrobial Surface
- PowerWash® rim scrubs bowl with each flush
- 9" x 8" (229 x 203 mm) water surface area
- Chrome plated top-mounted push button actuator
- Sanitary dam on bowl
- 2" (51 mm) fully glazed trapway
- Two color-matched bolt caps
- Five-year warranty



Nominal Dimensions:

29-3/4 in x 15 in x 30 in (755 mm x 381 mm x 762 mm)



Description	Net Wt	SKU	Color	List Price
H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Standard Height Elongated Toilet Less Seat		2887218.020	White	474
H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Standard Height Elongated Toilet With Liner Less Seat		2887518.020	White	505
Separate Components:				
H2Option® and H2Optimum® Standard Height Elongated Bowl	43 lb 19.6 kg	3706216.020	White	213
H2Option® Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf 12-Inch Rough Tank	26 lb 12.2 kg	4133A218.020	White	261
H2Option® Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf 12-Inch Rough Lined Tank		4133A518.020	White	292
H2Option® Dual Flush 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735138-400.020	White	77
Top-of-Tank Actuator, Dual Flush	0 lb 0.1 kg	>7381092-201.0020A	Polished Chrome	8
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71

Parts Program (Non-Premier) Other seat options Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

H₂Option®

High Efficiency (1.28 gpf/4.8 Lpf) Full FLush - (0.92 gpf/3.5 Lpf) Conserving FlushToilets



H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Standard Height Round Front Toilet Less Seat

- Siphonic action dual flush combination bowl and tank, less seat
- High efficiency, low consumption, full flush (1.28 gpf/4.8 Lpf), conserving flush (0.92 gpf/3.5 Lpf)
 Meets EPA WaterSense® and MaP PREMIUM criteria
- 12" (305 mm) rough-in
- EverClean® Ántimicrobial Surface
- PowerWash® rim scrubs bowl with each flush
- 9" x 8" (229 x 203 mm) water surface area
- · Chrome plated top-mounted push button actuator

- Sanitary dam on bowl

 's anitary dam on bowl

 's " (51 mm) fully glazed trapway

 Two color-matched bolt caps
- Five-year warranty



Nominal Dimensions:

27-3/4 in x 15 in x 30 in (704 mm x 381 mm x 762 mm)

Description	Net Wt	SKU	Color	List Price
H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Standard Height Round Fron Toilet Less Seat	t	2889218.020	White	410
H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Standard Height Round Fron Toilet With Liner Less Seat	t	2889518.020	White	441
Separate Components:				
H2Option® and H2Optimum® Standard Height Round Front Bowl	41 lb 19.0 kg	3708216.020	White	149
H2Option® Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf 12-Inch Rough Tank	26 lb 12.2 kg	4133A218.020	White	261
H2Option® Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf 12-Inch Rough Lined Tank		4133A518.020	White	292
H2Option® Dual Flush 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735138-400.020	White	77
Top-of-Tank Actuator, Dual Flush	0 lb 0.1 kg	>7381092-201.0020A	Polished Chrome	8
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White	65

Parts Program (Non-Premier) Other seat options Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Heritage® VorMax®

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Heritage® VorMax® Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet less Seat

- Two patented flush valves and maximum rinsing power for the cleanest flush*
- · Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- · Classic American traditional styling
- CleanCurve® rim eliminates rim area where dirt and build-up hide
- 16-1/2" (419 mm) rim height for accessible applications
- 2-1/16" (52 mm) trapway
- Dual injection flush valves
- Chrome trip lever
 Two color-matched bolt caps
- 10-year warranty
- Design coordinates with Retrospect® suite

Nominal Dimensions:

30-1/4 in x 19-3/4 in x 30-13/16 in (768 mm x 501 mm x 782 mm)



Description	Net Wt	SKU	Color	List Price
Heritage® VorMax® Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet less Seat		205AA104.020	White	515
Separate Components:				
Heritage® VorMax® Chair Height Elongated Bowl	58 lb 26.3 kg	3870A101.020	White	262
Heritage VorMax 1.28 gpf/4.8 Lpf 12-Inch Rough Tank Only	32 lb 14.5 kg	4270A104.020	White	253
Heritage Vormax 12-in. Rough-In Toilet Tank Cover	8 lb 3.5 kg	735203-410.020	White	111
Left-Hand Trip Lever	0 lb 0.2 kg -	>7381459-200.0020A	Polished Chrome	74
		>7381459-200.0130A	Polished Nickel	80
	_	>7381459-200.2240A	Oil Rubbed Bronze	119
	_	>7381459-200.2780A	Legacy Bronze	110
	_	>7381459-200.2950A	Brushed Nickel	91
Optional Components:				
Traditional Slow-Close & Easy Lift-Off Elongated Toilet Seat	7 lb 3.0 kg	5020A65G.020	White	131
Cadet® 3 Slow-Close Elongated Toilet Seat	4 lb 2.0 kg	5350110.020	White	81

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements. *Compared to American Standard Champion toilets.

Parts Program (Non-Premier)

Portsmouth® Champion® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Portsmouth® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator™ flush valve
- 2-3/8" (60 mm) fully-glazed trapway
- 16-1/2" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- 10-year warranty
- Design coordinates with Portsmouth® suite of fixtures

Nominal Dimensions:

30-1/4 in x 16-5/8 in x 31-1/8 in (768 mm x 422 mm x 790 mm)



Description	Net Wt	SKU	Color	List Price
Portsmouth® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat		213AA104.020	White	630
Separate Components:				
Champion® PRO Chair Height Elongated Bowl	57 lb 25.9 kg	3195A101.020	White	303
Portsmouth® Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	30 lb 14.0 kg	4327A104.020	White	327
Portsmouth® Champion® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.5 kg	735202-400.020	White	103
Left-Hand Trip Lever	0 lb	>7381406-200.0020A	Polished Chrome	46
	0.3 kg -	>7381406-200.2240A	Oil Rubbed Bronze	94
	-	⊳7381406-200.2950A	Brushed Nickel	67
Optional Components:				
Traditional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5020A65G.020	White	131
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb 1.6 kg	5321A65CT.020	White	98

 \triangleright Parts Program (Non-Premier) Other seat options

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

AmericanStandard.com

Portsmouth® Champion® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Portsmouth® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet

- Combination bowl and tank, less seat
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface

- •4" (102 mm) piston-action Accelerator™ flush valve
 •2-3/8" (60 mm) fully-glazed trapway
 •16-½" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- 10-year warranty
- Design coordinates with Portsmouth suite of fixtures and faucets
- Round Front Toilet Less Seat

Nominal Dimensions:

28-1/4 in x 16-5/8 in x 31-1/8 in (717 mm x 422 mm x 790 mm)



Description	Net Wt	SKU	Color	List Price
Portsmouth® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet		213BA104.020	White	574
Separate Components:				
Champion® PRO Chair Height Round Front Bowl	57 lb 25.9 kg	3195B101.020	White	247
Portsmouth® Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	30 lb 14.0 kg	4327A104.020	White	327
Portsmouth® Champion® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.5 kg	735202-400.020	White	103
Left-Hand Trip Lever	0 lb	⊳7381406-200.0020A	Polished Chrome	46
	0.3 kg -	>7381406-200.2240A	Oil Rubbed Bronze	94
	_	>7381406-200.2950A	Brushed Nickel	67
Optional Components:				
Champion® Slow-Close & Easy Lift-Off Round Front Toilet Seat	3 lb 1.4 kg	5320B65CT.020	White	83

Parts Program (Non-Premier) Other seat options

Portsmouth® Champion® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Portsmouth® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
 High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator™ flush valve
- 2-3/8" (60 mm) fully-glazed trapway
- 12" (305 mm) rough-in
- 10-year warranty
- Design coordinates with Portsmouth® suite of fixtures

Nominal Dimensions:

30-1/4 in x 16-5/8 in x 29-3/8 in (768 mm x 422 mm x 746 mm)



Description	Net Wt	SKU	Color	List Price
Portsmouth® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet Less Seat		213CA104.020	White	587
Separate Components:				
Champion® PRO Standard Height Elongated Bowl	55 lb 25.1 kg	3195C101.020	White	260
Portsmouth® Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	30 lb 14.0 kg	4327A104.020	White	327
Portsmouth® Champion® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.5 kg	735202-400.020	White	103
Left-Hand Trip Lever	0 lb	>7381406-200.0020A	Polished Chrome	46
	0.3 kg -	⊳7381406-200.2240A	Oil Rubbed Bronze	94
	_	>7381406-200.2950A	Brushed Nickel	67
Optional Components:				
Traditional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5020A65G.020	White	131
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb 1.6 kg	5321A65CT.020	White	98

Other seat options Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Retrospect® Champion® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Retrospect Champion PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet less Seat

- Combination bowl and tank, less seat
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface

- 4" (102 mm) piston-action Accelerator™ flush valve 2-3/8" (60 mm) fully-glazed trapway 16-½" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- 10-year warranty
- Design coordinates with Retrospect® console table and pedestal sink

Nominal Dimensions:

30-1/4 in x 19-3/4 in x 31-1/2 in (768 mm x 501 mm x 800 mm)



Description	Net Wt	SKU	Color	List Price
Retrospect Champion PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet less Seat		212AA104.020	White	620
Separate Components:				
Champion® PRO Chair Height Elongated Bowl	57 lb 25.9 kg	3195A101.020	White	303
Retrospect® Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	32 lb 14.7 kg	4326A104.020	White	317
Retrospect® Champion® PRO 12-Inch Rough Toilet Tank Cover	9 lb 4.2 kg	735201-400.020	White	103
Left-Hand Trip Lever	0 lb 0.3 kg -	>7381406-200.0020A	Polished Chrome	46
	0.3 kg -	>7381406-200.2240A	Oil Rubbed Bronze	94
	_	>7381406-200.2950A	Brushed Nickel	67
Optional Components:				
Traditional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5020A65G.020	White	131
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb 1.6 kg	5321A65CT.020	White	98

Parts Program (Non-Premier) Other seat options

Retrospect® Champion® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Retrospect® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet

- Combination bowl and tank, less seat
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface

- 4" (102 mm) piston-action Accelerator™ flush valve
 •2-3/8" (60 mm) fully-glazed trapway
 •16-½" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- 10-year warranty
 Design coordinates with Retrospect console table and pedestal sink

Nominal Dimensions:

28-1/4 in x 19-3/4 in x 31-1/2 in (717 mm x 501 mm x 800 mm)



Description	Net Wt	SKU	Color	List Price
Retrospect® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet		212BA104.020	White	564
Separate Components:				
Champion® PRO Chair Height Round Front Bowl	57 lb 25.9 kg	3195B101.020	White	247
Retrospect® Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	32 lb 14.7 kg	4326A104.020	White	317
Retrospect® Champion® PRO 12-Inch Rough Toilet Tank Cover	9 lb 4.2 kg	735201-400.020	White	103
Left-Hand Trip Lever	0 lb	⊳7381406-200.0020A	Polished Chrome	46
	0.3 kg -	>7381406-200.2240A	Oil Rubbed Bronze	94
	_	⊳7381406-200.2950A	Brushed Nickel	67
Optional Components:				
Champion® Slow-Close & Easy Lift-Off Round Front Toilet Seat	3 lb 1.4 kg	5320B65CT.020	White	83

Parts Program (Non-Premier)

Retrospect® Champion® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Retrospect Champion PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet less Seat

- Combination bowl and tank, less seat
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- •4" (102 mm) piston-action Accelerator™ flush valve
 •2-3/8" (60 mm) fully-glazed trapway
- 12" (305 mm) rough-in
- 10-year warranty
- Design coordinates with Retrospect® suite of fixtures and faucets

Nominal Dimensions:

30-1/4 in x 19-3/4 in x 30 in (768 mm x 501 mm x 762 mm)



Description	Net Wt	SKU	Color	List Price
Retrospect Champion PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet less Seat		212CA104.020	White	577
Separate Components:				
Champion® PRO Standard Height Elongated Bowl	55 lb 25.1 kg	3195C101.020	White	260
Retrospect® Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	32 lb 14.7 kg	4326A104.020	White	317
Retrospect® Champion® PRO 12-Inch Rough Toilet Tank Cover	9 lb 4.2 kg	735201-400.020	White	103
Left-Hand Trip Lever	0 lb	>7381406-200.0020A	Polished Chrome	46
	0.3 kg -	⊳7381406-200.2240A	Oil Rubbed Bronze	94
	_	>7381406-200.2950A	Brushed Nickel	67
Optional Components:				
Traditional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5020A65G.020	White	131
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb 1.6 kg	5321A65CT.020	White	98

Parts Program (Non-Premier) Other seat options Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Studio® S Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- LXP® (Luxury Performance) toilet
- Combination bowl and tank, with seat
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl with smooth-sided, concealed trapway
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- Contemporary styling
- PowerWash® rim scrubs bowl with each flush
- 16-1/2" (419 mm) rim height for accessible applications
- 2-1/8" (54 mm) trapway
- •3" (76 mm) flush valve
- Chrome trip lever matches Studio S faucets and accessories
- Includes slow-close seat and cover with easy lift-off feature
- Two color-matched bolt hole covers
- 10-year warranty
- Design coordinates with Studio® S suite

Nominal Dimensions:

28 in x 18-7/8 in x 31 in (711 mm x 479 mm x 787 mm)



List Price Guide 2024-1

Description	Net Wt	SKU	Color	List Price
Studio® S Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat		226AA104.020	White	723
Studio [®] S Concealed Trapway 1.28 gpf/4.8 Lpf Right-Hand Trip Lever Chair Height Elongated Toilet With Slow Close Seat	_	226AA105.020	White	728
Separate Components:				
Studio® S Concealed Trapway Chair Height Elongated Toilet Bowl With Seat	80 lb 36.3 kg	3712A100.020	White	561
Studio® S Concealed Trapway 1.28 gpf Toilet Tank		4162A104.020	White	162
Studio® S Concealed Trapway 1.28 gpf Toilet Tank With Right-Hand Trip Lever	11.8 kg	4162A105.020	White	167
Studio® S 12-Inch Rough-In Toilet Tank Cover	7 lb 3.2 kg	735230-400.020	White	76
Left-Hand Trip Lever	0 lb	>7381920-200.0020A	Polished Chrome	30
	0.2 kg -	⊳7381920-200.2430A	Matte Black	58
	_	>7381920-200.2950A	Brushed Nickel	52

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

AmericanStandard.com

High Efficiency (1.6 gpf/6.0 Lpf) Full FLush - (1.1 gpf/4.2 Lpf) Conserving FlushToilet



Studio® Skirted Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair Height Elongated Toilet With Seat

- LXP® (Luxury Performance) toilet
- Combination dual flush bowl and tank, with seat
- Siphon action jetted bowl with smooth-sided, concealed trapway
- 12" (305 mm) rough-in
- High efficiency, low consumption, full flush (1.6 gpf/6.0 Lpf), conserving flush (1.1 gpf/4.2 Lpf), utilizes 31% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- PowerWash® rim scrubs bowl with each flush
- 16-1/2" (419 mm) rim height
- 2-1/8" (54 mm) fully glazed trapway
- 3" (76 mm) flush valve
- 9" x 8" (229 x 203 mm) water surface area
- Includes slow-close seat and cover with concealed seat ring and easy lift-off feature
- Chrome plated top-mounted push button actuator
- Two color-matched bolt hole covers
- Five-year warranty, one-year warranty on seat
- Design coordinates with Studio® lavatories

Nominal Dimensions:

30-1/4 in x 15-3/4 in x 30-3/4 in (768 mm x 400 mm x 781 mm)



Description	Net Wt	SKU	Color	List Price
Studio® Skirted Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair Height Elongated Toilet With Seat		2794204.020	White	680
Separate Components:				
Studio® Skirted Chair Height Elongated Bowl With Seat	72 lb 33.1 kg	3075120.020	White	517
Studio® Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf 12-Inch Rough Tank	29 lb 13.3 kg	4000204.020	White	163
Studio® Dual Flush 12-Inch Rough Toilet Tank Cover	10 lb 4.5 kg	735168-400.020	White	74
Telescoping Slow-Close Easy Lift-Off Elongated Toilet Seat	4 lb 2.0 kg	5025A65G.020	White	131
Top Mount Dual Flush Push Button	0 lb 0.1 kg	>7381203-201.0070A	No Finish	15

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.6 gpf/6.0 Lpf) Full FLush - (1.1 gpf/4.2 Lpf) Conserving FlushToilet



Studio Skirted Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair Height Round Front Toilet With Seat

- LXP® (Luxury Performance) toilet
- Combination dual flush bowl and tank, with seat
- · Siphon action jetted bowl with smooth-sided, concealed trapway
- 12" (305 mm) rough-in
- High efficiency, low consumption, full flush (1.6 gpf/6.0 Lpf), conserving flush (1.1 gpf/4.2 Lpf), utilizes 31% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- PowerWash® rim scrubs bowl with each flush
- 16-1/2" (419 mm) rim height
- •2-1/8" (54 mm) fully glazed trapway
- 3" (76 mm) flush valve
- 9" x 8" (229 x 203 mm) water surface area
- Includes slow-close seat and cover with concealed seat ring and easy lift-off feature for simple removal and reattachment for cleaning
- Chrome plated top-mounted push button actuator
- Two color-matched bolt hole covers
- Five-year warranty, one-year warranty on seat
- Design coordinates with Studio lavatories

Nominal Dimensions:

28-1/4 in x 15-3/4 in x 30-3/4 in (717 mm x 400 mm x 781 mm)



Description	Net Wt	SKU	Color	List Pric
Studio Skirted Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair Height Round Front Toilet With Seat		2795204.020	White	648
Separate Components:				
Studio® Skirted Chair Height Round Front Bowl With Seat	68 lb 31.1 kg	3053120.020	White	485
Studio® Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf 12-Inch Rough Tank	29 lb 13.3 kg	4000204.020	White	163
Studio [®] Dual Flush 12-Inch Rough Toilet Tank Cover	10 lb 4.5 kg	735168-400.020	White	74
Telescoping Slow-Close & Easy Lift-Off Round Front Toilet Seat	4 lb 1.9 kg	5025B65G.020	White	120
Top Mount Dual Flush Push Button	0 lb 0.1 kg	>7381203-201.0070A	No Finish	15

 \triangleright Parts Program (Non-Premier)

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

AmericanStandard.com List Price Guide 2024-1

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Town Square® S Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- LXP® (Luxury Performance) toilet
- Combination bowl and tank, with seat
- 12" (305 mm) rough-in
- · Chair Height elongated siphon action bowl with smooth-sided, concealed trapway
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- Classic American traditional styling
- PowerWash® rim scrubs bowl with each flush
- 16-1/2" (419 mm) rim height for accessible applications
- 2-1/8" (54 mm) trapway
- 3" (76 mm) flush valve
- Chrome trip lever matches Town Square® S faucets and accessories
- Includes slow-close seat and cover with easy lift-off feature
- Two color-matched bolt hole covers
- 10-year warranty
- Design coordinates with Town Square® S suite

Nominal Dimensions:

30-1/4 in x 16-5/8 in x 31 in (768 mm x 422 mm x 787 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S Skirted Two-Piece		281AA104.020	White	799
1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat	-	281AA104.222	Linen	1,001
Separate Components:				
Town Square® S Skirted Chair Height Elongated Bowl With Seat	83 lb	3851A101.020	White	431
	37.7 kg	3851A101.222	Linen	540
Town Square® S 1.28 gpf/4.8 Lpf 12-Inch Rough	28 lb	4216228.020	White	368
Tank	12.9 kg	4216228.222	Linen	461
Town Square® S 12-Inch Rough Toilet Tank Cover	9 lb 4.3 kg	735219-400.020	White	114
		735219-400.222	Linen	141
Traditional Slow-Close & Easy Lift-Off Elongated	6 lb	5020A65G.020	White	131
Toilet Seat	3.0 kg	5020A65G.222	Linen	162
Left-Hand Trip Lever	0 lb	⊳7381105-0020A	Polished Chrome	44
	0.3 kg -	⊳7381105-0130A	Polished Nickel	58
	-	>7381105-2240A	Oil Rubbed Bronze	109
		⊳7381105-2780A	Legacy Bronze	72
	_	⊳7381105-2950A	Brushed Nickel	63

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Town Square® S Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat

- LXP® (Luxury Performance) toilet
- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl with exposed trapway
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- PowerWash® rim scrubs bowl with each flush
- 16-½" (419 mm) rim height for accessible applications
 2-1/8" (54 mm) trapway
- 3" (76 mm) flush valve
- Chrome trip lever supplied
 Includes EZ-Install tools and two color-matched bolt caps
- 10-year warranty
- Design coordinates with Town Square® S suite of fixtures and faucets

Nominal Dimensions:

29-3/4 in x 16-5/8 in x 31 in (755 mm x 422 mm x 787 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat		2917228.020	White	641
Separate Components:				
Town Square® S Chair Height Elongated Bowl	60 lb 27.4 kg	3271101.020	White	273
Town Square® S 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	28 lb 12.9 kg	4216228.020	White	368
Town Square® S 12-Inch Rough Toilet Tank Cover	9 lb 4.3 kg	735219-400.020	White	114
Left-Hand Trip Lever	0 lb	⊳7381105-0020A	Polished Chrome	44
	0.3 kg -	⊳7381105-0130A	Polished Nickel	58
	_	⊳7381105-2240A	Oil Rubbed Bronze	109
	_	⊳7381105-2780A	Legacy Bronze	72
	_	⊳7381105-2950A	Brushed Nickel	63
Optional Components:				
Traditional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5020A65G.020	White	131

Parts Program (Non-Premier)

Triangle Cadet® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Triangle Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet

- Combination bowl and tank, less seat
- Provides corner toilet installation solution
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 12" (305 mm) rough-in
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- •3" (76 mm) flush valve
- Color-matched trip lever
- Five-year warranty

Nominal Dimensions:

35-3/16 in x 19-3/8 in x 32-1/16 in (893 mm x 492 mm x 814 mm)



Description	Net Wt	SKU	Color	List Price
Triangle Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet		216AD104.020	White	550
Separate Components:				
Cadet® PRO Chair Height Elongated Toilet Bowl Only	55 lb 25.0 kg	3517A101.020	White	264
* Triangle Cadet® PRO 1.28 gpf /4.8 Lpf Triangle Tank	37 lb 16.8 kg	4189D104.020	White	286
* Triangle Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735143-400.020	White	117
Left-Hand Trip Lever	0 lb 0.0 kg	>7381297-200.0200A	White	17
Optional Components:				
Cardiff [™] Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71

Parts Program (Non-Premier)

^{*} Tank and tank cover only are Premier

Triangle Cadet® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Triangle Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet

- Combination bowl and tank, less seat
 Provides corner toilet installation solution
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim scrubs bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 12" (305 mm) rough-in
- •2-1/8" (54 mm) fully glazed trapway •9" x 8" (229 x 203 mm) water surface area •3" (76 mm) flush valve
- Color-matched trip lever
- · Five-year warranty

Nominal Dimensions:

33-3/16 in x 19-3/8 in x 32-1/16 in (842 mm x 492 mm x 814 mm)



Description	Net Wt	SKU	Color	List Price
Triangle Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet		216BD104.020	White	533
Separate Components:				
Cadet® PRO Chair Height Round Front Bowl	52 lb 23.9 kg	3517B101.020	White	247
* Triangle Cadet® PRO 1.28 gpf /4.8 Lpf Triangle Tank	37 lb 16.8 kg	4189D104.020	White	286
* Triangle Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735143-400.020	White	117
Left-Hand Trip Lever	0 lb 0.0 kg	>7381297-200.0200A	White	17
Optional Components:				
Cardiff [™] Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White	65

Parts Program (Non-Premier)

^{*} Tank and tank cover only are Premier



Ultra-High Efficiency (1.0 gpf/3.8 Lpf) Toilets



VorMax® Two-Piece 1.0 gpf/3.8 Lpf Chair Height Elongated Toilet Less Seat

- Two patented flush valves and maximum rinsing power for the cleanest flush*
- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl
- Ultra-high efficiency toilet (UHET) 1.0 gpf/3.8 Lpf
- Meets EPA WaterSense® and MaP Premium criteria
- EverClean® Antimicrobial Surface
- Transitional styling
- CleanCurve® rim eliminates rim area where dirt and build-up hide
- 16-1/2" (419 mm) rim height for accessible applications
- 2-1/16" (52 mm) trapway
- Dual injection flush valves
- Chrome trip leverTwo color-matched bolt caps
- 10-year warranty



Nominal Dimensions:

30-3/16 in x 17-7/8 in x 32-1/4 in (766 mm x 454 mm x 819 mm)

Description	Net Wt	SKU	Color	List Price
VorMax® Two-Piece 1.0 gpf/3.8 Lpf Chair Height Elongated Toilet Less Seat		238AA114.020	White	504
Separate Components:				
VorMax® Chair Height Elongated Bowl	57 lb 25.9 kg	3385A101.020	White	262
VorMax® 1.0 gpf/3.8 Lpf 12-Inch Rough Tank Only	36 lb 16.5 kg	4385A114.020	White	242
VorMax® 12-Inch Rough Toilet Tank Cover	8 lb 3.6 kg	735216-400.020	White	111
Left-Hand Trip Lever	0 lb	>7381740-200.0020A	Polished Chrome	73
	0.1 kg	>7381740-200.0130A	Polished Nickel	80
	_	>7381740-200.2780A	Legacy Bronze	107
	_	>7381740-200.2950A	Brushed Nickel	86
Optional Components:				
Contemporary Slow-Close & Easy Lift-Off Elongated Toilet Seat for VorMax® CleanCurve® Style Rims	3 lb 1.7 kg	5055A65C.020	White	108

Parts Program (Non-Premier)

^{*}Compared to American Standard Champion toilets.



High Efficiency (1.28 gpf/4.8 Lpf) Toilet



VorMax® Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat

- Two patented flush valves and maximum rinsing power for the cleanest flush*
- Combination bowl and tank, less seat
 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl
 High efficiency toilet (HET) 1.28 gpf/4.8 Lpf
- Meets EPA WaterSense®
- EverClean® Antimicrobial Surface
- Transitional styling
- CleanCurve® rim eliminates rim area where dirt and build-up hide
- 16-1/2" (419 mm) rim height for accessible applications
- 2-1/16" (52 mm) trapway
- Dual injection flush valves
- Chrome trip lever
 Two color-matched bolt caps
- 10-year warrantyMeets MaP Premium criteria

Nominal Dimensions:

30-3/16 in x 17-7/8 in x 32-1/4 in (766 mm x 454 mm x 819 mm)



Description	Net Wt	SKU	Color	List Price
VorMax® Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat		238AA104.020	White	504
Separate Components:				
VorMax® Chair Height Elongated Bowl	57 lb 25.9 kg	3385A101.020	White	262
VorMax® 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	36 lb 16.7 kg	4385A104.020	White	242
VorMax [®] 12-Inch Rough Toilet Tank Cover	8 lb 3.6 kg	735216-400.020	White	111
Left-Hand Trip Lever	0 lb	>7381740-200.0020A	Polished Chrome	73
	0.1 kg -	>7381740-200.0130A	Polished Nickel	80
	_	>7381740-200.2780A	Legacy Bronze	107
	_	⊳7381740-200.2950A	Brushed Nickel	86
Optional Components:				
Contemporary Slow-Close & Easy Lift-Off Elongated Toilet Seat for VorMax® CleanCurve® Style Rims	3 lb 1.7 kg	5055A65C.020	White	108

Parts Program (Non-Premier)

^{*}Compared to American Standard Champion toilets.





Cadet® Three-Hole Deck Mount Fitting Bidet Bowl

- Integral overflow
- Two color-matched bolt caps

- For through-the-floor outlet
 Design-matched to Cadet® and Champion® toilets
 For deck mount fitting only: flushing rim and vertical cleansing spray
 Suggested bidet fitting (not included): Serin® 2064401.002

Nominal Dimensions:

25-3/4 in x 15-3/8 in x 14-7/8 in (654 mm x 390 mm x 377 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® Three-Hole Deck Mount Fitting Bidet Bowl	42 lb 19.1 kg	5023100.020	White	665
Optional Components:				
Serin® Fixture-Mounted Bidet Fitting	8 lb 4.1 kg	2064401.002	Polished Chrome	766



Cadet® Monoblock Deck Mount Fitting Bidet Bowl

- Integral overflow
- Two color-matched bolt caps
- For through-the-floor outlet
- Design-matched to Cadet® and Champion® toilets

Nominal Dimensions:

25-3/4 in x 15-3/8 in x 14-7/8 in (654 mm x 390 mm x 377 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® Monoblock Deck Mount Fitting Bidet Bowl	42 lb 19.1 kg	5023111.020	White	276
Optional Components:				
Serin® Monoblock Bidet Fitting	5 lb 2.3 kg	2064011.002	Polished Chrome	363

Dual Flush (1.32 - 0.92 gpf/4.9 - 3.4 Lpf) Toilet



Advanced Clean® 100 1.32 gpf/4.9 Lpf and 0.92 gpf/3.4 Lpf SpaLet® Bidet Toilet

- Independent self-cleaning dual nozzles for effective front and back cleansing
 Automatic open/slow-close lid and seat for touchless experience
 Warm air dryer with three adjustable temperature reduces the need for toilet paper
- Adjustable, automatic flush setting (off, 2, 6, 10, 15 second delay options)
- Heated seat with five adjustable temperature for added comfort
- Adjustable water controls: water pressure of six levels plus a massage, oscillation and mild spray feature
- Adjustable water temperature of five temperature levels
- Deodorizer: Air Shield, Room Refresh and Blue Light technology cleans the air in and around the bowl
- Soft night light guides you at night
- External manual flush button
- Nozzle Shutter keeps nozzles clean and hygienic
- Eco-friendly one-touch power save mode
- Intuitive remote control for easy operation
- In-line easy to access water strainer
- ADA compliant
- WaterSense® dual flush 1.32 0.92 gpf /4.9 3.4 Lpf
- Power Stream Flush: Double vortex flush with siphon jet
- Three-year warranty

Nominal Dimensions:

25-1/6 in x 14-3/4 in x 20-5/8 in (639 mm x 374 mm x 523 mm)



Description	Net Wt	SKU	Color	List Price
Advanced Clean® 100 1.32 gpf/4.9 Lpf and 0.92 gpf/3.4 Lpf SpaLet® Bidet Toilet		297AA204-291	Alabaster White	4,568
Separate Components:				
Advanced Clean 100 SpaLet Bidet Toilet Bowl	46 lb 21.1 kg	3970A101-291	Alabaster White	1,112
Advanced Clean 100 SpaLet Bidet Toilet Seat Unit	15 lb 7.1 kg	8017A60GRC-291	Alabaster White	3,456

List Price Guide 2024-1 AmericanStandard.com



Advanced Clean® 1.0 Electric SpaLet® Bidet Seat With Side Panel Operation

- Independent self-cleaning dual nozzles for effective front and back cleansing
- Adjustable heated seat: three pre-set and two additional temperature levels for added comfort
- Adjustable water controls: water pressure of three pre-set and two additional levels plus a massage and oscillation spray feature
- Adjustable water temperature of three pre-set and two additional temperature levels
- Active charcoal deodorizer reduces odors in the bowl
- "No Slam" slow-close seat and lid for user convenience
- One-push removable seat for easier cleaning of the seat and bowl
- Nozzle Shutter keeps nozzles clean and hygienic
- Eco-friendly one-touch power save mode
- Intuitive side panel remote control for easy operation
- 6-13/16" (173 mm) seat height
- Includes mounting hardware, water supply hose and seat
- Fits most conventional elongated toilets
- · Removable nozzle tips for additional cleaning

Nominal Dimensions:

21-1/8 in x 18-3/8 in x 6-13/16 in (536 mm x 466 mm x 173 mm)



Description	Net Wt	SKU	Color	List Price
Advanced Clean® 1.0 Electric SpaLet® Bidet Seat With Side Panel Operation	9 lb 4.1 kg	8013A80GPC-020	White	562
Separate Components:				
Mounting Kit Advanced Clean Bidet Seats	0 lb 0.2 kg	>760241-200.0070A	No Finish	32



Advanced Clean® 2.0 Electric SpaLet® Bidet Seat With Remote Operation

- Independent self-cleaning dual nozzles for effective front and back cleansing
- Heated seat with five adjustable temperature for added comfort
- · Adjustable water controls: water pressure of six levels plus a massage and oscillation spray feature
- Adjustable water temperature of five temperature levels
- Active charcoal deodorizer reduces odors in the bowl
- "No Slam" slow-close seat and lid for user convenience
- One-push removable seat for easier cleaning of the seat and bowl
- Nozzle shutter keeps nozzles clean and hygienic
- Eco-friendly one-touch power save mode
- Intuitive remote control for easy operation
- 6-13/16" (173 mm) seat height
- Includes mounting hardware, water supply hose and seat
- Fits most conventional elongated toilets
- Removable nozzle tips for additional cleaning

Nominal Dimensions:

21-1/8 in x 17-3/16 in x 6-13/16 in (536 mm x 436 mm x 173 mm)



Description	Net Wt	SKU	Color	List Price
Advanced Clean® 2.0 Electric SpaLet® Bidet Seat With Remote Operation	9 lb 4.4 kg	8012A80GRC-020	White	680
Separate Components:				
Mounting Kit Advanced Clean Bidet Seats	0 lb 0.2 kg	⊳760241-200.0070A	No Finish	32



Advanced Clean® 2.5 Electric SpaLet® Bidet Seat With Remote Operation

- Independent self-cleaning dual nozzles for effective front and back cleansing
- · Instant heating ensures constant availability of warm water
- Warm air dryer with three adjustable temperature reduces the need for toilet paper
- · Heated seat with five adjustable temperature for added comfort
- Adjustable water controls: water pressure of six levels plus a massage and oscillation spray feature
- Adjustable water temperature of five temperature levels
- Active charcoal deodorizer reduces odors in the bowl
- Soft night light guides you at night
- "No Slam" slow-close seat and lid for user convenience
- One-push removable seat for easier cleaning of the seat and bowl
- Nozzle Shutter keeps nozzles clean and hygienic
- Eco-friendly one-touch power save mode
- Intuitive remote control for easy operation
- Slim 5-1/2" (140 mm) seat height
- Includes mounting hardware, water supply hose and seat
- Fits most conventional elongated toilets
- · Removable nozzle tips for additional cleaning

Nominal Dimensions:

21-1/8 in x 17 in x 5-1/2 in (536 mm x 431 mm x 139 mm)



Description	Net Wt	SKU	Color	List Price
Advanced Clean® 2.5 Electric SpaLet® Bidet Seat With Remote Operation	16 lb 7.6 kg	8012A60GRC-020	White	1,096
Separate Components:				
Mounting Kit Advanced Clean Bidet Seats	0 lb 0.2 kg	>760241-200.0070A	No Finish	32



Advanced Clean® 3.0 Electric SpaLet® Bidet Seat With Remote Operation

- Independent self-cleaning dual nozzles for effective front and back cleansing
- · Instant heating ensures constant availability of warm water
- Warm air dryer with three adjustable temperature reduces the need for toilet paper
- Heated seat with five adjustable temperature for added comfort
- · Adjustable water controls: water pressure of six levels plus a massage, oscillation and mild spray feature
- Adjustable water temperature of five temperature levels
- Air Shield Deodorizer deodorizes odor in the bowl
- "No Slam" slow-close seat and lid for user
- Pre-mist wets the bowl surface to reduce waste build-up
- One-push removable seat for easier cleaning of the seat and bowl
- Nozzle Shutter keeps nozzles clean and hygienic
- Eco-friendly one-touch power save mode • Intuitive remote control for easy operation
- Ultra slim 4-1/16" (104 mm) seat height
- · Includes mounting hardware, water supply hose and seat
- Fits most conventional elongated toilets
- Removable nozzle tips for additional cleaning

Nominal Dimensions:

21-5/16 in x 16-1/4 in x 4-1/16 in (541 mm x 412 mm x 103 mm)



Description	Net Wt	SKU	Color	List Price
Advanced Clean® 3.0 Electric SpaLet® Bidet Seat With Remote Operation	11 lb 5.3 kg	8018A60GRC-020	White	1,818
Separate Components:				
Mounting Kit	0 lb 0.4 kg	>760287-401.0070A	No Finish	138



AquaWash® Slim Non-Electric SpaLet® Bidet Seat With Manual Operation

- Non-electric bidet feature with adjustable spray volume
- Independent self-cleaning dual nozzles for effective front and back cleansing
- Slim 2-3/16 (55 mm) seat height
- "No Slam" slow-close seat and lid for user convenience
- One-push removable seat for easier cleaning of the seat and bowl
- "Nozzle Shutter" keeps nozzles clean and hygienic
- Removable nozzle tips for additional cleaning
- Ergonomically designed handle for intuitive operation
- Includes mounting hardware, water supply hose and seat
- Fits most conventional elongated toilets

Nominal Dimensions:

19-5/16 in x 14-9/16 in x 2-3/16 in (490 mm x 369 mm x 55 mm)



Description	Net Wt	SKU	Color	List Price
AquaWash® Slim Non-Electric SpaLet® Bidet Seat With Manual Operation	4 lb 2.0 kg	8033A65G.020	White	229
Separate Components:				
AquaWash® Slim Seat Mounting Kit	0 lb 0.1 kg	>760-06-0046.0070A	No Finish	17



AquaWash® 1.0 Non-Electric SpaLet® Bidet Seat With Manual Operation

- Non-electric bidet feature with adjustable spray volume
- Independent self-cleaning dual nozzles for effective front and back cleansing
- "No Slam" slow-close seat and lid for user convenience
- One-push removable seat for easier cleaning of the seat and bowl
- Manual side lever: easy to operate
- •2-7/16" (62 mm) seat height
- · Seamless telescoping lid design to conceal the seat ring
- Includes mounting hardware, water supply hose and seat
- Fits most conventional elongated toilets
- · Removable nozzle tips for additional cleaning

Nominal Dimensions:

19-11/16 in x 14-9/16 in x 2-7/16 in (500 mm x 369 mm x 61 mm)



Description	Net Wt	SKU	Color	List Price
AquaWash® 1.0 Non-Electric SpaLet® Bidet Seat With Manual Operation	4 lb 2.0 kg	5900A05GT.020	White	146
Separate Components:				
Mounting Kit Aquawash Spalet Seats	0 lb 0.1 kg	>760242-200.0070A	No Finish	32



AquaWash® 2.0 Electric SpaLet® Bidet Seat With Manual Operation

- Independent self-cleaning dual nozzles for effective front and back cleansing
- Instant heating ensures constant availability of warm water
- Heated seat with two adjustable temperature for added comfort
- Adjustable water temperature of two temperature levels
- Soft night light guides you at night
- "No Slam" slow-close seat and lid for user convenience
- One-push removable seat for easier cleaning of the seat and bowl
- Manual side lever: easy to operate
- Ultra low 3-3/4" (95 mm) seat height
- Seamless telescoping lid design to conceal the seat ring
- Includes mounting hardware, water supply hose and seat
- Fits most conventional elongated toilets
- Removable nozzle tips for additional cleaning

Nominal Dimensions:

20 in x 14-3/4 in x 3-3/4 in (508 mm x 374 mm x 95 mm)



Description	Net Wt	SKU	Color	List Price
AquaWash® 2.0 Electric SpaLet® Bidet Seat With Manual Operation	7 lb 3.3 kg	8019A60GPC.020	White	508
Separate Components:				
Mounting Kit Aquawash Spalet Seats	0 lb 0.1 kg	⊳760242-200.0070A	No Finish	32

Parts Program (Non-Premier)



Cadet® 3 Slow-Close Elongated Toilet Seat

- "No Slam" slow-close seat and lid for user convenience
- EverClean® Antimicrobial Surface
- · Sanitary lift tab allows user to raise the seat with ease
- Fits most conventional elongated toilets
- Bottom mounting hardware included
- Made from Polypropylene Plastic
- Traditional design

Nominal Dimensions:

18-13/16 in x 14-7/16 in x 2-3/16 in (477 mm x 366 mm x 55 mm)

Description	Net Wt	SKU	Color	List Price	
Cadet® 3 Slow-Close Elongated Toilet Seat	4 lb	5350110.020	White	81	
	2.0 kg	5350110.021	Bone	110	
	_	5350110.222	Linen	110	
Separate Components:					
Bottom Mount Seat Mounting Kit	0 lb 0.0 kg	⊳760087-0070A	No Finish	9	



Cadet® 3 Slow-Close Round Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience EverClean® Antimicrobial Surface
- Sanitary lift tab allows user to raise the seat with ease
- Fits most conventional round front toilets
- Bottom mounting hardware included
- Made from Polypropylene Plastic
- Traditional design

Nominal Dimensions:

16-11/16 in x 14-3/16 in x 2-1/4 in (423 mm x 360 mm x 57 mm)

Description	Net Wt	SKU	Color	List Price
Cadet® 3 Slow-Close Round Front Toilet Seat	3 lb		White	79
	1.7 kg	5345110.021	Bone	104
	_	5345110.222	Linen	104
Separate Components:				
Bottom Mount Seat Mounting Kit	0 lb 0.0 kg	⊳760087-0070A	No Finish	9



Cardiff™ Slow-Close Elongated Toilet Seat

- "No Slam" slow-close seat and lid for user convenience
- EverClean® Antimicrobial Surface
- Fits most conventional elongated toilets
- Bottom mounting hardware with Quick connect nut included to expedite installation
- Made from Polypropylene Plastic

Nominal Dimensions:

18-11/16 in x 13-7/8 in x 2-1/4 in (474 mm x 352 mm x 57 mm)

Description	Net Wt	SKU	Color	List Price
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78
Separate Components:				
Bottom Mount Seat Mounting Kit	0 lb 0.0 kg	⊳760219-100.0070A	No Finish	6

Parts Program (Non-Premier)

List Price Guide 2024-1 AmericanStandard.com



Cardiff™ Slow-Close Round Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- EverClean® Antimicrobial Surface
- Fits most conventional round front toilets
- Bottom mounting hardware with Quick connect nut included to expedite installation
- Made from Polypropylene Plastic

Nominal Dimensions:

16-5/8 in x 14-3/16 in x 2-1/4 in (422 mm x 360 mm x 57 mm)

Description	Net Wt	SKU	Color	List Price
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	5259B65MT.020 White	65
	1.4 kg	5259B65MT.021	Bone	71
		5259B65MT.222	Linen	71
Separate Components:				
Bottom Mount Seat Mounting Kit	0 lb 0.0 kg	⊳760219-100.0070A	No Finish	6



Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat

- "No Slam" slow-close seat and lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- EverClean® Antimicrobial Surface
- Fits most conventional elongated toilets
- Bottom mounting hardware included
- Made from Polypropylene Plastic
- Attractive design coordinates with popular bathroom decor

Nominal Dimensions:

18-11/16 in x 14-1/16 in x 2-5/16 in (474 mm x 357 mm x 58 mm)

Description	Net Wt	SKU	Color	List Price
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb	5321A65CT.020	White	98
	1.6 kg	5321A65CT.021	Bone	123
	_	5321A65CT.222	Linen	123
Separate Components:				
Bottom Mount Seat Mounting Kit	0 lb 0.0 kg	⊳760219-100.0070A	No Finish	6



Champion® Slow-Close & Easy Lift-Off Round Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- EverClean® Antimicrobial Surface
- Fits most conventional round front toilets
- Bottom mounting hardware included
- Made from Polypropylene Plastic
- Attractive design coordinates with popular bathroom decor

Nominal Dimensions:

16-13/16 in x 14-5/16 in x 2-5/16 in (427 mm x 363 mm x 58 mm)

Description	Net Wt	SKU	Color	List Price
Champion® Slow-Close & Easy Lift-Off Round Front Toilet Seat	3 lb 1.4 kg	5320B65CT.020	White	83
		5320B65CT.021	Bone	110
		5320B65CT.222	Linen	110
Separate Components:				
Bottom Mount Seat Mounting Kit	0 lb 0.0 kg	⊳760219-100.0070A	No Finish	6

Parts Program (Non-Premier)



Contemporary Slow-Close & Easy Lift-Off Elongated Toilet Seat for VorMax® CleanCurve® Style Rims

- "No Slam" slow-close seat and lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
- EverClean® Antimicrobial Surface
- · Sanitary lift tab allows user to raise the seat with ease
- Saintary in tab allows user to take the sear with ease
 Fits elongated VorMax® CleanCurve® style rim toilets
 Unique bumpers designed for added stability to reduce movement of the seat
- Bottom mounting hardware included
 Made from Polypropylene Plastic
 Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

18-3/16 in x 14-3/4 in x 2 in (461 mm x 374 mm x 50 mm)

Description	Net Wt	SKU	Color	List Price
Contemporary Slow-Close & Easy Lift-Off Elongated Toilet Seat for VorMax® CleanCurve® Style Rims	3 lb	5055A65C.020	White	108
	1.7 kg	5055A65C.021	Bone	120
	_	5055A65C.222	Linen	141
Separate Components:				
Seat Mounting Kit	0 lb 0.1 kg -	⊳760218-101.0210A	Bone	8
		⊳760218-101.2220A	Linen	8



Contemporary Slow-Close & Easy Lift-Off Elongated Toilet Seat

- "No Slam" slow-close seat and lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
- EverClean® Antimicrobial Surface
- · Sanitary lift tab allows user to raise the seat with ease
- Fits most conventional elongated toilets
- Flat bumpers designed for universal fit
- Bottom mounting hardware included
- Made from Polypropylene Plastic
- Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

18-3/16 in x 14-3/4 in x 2 in (461 mm x 374 mm x 50 mm)

Description	Net Wt	SKU	Color	List Price
Contemporary Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb	5055A65PT.020	White	107
	1.7 kg =	5055A65PT.021	Bone	114
		5055A65PT.222	Linen	114
Separate Components:				
Seat Mounting Kit	0 lb	>760218-101.0210A	Bone	8
	0.1 kg	⊳760218-101.2220A	Linen	8

Parts Program (Non-Premier)



Contemporary Slow-Close & Easy Lift-Off Round Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
- EverClean® Antimicrobial Surface
- Sanitary lift tab allows user to raise the seat with ease
- Fits most conventional round front toilets
- Flat bumpers designed for universal fit
- Bottom mounting hardware included
- Made from Polypropylene Plastic
- Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

16-15/16 in x 14-3/4 in x 1-15/16 in (430 mm x 374 mm x 49 mm)

Net Wt	SKU	Color	List Price
3 lb	5055B65PT.020	White	99
1.5 kg	5055B65PT.021	Bone	107
_	5055B65PT.222	Linen	107
0 lb	⊳760218-101.0210A	Bone	8
U.1 kg -	>760218-101.2220A	Linen	8
	3 lb 1.5 kg	3 lb 5055B65PT.020 5055B65PT.021 5055B65PT.222 0 lb 0.1 kg	3 lb 5055B65PT.020 White 5055B65PT.021 Bone 5055B65PT.222 Linen 0 lb >760218-101.0210A Bone 0.1 kg



Laurel Elongated Wood Toilet Seat

- High-gloss, molded wood seat and cover
- Color-matched hinges
- · Fits most conventional elongated toilets
- Bottom mounting hardware included

Nominal Dimensions:

18-3/4 in x 13-7/8 in x 2-1/2 in (476 mm x 352 mm x 63 mm)

Description	Net Wt	SKU	Color	List Price
Laurel Elongated Wood Toilet Seat	7 lb 3.2 kg	5311012.020	White	53



Telescoping Slow-Close Easy Lift-Off Elongated Toilet Seat

- "No Slam" slow-close seat and lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
- EverClean® Antimicrobial Surface
- Telescoping cover conceals seat when closed
- Top-mounting transitional styled seat with cover can be installed from top of toilet bowl
- Fits most conventional elongated toilets
 Top and bottom mounting hardware included
- Made from Polypropylene Plastic
- Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

18-9/16 in x 14-5/16 in x 2-1/16 in (471 mm x 363 mm x 52 mm)



Description	Net Wt	SKU	Color	List Price
Telescoping Slow-Close Easy Lift-Off Elongated Toilet Seat	4 lb	5025A65G.020	White	131
	2.0 kg	5025A65G.222	Linen	162
Separate Components:				
Seat Mounting Kit	0 lb	⊳760234-100.0200A	White	21
	0.2 kg	⊳760234-100.2220A	Linen	21



Telescoping Slow-Close & Easy Lift-Off Round Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
- EverClean® Antimicrobial Surface
- Telescoping cover conceals seat when closed
- Top-mounting transitional styled seat with cover can be installed from top of toilet bowl
- Fits most conventional round front toilets
- Top and bottom mounting hardware included
- Made from Polypropylene Plastic
- Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

16-11/16 in x 14-7/16 in x 2-3/16 in (423 mm x 366 mm x 55 mm)



Description	Net Wt	SKU	Color	List Price
Telescoping Slow-Close & Easy Lift-Off Round Front Toilet Seat	4 lb 1.9 kg	5025B65G.020	White	120
		5025B65G.222	Linen	150
Separate Components:				
Seat Mounting Kit	0 lb 0.2 kg -	>760234-100.0200A	White	21
		⊳760234-100.2220A	Linen	21



Traditional Slow-Close & Easy Lift-Off Elongated Toilet Seat

- "No Slam" slow-close seat and lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
 EverClean® Antimicrobial Surface
- Top-mounting traditional styled seat with cover can be installed from top of toilet bowl
 - Fits most conventional elongated toilets
- Top and bottom mounting hardware included
- Made from Polypropylene Plastic
- Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

18-9/16 in x 14-1/8 in x 2-1/4 in (471 mm x 358 mm x 57 mm)



Description	Net Wt	SKU	Color	List Price
Traditional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb	5020A65G.020	White	131
	3.0 kg	5020A65G.222	Linen	162
Separate Components:				
Seat Mounting Kit	0 lb	⊳760234-100.0200A	White	21
	0.2 kg	⊳760234-100.2220A	Linen	21



Traditional Slow-Close & Easy Lift-Off Round Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
 EverClean® Antimicrobial Surface
- Top-mounting traditional styled seat with cover can be installed from top of toilet bowl
- Fits most conventional round front toilets
- Top and bottom mounting hardware included
- Made from Polypropylene Plastic
- Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

16-11/16 in x 14-1/8 in x 2-5/16 in (423 mm x 358 mm x 58 mm)



Description	Net Wt	SKU	Color	List Price
Traditional Slow-Close & Easy Lift-Off Round	4 lb 2.1 kg	5020B65G.020	White	120
Front Toilet Seat		5020B65G.222	Linen	150
Separate Components:				
Seat Mounting Kit	0 lb	>760234-100.0200A	White	21
	0.2 kg	>760234-100.2220A	Linen	21

Parts Program (Non-Premier)

AmericanStandard.com List Price Guide 2024-1



Transitional Slow-Close Elongated Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- Fits most conventional elongated toilets
- Bottom mounting hardware included
- Made from Polypropylene Plastic
- Transitional design

Nominal Dimensions:

18-5/8 in x 14-3/16 in x 1-5/8 in (473 mm x 360 mm x 41 mm)



Description	Net Wt	SKU	Color	List Price
Transitional Slow-Close Elongated Toilet Seat	2 lb	5503A00B.020	White	57
	1.3 kg - -	5503A00B.021	Bone	53
		5503A00B.222	Linen	57
Separate Components:				
Bottom Mount Seat Mounting Kit	0 lb 0.0 kg	⊳760225-100.0070A	No Finish	6



Transitional Slow-Close Round-Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- Fits most conventional round front toilets
- Bottom mounting hardware included
- Made from Polypropylene Plastic
- Transitional design

Nominal Dimensions:

16-5/8 in x 14-3/16 in x 1-5/8 in (422 mm x 360 mm x 41 mm)



Description	Net Wt	SKU	Color	List Price
Transitional Slow-Close Round-Front Toilet Seat	2 lb	5503B00B.222	Linen	56
	1.2 kg	5503B00B.020	White	51
	_	5503B00B.021	Bone	56
Separate Components:				
Bottom Mount Seat Mounting Kit	0 lb 0.0 kg	>760225-100.0070A	No Finish	6



Transitional Slow-Close & Easy Lift-Off Elongated Toilet Seat

- "No Slam" slow-close seat and lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
- EverClean® Antimicrobial Surface
- Top-mounting transitional styled seat with cover can be installed from top of toilet bowl
- Fits most conventional elongated toilets
- Top and bottom mounting hardware included
- Made from Polypropylene Plastic
- Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

18-9/16 in x 14-1/8 in x 2-1/8 in (471 mm x 358 mm x 53 mm)



Description	Net Wt	SKU	Color	List Price
Transitional Slow-Close & Easy Lift-Off Elongated	6 lb 3.0 kg	5024A65G.020	White	131
Toilet Seat		5024A65G.222	Linen	162
Separate Components:				
Seat Mounting Kit	0 lb 0.2 kg -	>760234-100.0200A	White	21
		⊳760234-100.2220A	Linen	21

Parts Program (Non-Premier)



Transitional Slow-Close & Easy Lift-Off Round Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Require
 Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
 EverClean® Antimicrobial Surface
 Top-mounting transitional styled seat with cover can be installed from top of toilet bowl
 Fits most conventional round front toilets
 Top and bottom mounting hardware included
 Made from Polypropylene Plastic
 Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

16-11/16 in x 14-1/8 in x 2-3/16 in (423 mm x 358 mm x 55 mm)



Description	Net Wt	SKU	Color	List Price
Transitional Slow-Close & Easy Lift-Off Round	4 lb	5024B65G.020	White	120
Front Toilet Seat	2.1 kg -	5024B65G.222	Linen	150
Separate Components:				
Seat Mounting Kit	0 lb	⊳760234-100.0200A	White	21
	0.2 kg	>760234-100.2220A	Linen	21

Toilet Trip Levers



Top-of-Tank Actuator, Dual Flush

- Dual flush push button actuator, top mount assembly for Boulevard® one-piece toilet
- ABS plastic button
- Plastic arm
- Specify color when ordering
- Kit consists of dual flush actuator and tightening nuts
 1-year warranty

Nominal Dimensions:

3-1/4 in x 1-13/16 in x 4-3/16 in (82 mm x 46 mm x 106 mm)

Description	Net Wt	SKU	Color	List Price
Top-of-Tank Actuator, Dual Flush	0 lb	⊳7381203-200.0020A	Polished Chrome	15
	0.1 kg -	>7381203-200.2430A	Matte Black	132
	_	⊳7381203-200.2950A	Brushed Nickel	109



Left-Hand Trip Lever

- Left-hand trip lever assembly for Cadet®3
- Plastic lever handle
- Plastic arm
- Specify color when ordering
- Kit consists of handle, nut and arm
- 1-year warranty

Description	Net Wt	SKU	Color	List Price
Left-Hand Trip Lever	0 lb 0.0 kg -	⊳738903-0020A	Polished Chrome	25
	0.0 kg	⊳738903-0200A	White	41
	_	⊳738903-2220A	Linen	47
	_	⊳738903-2430A	Matte Black	100
	_	⊳738903-2950A	Brushed Nickel	35



Left-Hand Trip Lever

- Left-hand trip lever assembly for Boulevard® one-piece toilet and Cadet®3 4000.004 and 4000.104 tanks
 Metal lever handle
- Brass arm
- Specify color when ordering
 Kit consists of handle, nut and arm
 1-year warranty

Description	Net Wt	SKU	Color	List Price
Left-Hand Trip Lever	0 lb	⊳7381064-2240A	Oil Rubbed Bronze	113
	0.3 kg -	⊳7381064-2430A	Matte Black	84
	_	⊳7381064-2950A	Brushed Nickel	67

Toilet Trip Levers



Left-Hand Trip Lever

- Left-hand trip lever for Champion® PRO 4225A tank
- Metal lever handle
- Brass arm
- Specify color when ordering
- Kit consists of handle, nut and arm
- One-year warranty

Nominal Dimensions:

5.3 in x 6.8 in x 3.2 in (134 mm x 172 mm x 81 mm)

Description	Net Wt	SKU	Color	List Price
Left-Hand Trip Lever	0 lb 0.2 kg	>7381232-200.0020A	Polished Chrome	42
	0 lb 0.1 kg	>7381232-200.0130A	Polished Nickel	46
	0 lb	>7381232-200.0200A	White	52
	0.2 kg -	⊳7381232-200.2240A	Oil Rubbed Bronze	103
	0 lb	⊳7381232-200.2430A	Matte Black	59
	0.1 kg -	>7381232-200.2780A	Legacy Bronze	78
	0 lb 0.2 kg	>7381232-200.2950A	Brushed Nickel	55



Left-Hand Trip Lever

- Left-hand trip lever assembly for Cadet® PRO tanks 4188A and 4188B
- Metal lever handle
- Metal arm
- Specify color when ordering
- Kit consists of handle, nut and arm
- One-year warranty

Nominal Dimensions:

5.7 in x 7.6 in x 2.8 in (144 mm x 193 mm x 71 mm)

Description	Net Wt	SKU	Color	List Price
Left-Hand Trip Lever	0 lb 0.2 kg	⊳7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
	-	⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb	>7381231-200.2430A	Matte Black	52
	0.1 kg -	⊳7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 ka	>7381231-200.2950A	Brushed Nickel	54

Optional Toilet Tanks



Champion® PRO

Description	Net Wt	SKU	Color	List Price
Champion® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank with TCLD	31 lb 14.1 kg	4225A064.020	White	280
Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Lined Tank	•	4225A154.020	White	314
Champion® PRO 1.28 gpf/4.8 Lpf Toilet Tank with Tank Cover Locking Device	•	4225A164.020	White	280
Champion® PRO 1.28 gpf/4.8 Lpf Toilet Tank with Aquaguard Liner and Tank Cover Locking Device		4225A174.020	White	342

231

287 287

202

208

280

231

287

287

275

202

208

280



Cadet® PRO

Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough	27 lb	4188A054.020	White	
Lined Tank	12.6 kg	4188A054.021	Bone	
		4188A054.222	Linen	
Cadet® PRO 1.6 gpf/6.0 Lpf 12-InchToilet Tank with Tank Cover Locking Device		4188A064.020	White	
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Toilet Tank with Tank Cover Locking Device and Right Hand Trip Lever		4188A065.020	White	

4188A074.020

4188A154.020

4188A154.021

4188A154.222

4188A155.020

4188A164.020

4188A165.020

4188A174.020

White

White

Bone

Linen

White

White

White

White

Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Toilet Tank with Aquaguard Liner and Right Hand Trip Lever

Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Toilet

Tank with Aquaguard Liner and Tank Cover Locking Device

Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch

Rough Lined Tank

Lined Tank

Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Toilet Tank with Tank Cover Locking Device

Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Toilet Tank with Tank Cover Locking Device and Right Hand Trip Lever

Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Toilet Tank with Aquaguard Liner and Tank Cover Locking Device

Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Right-Hand Trip Lever Tank	4188A105.020	White	157
Colony®3 1.28 gpf/4.8 Lpf 12-Inch Rough Right-Hand Trip Lever Tank	4425A105.020	White	125
Colony®3 1.28 gpf/4.8 Lpf 12-Inch Rough	4425A154.020	White	150



Colony®3

List Price Guide 2024-1 AmericanStandard.com

Faucet Style Meets Substance

LIFE.LOVE.HOME

American Standard faucets are engineered to look beautiful and function flawlessly. Our exquisite designs offer innovative conveniences like easy-to-upgrade shower styles, peace-of-mind safety features and simpler-than-ever installation and cleaning.

Superior Engineering Inside and Out

Our ceramic disc valves are maintenance-free, and provide a lifetime of smooth handle control, even in extreme temperature or hard water conditions.



Faucet Lifetime Finishes

American Standard offers a myriad of fine finishes all guaranteed to last a lifetime.*



Matte Black and Brushed Cool Sunrise

Increasingly in demand, these popular finishes are now available on select styles. Applied with the same care given every American Standard finish, Matte Black and Brushed Cool Sunrise are sleek and sophisticated, adding a decorator's touch to today's home.



^{*}Extended to the original consumer purchaser. See faucet pages for finishes available for each faucet model. Color samples may vary slightly from the actual colors. Not all finishes are available on all products.

AmericanStandard.com List Price Guide 2024-1

Featured NEW Products

LIFE.LOVE.HOME

Aspirations™ Single Handle Wall-Mount Faucet 1.2 gpm/4.5 L/min With Lever Handle





Aspirations™ Diverting Waterfall Tub Spout



Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Elongated Toilet

Icons

Bathroom Faucets

Faucet Style Meets Substance/Lifetime Finishes

Featured NEW Products

Bathroom Faucets Overview

Flash® Bathtub Faucet Overview

Bathroom Faucet Families Overview

WaterSense® Certified Faucets and Showers

Flash® Shower Rough-In Valves

Freestanding Bathtub Faucets

Bathroom Faucets and Trim Kits

Aspirations™

Colony® PRO

Crawford™

Delancey®

Edgemere®

Fluent®

Glenmere™

Reliant 3®

Serin®

Studio® S

Town Square® S

Townsend®

Bathroom Accessories

Bathroom Accessories Overview

Bathroom Accessories

Showering Options

Spectra Versa® Retrofit Shower System

Spectra® Shower Collection

Spectra Versa® Shower System

Spectra® Duo 2-in-1 Hand Showers

Fixed Showerheads/Rain Showerheads

Body Side Sprays

Shower Arms

Hand Showers

Slide Bar Kits, Hand Shower Kits

Slide Bars

Shower System Accessories

Tub Spouts

Parts

Drains and P-Trap

Lavatory Faucets

Flash® Rough-In Valves

Cartridges and Rough-In Kits

Warranties

AmericanStandard.com List Price Guide 2024-1

Bathroom Faucets

Bathroom Faucets Overview

Our faucets feature:

- Drip Free Ceramic Disc Valves on 100% of our product offering
- Water Efficient Options WaterSense® certified lavatory faucets and showers
- Lead Free Lavatory Faucets
- Freestanding Bathtub Faucets
- Bathroom Accessories
- Showering Options





List Price Guide 2024-1 AmericanStandard.com

Bathroom Faucets

Flash® Bathtub Faucets Overview

- Valve and trim packaged separately
- Install valve prior to trim selection no trim damage during construction
- Integrated hand shower diverter





AmericanStandard.com List Price Guide 2024-1

Bathroom Faucet Families Overview

	Aspirations	Colony® PRO	Crawford™	Delancey [®]	Edgemere®
Widespread	78		711		11
Monoblock					
Vessel Wall-Mount*					
2-Handle Centerset		T.			
Bathtub Faucet		TIL	7.35		7 1
Freestanding Bathtub Faucet					
Bath/Shower Trim					
Shower System Trim				G	
Accessories					

List Price Guide 2024-1 AmericanStandard.com

Bathroom Faucet Families Overview

Fluent®	Glenmere™	Reliant 3®	Serin [®]	Studio® S	Town Square® S	Townsend®
16	TA			1	71	11
76/				15.		
		6				
				(4)		
	0		0			

AmericanStandard.com List Price Guide 2024-1

Bathroom Faucets

WaterSense® Certified Faucets



All American Standard bathroom faucets are WaterSense certified for high performance and water efficiency. Flowing at **1.2 gpm/4.5 L/min**, more efficient than the Environmental Protection Agency's (EPA) strict WaterSense maximum flow rate requirement of **1.5 gpm/5.7 L/min**, all American Standard residential lavatory faucets incorporate pressure-compensating aerators that provide 45% water savings over standard models without sacrificing performance.











This WaterSense label is your confirmation that the product has met the U.S. Environmental Protection Agency (EPA) criteria for exceptional performance while reducing water use by 20% or more.

WaterSense is a voluntary partnership program launched by the U.S. Environmental Protection Agency to designate product and services that conserve water and perform as intended. WaterSense is a registered trade/service mark of the EPA.

List Price Guide 2024-1 AmericanStandard.com

Bathroom Faucets

WaterSense® Certified Showers



American Standard offers a variety of WaterSense and CEC certified showering options for high performance and water efficiency. Meeting the Environmental Protection Agency's (EPA) strict maximum flow rate of **2.0 gpm/7.8 L/min,** American Standard's residential showering options provide over 20% water savings versus standard models without sacrificing performance.











This WaterSense label is your confirmation that the product has met the U.S. Environmental Protection Agency (EPA) criteria for exceptional performance while reducing water use by 20% or more.

WaterSense is a voluntary partnership program launched by the U.S. Environmental Protection Agency to designate product and services that conserve water and perform as intended. WaterSense is a registered trade/service mark of the EPA.

AmericanStandard.com List Price Guide 2024-1

Flash® Shower Rough-in Valves


Designed for Faster Installation

Flat Back

Allows the valve to be mounted flush with the cross brace

Cast DZR Brass Body

Offers strong, durable construction



..... Choice of Connections

Provides fast and easy installation without adaptors, reducing leak points

-----Flush Plug

Allows flushing and testing of valve prior to installing cartridge

Stainless Steel Retaining Ring with Flats

Secures flush plug/cartridge in place and eliminates need for screws

Ensures easy servicing at the valve (on applicable models)

Key Features



Flat Back

- Intuitive flat back feature means you'll achieve a secure and solid mount every time using a 2 x 4 cross brace
- Designed to work in tight spaces



Flush Plug

- The flush plug makes flush-testing simple and fast
- Allows for ability to flush hot and cold lines separately or simultaneously



Stainless Steel Retaining Ring with Flats

- · Secures test cap and cartridge in place
- · Flats make installation and servicing even more convenient
- No screws, no hassles

More Connections to Choose From

(Female Sweat/ Male Thread NPT)

Universal

Connection

RU101/RU101SS Works with:

- 1/2" Copper Pipe
- 1/2" Iron Pipe
- 1/2" CPVC Adaptors
- 1/2" PEX Adaptors

Connection

CPVC

PEX Crimp Connection

(ASTM F1807)



RU109/RU109SS RU107/RU107SS Works with:

• Type PEX A,

B and C

 Standard **CPVC** Piping

Works with:

(Crimp PEX) No additional adaptors No additional needed adaptors needed

Cold Expansion PEX Connection

(ASTM F1960)



RU108/RU108SS

Works with:

- Type PEX A (Cold Expansion PEX)
- No additional adaptors needed

PEX Crimp Elbow Connection

(ASTM F1807)



RU107E/ RU107ESS

Works with:

- Type PEX A, B and C (Crimp PEX)
- No additional adaptors needed

Cold Expansion **Elbow PEX** Connection

(ASTM F1960)



RU108E/ RU108ESS

Works with:

- Type PEX A (Cold Expansion PEX)
- No additional adaptors needed

Stub-Out Connection



RU102/RU102SS Works with:

• 1/2" Pressconnect fittings

List Price Guide 2024-1 AmericanStandard.com

Flash® Shower Rough-in Valves

One-Piece Pressure Balance Cartridge with Double Ceramic Technology






Ceramic Discs

- Provides leak-free and smooth handle operation over the life of the valve
- Allows for a wider range of motion and more precise fine-tuning of the temperature
- Unaffected by harsh water conditions and mineral build-up




Ceramic Balancing Spool

- Allows for faster reaction time, reducing the risk of scalding
- Unaffected by harsh water conditions and mineral build-up



Trim Options



AmericanStandard.com List Price Guide 2024-1


Freestanding Bathtub Faucets

Description

Bathroom Faucets



Contemporary Round Freestanding Bathtub Filler With Lever Handle Faucet for Flash® Rough-In Valve



• Personal shower features 59" (1499 mm) long hose with 1.8 gpm/6.8 L/min maximum flow


Metal lever handle

• Overall height: 44-3/4" (1137 mm)

• Spout reach: 11-1/4" (286 mm)

Metal hand shower


 Shower bracket pivots 60°
 For use with Flash® freestanding tub faucet roughin valve (sold separately)







Contemporary Square Freestanding Bathtub Faucet With Lever Handle for Flash® Rough-In Valve



• Personal shower features 59" (1499 mm) long hose with 1.8 gpm/6.8 L/min maximum flow

Metal lever handle

• Overall height: 44-5/8" (1133 mm)

• Spout reach: 10-3/8" (264 mm)

• Level adjustable rough

Metal hand shower

• Shower bracket pivots 60°

• For use with Flash® freestanding tub faucet roughin valve (sold separately)




T184951.002	Po
T184951.295	Br

olished Chrome 1,244 1,742 rushed Nickel







• Personal shower features 59" (1499 mm) long hose with 1.8 gpm/6.8 L/min maximum flow

Metal lever handle

• Overall height: 43-1/2" (1105 mm)

• Spout reach: 8-1/2" (218 mm)

Metal hand shower

Shower bracket pivots 60°

• For use with Flash® freestanding tub faucet roughin valve (sold separately)



T455951.002	Polished Chrome	1,384
T455951.013	Polished Nickel	1,938
T455951.243	Matte Black	1,938
T455951.278	Legacy Bronze	2,074
T455951.295	Brushed Nickel	1,938
T455951.GN0	Brushed Cool Suprise	2,076





List Price Guide 2024-1 AmericanStandard.com

Freestanding Bathtub Faucets


Bathroom Faucets







- ½" (13 mm) copper inlets Level adjustable
- Test plugs included
- Must order trim separately





R950

No Finish

230 SR



Flash® Freestanding Bathtub Filler Rough-In Valve With Screwdriver Stops

- Brass construction
- 1/2" (13 mm) copper inlets
- Level adjustable
- Test plugs included
- Must order trim separately
- Includes screwdriver stops for easy servicing at

R950SS No Finish

265





AmericanStandard.com

List Price Guide 2024-1

The **Aspirations Collection** is the perfect choice for the contemporary bathroom. Sleek, minimalist design is enhanced with innovative features that deliver added efficiency to everyday living and simple beauty to every setting.

Available in a choice of beautiful on-trend finishes.



List Price Guide 2024-1 AmericanStandard.com

Sink



Widespread Faucet 7061801



Touchless Widespread Faucet 7061857



Monoblock Faucet 7061101



Petite Monoblock Faucet 7061131



Monoblock Pull-Out Faucet 7061121



Wall-Mount Faucet 7061461

Bath



Bathtub Faucet T061901

Shower



Bath/Shower Trim Kit TU061508



Shower Trim Kit TU061507



Shower Trim Kit TU061500



2-Handle Integrated Shower Diverter Trim Kit TU612740



Waterfall Tub Faucet 8888116

Accessories



24" Towel Bar 7061024



18" Towel Bar 7061018



Towel Ring 7061190



Toilet Paper Holder 7061230



Double Robe Hook 7061210

Aspirations™

Sink and Bath Faucets



List Price Guide 2023-11 AmericanStandard.com

Aspirations™

Sink and Bath Faucets








Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handle

- Washerless ceramic disc valve cartridge
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Metal push pop-up drain and lever handle
- Lead Free
- Braided flexible hoses with 3/8" (10 mm) compression connections





Aspirations™ Single Handle Wall-Mount Faucet 1.2 gpm/4.5 L/min With Lever Handle

- Metal Construction
- 35mm washerless ceramic disc valve cartridge
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Lead Free
- Brass grid drain





Aspirations™ 4-Hole 2-Handle Deck Mount Roman Tub Faucet With Lever Handles and **Personal Shower**

- Brass construction
- Metal lever handles
- Personal shower with 1.8 gpm/6.8 L/min maximum
- Personal showers feature 5' (152 cm) long hose
- For use with Flash® bathtub faucet rough-in valve R910
- Valve sold separately





Flash® Bathtub Filler Rough-In Valve With

- Brass construction and washerless ¼-turn ceramic disc valves cartridge
- 1/2" (13 mm) copper inlets
- · Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat connections
- 14 gpm/59.2 L/min maximum flow rate at 40 psi 8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-½" (64 mm) maximum deck thickness
- Includes hand shower rough-in

T061901.002 Polished Chrome 512 T061901.243 Matte Black 717 T061901.295 **Brushed Nickel** 717




œ





AmericanStandard.com List Price Guide 2023-11

HOW ORDER







Choose rough-in valve with desired connection.








Fully installed Bath/Shower

Trim kit with cartridge


Description

Flash® Shower Rough-In Valve


Œ







- maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- Slip-on diverter tub spout
- For use with Flash® shower rough-in valves













Aspirations™ 1.8 gpm/6.8L/min Shower
Trim Kit With Water-Saving Showerhead
and Double Ceramic Pressure Balance
Cartridge With Lever Handle

- Includes Double Ceramic pressure balance cartridge
- Water-saving showerhead 1.8 gpm/6.8 L/min maximum flow
- Shower arm and flange
- · Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves



TU061507.002	Polished Chrome	291
TU061507.243	Matte Black	407
TU061507.295	Brushed Nickel	407

Aspirations™ Dual Function Pressure Balance Valve Trim With Double Ceramic Pressure Balance Cartridge and Lever Handle

- Includes Double Ceramic pressure balance cartridge
- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves
- · Back-to-back capability
- Adjustable hot limit safety stop



TU061500.002	Polished Chrome	216
TU061500.243	Matte Black	302
TU061500.295	Brushed Nickel	302



Aspirations™ Diverting Waterfall Tub Spout

- Plastic body and push button diverter with antiscratch acrylic top
- Waterfall outlet diverter
- Stainless steel mounting plate
- IPS or slip-on installation
- Can withstand up to 100lbs of weight



8888116.002	Polished Chrome	174
8888116.243	Matte Black	244
8888116.295	Brushed Nickel	244

List Price Guide 2023-11 AmericanStandard.com

$\textbf{Aspirations}^{^{\text{\tiny{TM}}}}$

Bath/Shower Trim Kits and Valves

topirations		200, 00	o u	iia taitoo
	Description	SKU #	Color/Finish	List Price
	Flash [®] Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
	 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			SR
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
	 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve For use with TU series pressure balance bath/ shower trim kits 			
	Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			SR
	Flash® Shower Rough-In Valve With Stub- Outs With Screwdriver Stops	RU102SS	No Finish	103
	 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			SR
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring System	RU107	No Finish	72 SR
	• ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			

shower trim kits

AmericanStandard.com List Price Guide 2024-1

^{*}When combined with Double Ceramic pressure balance cartridge.

$\textbf{Aspirations}^{^{\text{\tiny{TM}}}}$

Bath/Shower Trim Kits and Valves

topirations		200.00	or mini rato a	iid taitoo
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/shower trim kits			_


*When combined with Double Ceramic pressure balance cartridge.

$\textbf{Aspirations}^{^{\text{\tiny{TM}}}}$

Bath/Shower Trim Kits and Valves

Nopilations		Datil, Ollow	or mini rate a	iia vaivoo
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold Expansion System	RU108E	No Finish	95 SR
	• ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108ESS	No Finish	125
	 ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With CPVC	RU109	No Finish	95
	• ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver Stops	RU109SS	No Finish	125
	• 1/2" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			





Aspirations™

Bath/Shower Trim Kits and Valves



Aspirations™ 2-Handle 2 or 3 Way Shower **Diverter Trim with Discrete Cartridge**

- Metal wall escutcheon
- Metal lever handles

Description

- Requires Flash Rough-in Integrated Shower Diverter Valve RU520 with 2 or 3 way discrete
- Includes discrete diverter and pressure balance cartridge M970787-0070A
- 2 or 3 way shared flow functionality requires separate M970789-0070A shared cartridge to be purchased separately

SKU #	Color/Finish	List Price
TU061740.002	Polished Chrome	222
TU061740.243	Matte Black	311
TU061740.295	Brushed Nickel	311

No Finish



Pressure Balance Valve Rough-In with **Integrated Diverter**

- Made of casted DZR brass to resist corrosion
- For use with Flash® 2-Handle Integrated Shower Diverter Trim
- ½" NPT Inlets/Outlets
- 2 or 3-Way Shared functionality cartridge RP#
- M970789-0070A, sold separately
 Compatible with Aspirations® trim or TU series trim
- Trim sold separately



Flash® 2-Way/3-Way Discrete Diverter

- Compatible with RU520 Pressure Balance Valve
- •2 or 3-way diverter operation (non-sharing)
- 1/2" NPT

M970787-0070A

RU520

No Finish

122

269



Flash® 2-Way/3-Way Shared Diverter

- Compatible with RU520 Pressure Balance Valve
- •2 or 3-way diverter operation (shared)
- 1/2" NPT

M970789-0070A No Finish



List Price Guide 2023-11 AmericanStandard.com

$\textbf{Aspirations}^{^{\text{\tiny{TM}}}}$

Accessories

	Description	SKU #	Color/Finish	List Price
	Aspirations™ 24-Inch Towel Bar	7061024.002	Polished Chrome	67
S	 Metal construction: Durable and long-lasting Coordinates with Aspirations[™] bath faucet 	7061024.243	Matte Black	94
	collection	7061024.295	Brushed Nickel	94
. /	 Concealed mounting: no exposed screws for a seamless appearance 			
	Easy to install Limited lifetime warranty on function and finish			
	Aspirations™ 18-Inch Towel Bar	7061018.002	Polished Chrome	64
	Metal construction: durable and long-lasting	7061018.243	Matte Black	90
	 Coordinates with Aspirations[™] bath faucet collection 	7061018.295	Brushed Nickel	90
	 Concealed mounting: no exposed screws for a seamless appearance 	7001010.200	Brasilia Misikal	00
	Easy to install Limited lifetime warranty on function and finish			
	Aspirations™ Towel Ring	7061190.002	Polished Chrome	45
	 Metal construction: Durable and long-lasting Coordinates with Aspirations™ bath faucet 	7061190.243	Matte Black	63
	collection	7061190.295	Brushed Nickel	63
Concealed mounting: no exposed screws for a seamless appearance Easy to install Limited lifetime warranty on function and finish				
	Aspirations™ Double Robe Hook	7061210.002	Polished Chrome	29
	Metal construction: Durable and long-lasting	7061210.243	Matte Black	41
0 9	 Coordinates with Aspirations[™] bath faucet collection 	7061210.295	Brushed Nickel	41
	collection Concealed mounting: no exposed screws for a seamless appearance		Brushed Nickel	41
	collection • Concealed mounting: no exposed screws for a		Brushed Nickel	41
	collection Concealed mounting: no exposed screws for a seamless appearance Easy to install		Brushed Nickel Polished Chrome	41
	collection Concealed mounting: no exposed screws for a seamless appearance Easy to install Limited lifetime warranty on function and finish Aspirations™ Toilet Paper Holder Metal construction: Durable and long-lasting	7061210.295		
	collection Concealed mounting: no exposed screws for a seamless appearance Easy to install Limited lifetime warranty on function and finish Aspirations™ Toilet Paper Holder	7061210.295	Polished Chrome	49

AmericanStandard.com List Price Guide 2023-11

The **Colony PRO Collection** is designed to complement any bathroom. Gently curved spout and lever handles add to its universal appeal and dependability.



Sink



Widespread Faucet 7075800



Monoblock Faucet 7075100



Centerset Faucet 7075000



Centerset Faucet 7075200

Bath



Bathtub Faucet T075920



Bathtub Faucet T075921

Shower











Shower Trim Kit TU075507



Shower Trim Kit TU075500

Accessories



C Series 18" Towel Bar 8337018



C Series 24" Towel Bar 8337024




C Series Towel Ring 8337190



C Series Toilet Paper Holder 8337230



C Series Double Robe Hook 8337210



List Price Guide 2024-1 AmericanStandard.com

· Lead free

Sink and Bath Faucets



AmericanStandard.com List Price Guide 2024-1

• With pop-up hole and rod

Less drainLead free

Sink and Bath Faucets



Colony® PRO 4-Inch Centerset Single-Handle Bathroom Faucet 1.2 gpm/4.5 Lpm Less Drain With Lever Handle



SKU #	Color/Finish	List Price
7075004.002	Polished Chrome	153
7075004.243	Matte Black	214
7075004 295	Brushed Nickel	214

Metal construction

Description

- Metal construction

 Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator

 35 mm ceramic disc valve cartridge with an adjustable Hot Limit Safety Stop

 24" stainless steel braided flexible supply hoses with 3/8" compression connectors

 Red/Blue index button


 Metal lever handle

- Metal lever handle
- Less drain, pop-up hole and rod
- Lead free

331

Colony® PRO

Sink and Bath Faucets







Colony® PRO 4-Inch Centerset 2-Handle Bathroom Faucet 1.2 gpm/4.5 Lpm Less



- 40 mm ceramic disc valve cartridges
 ½" (13 mm) male inlet shanks
 Metal body with color-matched underbody
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Red/Blue index buttons

• Red/Blue index buttons Metal lever handles • 50/50 pop-up drain


- Metal lever handles
- With pop-up hole and rod
- Less drain



7075205.002	Polished Chrome	125
7075205.243	Matte Black	175
7075205.278	Legacy Bronze	187
7075205.295	Brushed Nickel	175

AmericanStandard.com List Price Guide 2024-1

Sink and Bath Faucets





- Brass construction and washerless 1/4-turn ceramic disc valves cartridge
- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat connections
- 14 gpm/59.2 L/min maximum flow rate at 40 psi
- •8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck
- Includes hand shower rough-in



Flash® Bathtub Filler Rough-In Valve

- Brass construction and washerless 1/4-turn ceramic disc valve cartridges
- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat
- 14 gpm/52.9 L/min maximum flow rate at 40 psi •8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness

R900 No Finish



184

178

Colony® PRO

Bath/Shower Trim Kits and Valves



Choose desired trim kit.



Trim kit with cartridge

Description



Choose rough-in valve with desired connection.






TU075508.295

Fully installed Bath/Shower










- Water-Saving 3-3/4" (96 mm) showerhead, 1.75 gpm/6.6 L/min maximum flow
- Shower arm and flange
- Wall escutcheon with Red/Blue indicators
- Metal lever handle
- Slip-On diverter tub spout
- For use with Flash® shower rough-in valves




Brushed Nickel



Colony® PRO 1.75 gpm/6.6 L/min Shower Trim Kit With Water-Saving Showerhead, **Double Ceramic Pressure Balance Cartridge With Lever Handle**





- Shower arm and flange
- Wall escutcheon with Red/Blue indicators
- Metal lever handle
- For use with Flash® shower rough-in valves



ADA

TU075507.002	Polished Chrome	108
TU075507.243	Matte Black	151
TU075507.278	Legacy Bronze	148
TU075507.295	Brushed Nickel	140



Colony PRO® Valve Only Trim Kit With **Double Ceramic Pressure Balance Cartridge With Lever Handle**



- Wall escutcheon with Red/Blue indicators
- Metal lever handle
- For use with Flash® shower rough-in valves
- Integrated check valves: engineered to eliminate
- · Adjustable Hot Limit Safety Stop: limits the amount of hot water allowed to mix with cold. Reduces the risk of accidental scalding
- Comfort zone: offers a wider shower range to fine-tune the desired temperature within the useful temperature zone
- Back-to-back capability: hot and cold can be reversed quickly and easily



TU075500.002	Polished Chrome	83
TU075500.243	Matte Black	116
TU075500.278	Legacy Bronze	108
TU075500.295	Brushed Nickel	104

AmericanStandard.com List Price Guide 2024-1

Bath/Shower Trim Kits and Valves

	Description		SKU #	Color/Finish	List Price
Ordersty NATWO AST	Colony® PRO Tub and Shower Trim Kit Less Showerhead, Double Ceramic Pressure Balance Cartridge With Lever Handle	Œ	TU075508XH.002	Polished Chrome	135
	 Includes Double Ceramic pressure balance cartridge Shower arm and flange, less showerhead Wall escutcheon with Red/Blue indicators Metal lever handle Slip-on diverter tub spout For use with Flash® shower rough-in valves 				
	Colony® PRO Shower Trim Kit Less	ÂDA .	TU075507XH.002	Polished Chrome	106
	Showerhead, Double Ceramic Pressure Balance Cartridge With Lever Handle	104	TU075507XH.278	Legacy Bronze	144



- Metal lever handle
 For use with Flash® shower rough-in valves

• Includes Double Ceramic pressure balance cartridge

Shower arm and flange, less showerhead

Wall escutcheon with Red/Blue indicators

Bath/Shower Trim Kits and Valves

obidity 1110		Daiii/Silow	or min mis a	iiu vaives
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
	 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			[SR]
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
	• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/shower trim kits			an
	Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			SR
	Flash® Shower Rough-In Valve With Stub- Outs With Screwdriver Stops	RU102SS	No Finish	103
	• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With PEX	RU107	No Finish	72
	Inlets/Universal Outlets for Crimp Ring System • ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR

AmericanStandard.com List Price Guide 2024-1

^{*}When combined with Double Ceramic pressure balance cartridge.

Bath/Shower Trim Kits and Valves

obidity 1110		Batili, Ollott	GI IIIIII MIG A	iia vaivoo
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	 ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125 SR
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72
	 ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/ shower trim kits			


^{*}When combined with Double Ceramic pressure balance cartridge.

Bath/Shower Trim Kits and Valves

obidity 1110		Datil, Ollow	or mini rate a	ia vaivoo
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold Expansion System	RU108E	No Finish	95
	• ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108ESS	No Finish	125
The Constitution of the second	• ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets	RU109	No Finish	95
	• ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			SR
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver	RU109SS	No Finish	125
	Stops			SR
	• ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			

^{*}When combined with Double Ceramic pressure balance cartridge.









AmericanStandard.com List Price Guide 2024-1

The transitional style of the **Crawford Collection** brings casual elegance to the bathroom. This impressive design, with a tapered shape and subtle detailing, offers exceptional functionality.



Sink







Widespread Faucet 7612807

Centerset Faucet 7612207

Monoblock Faucet 7612107

Bath



Bathtub Faucet Trim Kit T612900

Shower













Shower Only Trim Kit TU612507

Accessories



24" Towel Bar 7455024



Towel Ring 7455190



Toilet Paper Holder 7455230



Double Robe Hook 7455210

AmericanStandard.com List Price Guide 2024-1

orawiora			`	Jiiik ana baar i	aaooto
	Description		SKU #	Color/Finish	List Price
	Crawford™ 8-Inch Widespread 2-Handle	ADA	7612807.002	Polished Chrome	366
Continue by LAPASO MAT	Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handles	Œ	7612807.243	Matte Black	477
	Metal construction		7612807.278	Legacy Bronze	440
7	Washerless ceramic disc valve cartridges Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator Metal spout Brass hybrid valves with reinforced flexible hose connections for 6" - 12" (152 - 305 mm) installations Braided flexible supply hoses with 3/8" (10 mm) compression connectors Metal lever handles Metal push pop up drain		7612807.295	Brushed Nickel	440
	Crawford™ 4-Inch Centerset 2-Handle	ÁDÀ	7612207.002	Polished Chrome	163
Contractly LATING R&T	Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handles	Œ	7612207.243	Matte Black	212
	Metal construction		7612207.278	Legacy Bronze	195
	Washerless ceramic disc valve cartridges Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator Metal spout Metal lever handles Metal push pop up drain		7612207.295	Brushed Nickel	195
	Crawford™ Single Hole Single-Handle	ÂDA	7612107.002	Polished Chrome	255
Contractly LATION RAT	Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handle	Ö	7612107.243	Matte Black	332
	Metal construction	•	7612107.278	Legacy Bronze	307
	Washerless ceramic disc valve cartridges Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator Metal spout Braided flexible supply hoses with 3/8" (10 mm) compression connectors Metal lever handle Metal push pop up drain		7612107.295	Brushed Nickel	307
	4-Inch Deck Plate		7353101P.002	Polished Chrome	46
	Metal construction Putty plate included		7353101P.013	Polished Nickel	63
	. atty plate moladed		7353101P.243	Matte Black	66
			7353101P.278	Legacy Bronze	67
			7353101P.295	Brushed Nickel	63
			7353101P.GN0	Brushed Cool Sunrise	69



	Description		SKU#	Color/Finish	List Price
	Crawford™ Bathtub Faucet With Lever	ADA	T612900.002	Polished Chrome	558
	Handles for Flash® Rough-In Valve	-	T612900.243	Matte Black	725
	Brass construction Metal lever handles		T612900.278	Legacy Bronze	670
A EB	Less personal shower		T612900.295	Brushed Nickel	670
	Flash® Bathtub Filler Rough-In Valve		R900	No Finish	184



- Brass construction and washerless ¼-turn ceramic disc valve cartridges

 ½" (13 mm) copper inlets

 Connections to spout can be made via flexible hoses (provided) or ½" (13 mm) copper sweat connections

 14 gpm/52.9 L/min maximum flow rate at 40 psi

 8"-16" (203-406 mm) flexible installation

 Adjustable rough-in: 2-½" (64 mm) maximum deck thickness




Bath/Shower Trim Kits and Valves

HOW **ORDER**

Choose desired trim kit.











TU612508.295



Brushed Nickel

269


Fully installed Bath/Shower


Trim kit with cartridge

Description


Flash® Shower Rough-In Valve







- maximum flow Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- IPS diverter tub spout
- For use with Flash® shower rough-in valves









Crawford™ 1.8 gpm/6.8 L/min Shower Trim Kit With Water-Saving Showerhead, Double **Ceramic Pressure Balance Cartridge With**



 Water-saving showerhead, 1.8 gpm/6.8 L/min maximum flow

- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves



TU612507.002	Polished Chrome	187
TU612507.243	Matte Black	243
TU612507.278	Legacy Bronze	224
TU612507.295	Brushed Nickel	224

SR

103

Bath/Shower Trim Kits and Valves



Flash® Shower Rough-In Valve With **Universal Inlets/Outlets**

- 1/2" (13 mm) male NPT/Sweat inlets/outlets accept 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability

Description


- Includes flush plug with stainless steel ring
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

RU101SS Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver

Stops

- 1/2" (13 mm) male NPT/Sweat inlets/outlets accept

- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at
- For use with TU series pressure balance bath/ shower trim kits



- Back-to-back capability

Flash® Shower Rough-In Valve With Stub-Outs

- 1/2" (13 mm) Stub-out inlets/outlets accept 1/2" press-connect fittings
- Cast DZR brass valve body
- Includes flush plug with stainless steel ring
- Cartridge ships with trim
- shower trim kits

• Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability

- For use with TU series pressure balance bath/

Flash® Shower Rough-In Valve With Stub-**Outs With Screwdriver Stops**

- 1/2" (13 mm) Stub-out inlets/outlets accept 1/2" press-connect fittings
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring System

- 1/2" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807)
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

RU102

RU102SS

RU107

No Finish

No Finish

Color/Finish

No Finish

No Finish

SKU#

RU101



72





No Finish









AmericanStandard.com List Price Guide 2024-1

orawiora		Datil/ Silow	GI IIIIII MIG AI	iiu vaives
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	 1⁄2" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp	RU107E	No Finish	95
	Ring System			SR
	 ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125
	 ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX	RU108	No Finish	72
	Inlets/Universal Outlets for Cold Expansion System			SR
	 ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX	RU108SS	No Finish	103
	Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System			SR
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/shower trim kits			



SR

SKU# Color/Finish Description Flash® Shower Rough-In Valve With PEX RU108E No Finish Inlet Elbows/Universal Outlets for Cold **Expansion System**



- 1/2" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960)
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
 Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits





- ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960)
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at the valve
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets

- 1/2" (13 mm) CPVC inlets/Universal outlets
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Cartridge ships with trim
 For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver Stops

- 1/2" (13 mm) CPVC inlets/Universal outlets
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at the valve
- Cartridge ships with trim
- shower trim kits

RU108ESS No Finish

Bath/Shower Trim Kits and Valves



125







No Finish






RU109SS

RU109

· Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi*

- For use with TU series pressure balance bath/

^{*}When combined with Double Ceramic pressure balance cartridge.







AmericanStandard.com List Price Guide 2024-1

Inspired by the finer points of classic architecture, the **Delancey Collection** from American Standard transforms today's bathroom with its timeless character and enduring elegance. Worthy of the master retreat, impressive in the guest bath, this graceful style is engineered to last a lifetime.



Bathroom Faucets

Sink



Widespread Faucet 7052807



Widespread Faucet 7052827



Monoblock Faucet 7052107



Monoblock Faucet 7052121



Centerset Faucet 7052207

Bath



Bathtub Faucet T052900



Bathtub Faucet T052901

Shower







Bath/Shower Trim Kit TU052508





Bath/Shower Trim Kit TU052507



Bath/Shower Trim Kit TU052500



Diverter Valve Trim Kit



Diverter Valve Trim Kit T052432



2-Handle Integrated Shower Diverter Trim Kit TU052740

Accessories



Delancey 18" Towel Bar 7052018



Delancey 24" Towel Bar 7052024



Delancey Towel Ring 7052190




Delancey Toilet Paper Holder 7052230



Delancey Double Robe Hook 7052210

Sink and Bath Faucets






75

Brushed Cool

Sunrise

2000102P.GN0

Sink and Bath Faucets





T052901.002	Polished Chrome	485
T052901.013	Polished Nickel	678
T052901.278	Legacy Bronze	726
T052901.295	Brushed Nickel	678
T052901.GN0	Brushed Cool Sunrise	728



List Price

261

364

389

364

392



Delancey® Bathtub Faucet With Lever Handles for Flash® Rough-In Valve

- Brass construction
- Metal lever handles
- Less personal shower
- For use with Flash® bathtub faucet rough-in valve R900

T052900.002	Polished Chrome	347
T052900.013	Polished Nickel	485
T052900.278	Legacy Bronze	519
T052900.295	Brushed Nickel	485
T052900.GN0	Brushed Cool Sunrise	521







Flash® Bathtub Filler Rough-In Valve With **Personal Shower**

- Brass construction and washerless 1/4-turn ceramic disc valves cartridge
- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat connections
- 14 gpm/59.2 L/min maximum flow rate at 40 psi
- 8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck
- Includes hand shower rough-in

910	No Finish

ADA





Flash® Bathtub Filler Rough-In Valve

- Brass construction and washerless 1/4-turn ceramic disc valve cartridges
- 1/2" (13 mm) copper inlets
- · Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat connections
- 14 gpm/52.9 L/min maximum flow rate at 40 psi
- 8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness

R900 No Finish



184

AmericanStandard.com List Price Guide 2024-1

Bath/Shower Trim Kits and Valves

HOW T0 **ORDER**





Trim kit with cartridge

Description



Choose rough-in valve with desired connection.









Fully installed Bath/Shower


Flash® Shower Rough-In Valve

Œ


	vir.	6		
1	d	,		
3	ú	ø	7	
Ca	tti	nd I	by	







- Water-saving 4-function showerhead
- Shower arm and flange
- Wall escutcheon
- Metal lever handle
- Metal slip-on diverter tub spout
- For use with Flash® shower rough-in valves























- Showerhead with 1.8 gpm/6.8 L/min maximum flow
- Water-saving 4-function showerhead
- Shower arm and flange
- Wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves



TU052507.002	Polished Chrome	248
TU052507.013	Polished Nickel	348
TU052507.278	Legacy Bronze	373
TU052507.295	Brushed Nickel	348
TU052507.GN0	Brushed Cool	372









• Metal lever handle

• For uses with Flash® shower rough-in valves



TU052500.002	Polished Chrome	201
TU052500.013	Polished Nickel	283
TU052500.278	Legacy Bronze	304
TU052500.295	Brushed Nickel	283
TU052500.GN0	Brushed Cool Sunrise	302







List Price Guide 2024-1

Bath/Shower Trim Kits and Valves

Delancey		Bath/Show	<i>i</i> er Irim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
	 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			(SR)
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
	• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			SR
	Flash® Shower Rough-In Valve With Stub- Outs With Screwdriver Stops	RU102SS	No Finish	103
	 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			SR
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring	RU107	No Finish	72
	System • ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			(SR)



AmericanStandard.com List Price Guide 2024-1

Bath/Shower Trim Kits and Valves

Dolanocy		Batil, Ollott	GI IIIIII MILO A	iid vaivoo
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/ shower trim kits			24

*When combined with Double Ceramic pressure balance cartridge.

Delancey ®		Bath/Show	er Trim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold Expansion System	RU108E	No Finish	95
	1½" (13 mm) PEX cold expansion elbow inlets/Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108ESS	No Finish	125
	 ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			



Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets

- 1/2" (13 mm) CPVC inlets/Universal outlets
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*

- Back-to-back capability
 Includes flush plug with stainless steel ring
 Cartridge ships with trim
 For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver Stops

- ½" (13 mm) CPVC inlets/Universal outlets
 Cast DZR brass valve body
 Flow rate: 5.1 gpm @ 45 psi*
 Back-to-back capability
 Includes flush plug with stainless steel ring
 Includes screwdriver stops for easy servicing at the valve
- Cartridge ships with trim
 For use with TU series pressure balance bath/ shower trim kits

RU109SS

RU109

No Finish

No Finish

125

95

SR





Bath/Shower Trim Kits and Valves



Delancey® 2-Handle Integrated Shower **Diverter Trim Only**

- Metal wall escutcheon
- Metal lever handles

Description

- Works with Flash® 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, required and sold separately
- Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521 ships with a 2-way Discrete cartridge
- 2-Way Shared capability requires Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521, plus a 2-Way Shared pressure balance cartidge #M970720-0070A, sold separately
- Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531 ships with a 3-Way Discrete cartridge
- 3-Way Shared capability requires Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531, plus a 3-Way Shared pressure balance cartidge #M970730-0070A, sold separately
- 3-way diverter with shared flow requires cartidge M970730-0070A (sold separately)

SKU #	Color/Finish	List Price
TU052740.002	Polished Chrome	252
TU052740.013	Polished Nickel	353
TU052740.278	Legacy Bronze	378
TU052740.295	Brushed Nickel	353
TU052740.GN0	Brushed Cool Sunrise	378

ÁDA






Flash® 2-Way Integrated Shower Diverter **Rough-In Valve with Pressure Balance** Valve Cartridge

- Made of casted DZR brass to resist corrosion
- For use with Flash® 2-Handle Integrated Shower Diverter Trim
- 1/2" NPT Inlets/Outlets
- Valve ships with a 2-Way Discrete pressure balance cartidae
- 2-Way Shared functionality requires RU521 valve, plus purchase of 2-Way Shared cartridge RP# M970720-0070A, sold separately
- Compatible with Delancey®, Serin®, Studio® S, Town Square® S, Times Square® and Townsend®
- Trim sold separately


RU521 No Finish 355







• For use with RU521 valve



79



Flash® 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge

- Made of casted DZR brass to resist corrosion
- For use with Flash® 2-Handle Integrated Shower **Diverter Trim**
- 1/2" NPT Inlets/Outlets
- Valve ships with a 3-Way Discrete pressure balance cartidge
- 3-Way Shared functionality requires RU531 valve, plus purchase of 3-Way Shared cartridge RP# M970730-0070A, sold separately
- Compatible with Delancey[®], Serin[®], Studio[®] S, Town Square® S, Times Square® and Townsend® trims
- Trim sold separately

RU531 No Finish 385





Flash® 3-Way Shared Diverter Cartridge

• For use with RU531 valve

M970730-0070A

No Finish

79



List Price Guide 2024-1

Bath/Shower Trim Kits and Valves

Delancey			Datii/Silowei	IIIII KILS AII	u vaives
	Description		SKU #	Color/Finish	List Price
	Delancey® Single-Handle Diverter Valve	ÁDĄ	T052430.002	Polished Chrome	117
	Trim Kit With Lever Handle	_	T052430.013	Polished Nickel	162
Correct Control	 Metal lever handle Less valve (must be purchased separately) 		T052430.278	Legacy Bronze	174
	 For use with rough-in valves R422, R422S, R433 and R433S 		T052430.295	Brushed Nickel	162
	and moss		T052430.GN0	Brushed Cool Sunrise	176
					MAP SR Ø
	Delancey® Single-Handle Diverter Valve	<u></u>	T052432.002	Polished Chrome	117
	Trim Kit With Cross Handle	ÁDÀ	T052432.013	Polished Nickel	162
	Metal cross handle Loss valve (must be purchased congretely)		T052432.278	Legacy Bronze	174
Tan	 Less valve (must be purchased separately) For use with rough-in valves R422, R422S, R433 and R433S 		T052432.295	Brushed Nickel	162
	anu n4333				MAP SR Ø
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete Functions		R422	No Finish	231
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 2 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately				SRÌ Ø
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete/1 Shared Function		R422S	No Finish	231
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 2 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately				SR Q
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete Functions		R433	No Finish	262
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 3 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately				ŜR Ø
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete/3 Shared Functions		R433S	No Finish	262
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 3 outlets (shower or				SR Q




Controls water flow between 3 outlets (shower or sprays)


'½" (13 mm) NPT inlets/outlets
Trim must be ordered separately

Delancey Flash® Pressure Balance Bath/Shower System

Delancey®



Delancey Flash Pressure Balance Shower System



Delancey Flash® Pressure Balance Bath/Shower System


	Description	Qty	SKU #	List Price For System 002
Α	Delancey Flash 2-Handle Integrated Shower Diverter Trim	1	TU052740	252
В	Spectra Fixed® Traditional Showerhead	1	9138073	111
)	Standard Shower Arm	1	1660240	29
D	Traditional Slide Bar Kit	1	1662607	432
E	Delancey Tub Spout	1	8888107	99
qui	red Components - Choose From Rough-In Valve 1 or 2 (not shown)			
1	3-Way Discrete (Non-Shared) Functionality – Requires Flash 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge	1	RU531	385
2	3-Way (Shared) Functionality – Requires Flash 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, also requires 3-way shared function cartridge M970730-0070A (sold separately)	1	RU531 + M970730-0070A	385 + 79 = 464
	(**************************************			
	3-Way Discrete (Non-Shared) Ba	ath/Sho	ower System Total	1,308

Delancey Flash Pressure Balance Shower System

				List Price For System
	Description		SKU #	002
Α	Delancey Flash 2-Handle Integrated Shower Diverter Trim	1	TU052740	252
В	Spectra Rain® Showerhead	1	9038001	197
С	12" Wall-Mount Right Angle Rain Showerhead Arm	1	1660194	101
D	Traditional Slide Bar Kit	1	1662607	432
equir	red Components - Choose From Rough-In Valve 1 or 2 (not shown)			
1	2-Way Discrete (Non-Shared) Functionality – Requires Flash 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge	1	RU521	355
2	2-Way (Shared) Functionality - Requires Flash 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, also requires 2-way shared function cartridge M970720-0070A (sold separately)	1	RU521 + M970720-0070A	355 + 79 = 434
2-Way Discrete (Non-Shared) Bath/Shower System Total 2-Way (Shared) Bath/Shower System Total				

Delancey®

Accessories



Elevate your bathroom with the stately beauty of the **Edgemere Collection**. This striking style enhances traditional, transitional, and contemporary settings beautifully.



List Price Guide 2024-1 AmericanStandard.com

Sink



Widespread Faucet 7018801



Monoblock Faucet 7018101



Centerset Faucet 7018201

Bath



Bathtub Faucet T018901

Bathtub Faucet T018900

Shower







Bath/Shower Trim Kits TU018508, TU018502





Bath/Shower Trim Kits TU018507, TU018501



Bath/Shower Trim Kit TU018500

Accessories



Edgemere 18" Towel Bar 7018018





Edgemere Towel Ring 7018190



Edgemere Toilet Paper Holder 7018230



Edgemere Double Robe Hook 7018210

Sink and Bath Faucets





- With personal shower
- For use with Flash® bathtub faucet rough-in valve R910
- Washerless ¼-turn ceramic disc valve cartridges
- Durable brass spout
- Trim kit provides an additional 1" installation adjustability for finished deck



List Price Guide 2024-1 AmericanStandard.com



Edgemere® Bathtub Faucet With Lever Handles for Flash® Rough-In Valve



SKU#	Color/Finish	List Price
T018900.002	Polished Chrome	482
T018900.278	Legacy Bronze	722
T018900.295	Brushed Nickel	674




- Brass construction
- Metal lever handles

Description

- · Less personal shower
- For use with Flash® bathtub faucet rough-in valve R900
- Washerless ¼-turn ceramic disc valve cartridges
- Durable brass spout
- Trim kit provides an additional 1" installation adjustability for finished deck

Flash® Bathtub Filler Rough-In Valve With **Personal Shower**





- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat
- 14 gpm/59.2 L/min maximum flow rate at 40 psi
- •8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness
- Includes hand shower rough-in

Flash® Bathtub Filler Rough-In Valve

- Brass construction and washerless 1/4-turn ceramic disc valve cartridges
- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat connections
- 14 gpm/52.9 L/min maximum flow rate at 40 psi
- 8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck

R910









R900 No Finish

SR

Bath/Shower Trim Kits and Valves

HOW **ORDER**

Choose desired trim kit.



Trim kit with cartridge



Choose rough-in valve with desired connection.







Fully installed Bath/Shower

Flash® Shower Rough-In Valve

Edgemere® 2.5 gpm/9.5 L/min Tub and

Description





- 5-¾" (147 mm) showerhead, 2.5 gpm/9.5 L/min maximum flow
- Shower arm and flange
- Wall escutcheon
- Metal lever handle
- Metal slip-on diverter tub spout
- For use with Flash® shower rough-in valves

SKU# Color/Finish **List Price** TU018502.002 Polished Chrome 253 Legacy Bronze TU018502.278 366 TU018502.295 **Brushed Nickel** 345










Edgemere® 2.5 gpm/9.5 L/min Shower Trim Kit With Showerhead, Double Ceramic **Pressure Balance Cartridge With Lever** Handle



- cartridge • 5-3/4" (147 mm) showerhead, 2.5 gpm/9.5 L/min maximum flow
- Shower arm and flange
- Wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves




TU018501.002	Polished Chrome	229
TU018501.278	Legacy Bronze	328
TU018501.295	Brushed Nickel	307















- Wall escutcheon
- Metal lever handle




TU018500.002	Polished Chrome	200
TU018500.243	Matte Black	290
TU018500.278	Legacy Bronze	288
TU018500.295	Brushed Nickel	271















- Water-saving 5-¾" (147 mm) showerhead, 1.8 gpm/6.8 L/min maximum flow
- Shower arm and flange
- Wall escutcheon


Description


- Metal lever handle
- Metal slip-on diverter tub spout
- For use with Flash® shower rough-in valves












- cartridge • Water-saving 5-3/4" (147 mm) showerhead, 1.8 gpm/6.8 L/min maximum flow
- Shower arm and flange
- Wall escutcheon
- Metal lever handle









• For use with Flash® shower rough-in valves

AmericanStandard.com

Bath/Shower Trim Kits and Valves

Eagemere		Bath/Shower Trim Kits and Valves		
Description	SKU #	Color/Finish	List Price	
Flash® Shower Rough-In Valve With Universal Inlets/Outlets • ½" (13 mm) male NPT/Sweat inlets/outlets accept	RU101	No Finish	72	
 ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 				
Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103	
• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/ shower trim kits				
Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72	
• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			[SR]	
Flash® Shower Rough-In Valve With Stub- Outs With Screwdriver Stops	RU102SS	No Finish	103	
• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			[SR]	
Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring System	RU107	No Finish	72	
• ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/				
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets •½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters •Cast DZR brass valve body •Flow rate: 5.1 gpm @ 45 psi" •Back-to-back capability •Includes flush plug with stainless steel ring •Cartridge ships with trim •For use with TU series pressure balance bath/ shower trim kits Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops •½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters •Cast DZR brass valve body •Flow rate: 5.1 gpm @ 45 psi" •Back-to-back capability •Includes flush plug with stainless steel ring •Includes flush plug with stainless steel ring •Includes screwdriver stops for easy servicing at the valve •For use with TU series pressure balance bath/ shower trim kits Flash® Shower Rough-In Valve With Stub-Outs •½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings •Cast DZR brass valve body •Flow rate: 5.1 gpm @ 45 psi" •Back-to-back capability •Includes flush plug with stainless steel ring •Cartridge ships with trim •For use with TU series pressure balance bath/ shower trim kits Flash® Shower Rough-In Valve With Stub-Outs With Screwdriver Stops •½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings •Cast DZR brass valve body •Flow rate: 5.1 gpm @ 45 psi" •Back-to-back capability •Includes flush plug with stainless steel ring •Cartridge ships with trim •For use with TU series pressure balance bath/ shower trim kits Flash® Shower Rough-In Valve With PEX Includes flush plug with stainless steel ring •Includes screwdriver stops for easy servicing at the valve •Cartridge ships with trim •For use with TU series pressure balance bath/ shower trim kits	Plash® Shower Rough-In Valve With Universal Inlets/Outlets 1½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters 1½" (23 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters 1½" (13 mm) male NPT/Sweat inlets/outlets accept ½" cast DZR brass valve body 1 Flow rate: 5.1 gpm @ 45 psi' 1 Back-to-back capability 1 Includes flush plug with stainless steel ring 1 Cast DZR brass valve body 1½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters 1½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters 1½" (13 mm) male NPT/Sweat inlets/outlets accept ½" seack-to-back capability 1 Includes flush plug with stainless steel ring 1 Includes sovedwriver stops for easy servicing at the valve 1½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings 1½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings 1½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings 1 Includes flush plug with stainless steel ring 2 Cast DZP hass valve body 1 Includes flush plug with stainless steel ring 2 Cartinge ships with trim 2 For use with TU series pressure balance bath/ shower trin kits	Plash® Shower Rough-In Valve With Universal Inlets/Outlets No Finish	



Bath/Shower Trim Kits and Valves

	Bath/Show	er Irim Kits a	nd Valves
Description	SKU#	Color/Finish	List Price
Flash [®] Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 (SR)
• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125
• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72
• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103
• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System *\%** (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System • \%** (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System • \%** (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System • \%** (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System ***/*** (13 mm) PEX crimp leites/Universal outlets (ASTM F1807) **Cast DZR brass valve body **For use with TU series pressure balance bath/shower trim kits Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System ***********************************	Flash* Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System */* (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) - Cast DZR brass valve body - Flow rate: 5.1 gm @ 45 psi* - Back-to-back capability - Includes flush plug with stainless steel ring - Includes screwdriver stops for easy servicing at the valve - Cartridge ships with trim - For use with TU series pressure balance bath/ shower trim kits Flash* Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets (ASTM F1807) - Cast DZR brass valve body - ** (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) - Cast DZR brass valve body - ** (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) - Cast DZR brass valve body - ** (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) - Cast DZR brass valve body - ** (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) - Cast DZR brass valve body - ** (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) - Cast DZR brass valve body - ** (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) - Cast DZR brass valve body - ** (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) - Cast DZR brass valve body - ** (13 mm) PEX crimp shops in lets/Universal outlets (ASTM F1807) - Cast DZR brass valve body - ** (13 mm) PEX coid expansion inlets/Universal outlets (ASTM F1806) - Cast DZR brass valve body - ** (13 mm) PEX coid expansion inlets/Universal outlets (ASTM F1960) - Cast DZR brass valve body - ** (13 mm) PEX coid expansion inlets/Universal outlets for Coid Expansion System - ** (13 mm) PEX coid expansion inlets/Universal outlets (ASTM F1960) - Cast DZR brass valve body - ** (13 mm) PEX coid expansion inlets/Universal outlets (ASTM F1960) - Cast DZR brass valve body - ** (13

^{*}When combined with Double Ceramic pressure balance cartridge.

Bath/Shower Trim Kits and Valves

Eugemere		Batn/Snow	er irim kits a	na vaives
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold Expansion System	RU108E	No Finish	95 SR
	 ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			
	Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108ESS	No Finish	125
	 ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets	RU109	No Finish	95
	• ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver	RU109SS	No Finish	125
	Stops • ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR



Accessories

	Description	SKU#	Color/Finish	List Price
	Edgemere® 18-Inch Towel Bar	7018018.002	Polished Chrome	66
	Brass bar	7018018.243	Matte Black	95
	 All metal construction Concealed mounting: no exposed set screws 	7018018.278	Legacy Bronze	100
To	Coordinates with Edgemere® bath faucet collection Limited lifetime warranty on function and finish	7018018.295	Brushed Nickel	93 <i>Q</i>
	Edgemere® 24-Inch Towel Bar	7018024.002	Polished Chrome	74
En En	•Brass bar	7018024.243	Matte Black	108
	All metal construction Concealed mounting: no exposed set screws	7018024.278	Legacy Bronze	108
To the state of th	Coordinates with Edgemere® bath faucet collection Limited lifetime warranty on function and finish	7018024.295	Brushed Nickel	101 Ø
	Edgemere® Towel Ring	7018190.002	Polished Chrome	49
-	7-1/4" (185 mm) diameter ring All metal construction	7018190.243	Matte Black	71
	Concealed mounting: no exposed set screws	7018190.278	Legacy Bronze	74
	Coordinates with Edgemere® bath faucet collection Limited lifetime warranty on function and finish	7018190.295	Brushed Nickel	68 Q
	Edgemere® Double Robe Hook	7018210.002	Polished Chrome	36
	All metal construction	7018210.243	Matte Black	52
8	 Concealed mounting: no exposed set screws Coordinates with Edgemere® bath faucet collection 	7018210.278	Legacy Bronze	54
	 Easy to install Limited lifetime warranty on function and finish Solid metal construction is durable and long-lasting 	7018210.295	Brushed Nickel	51 <i>Ø</i>
	Edgemere® Toilet Paper Holder	7018230.002	Polished Chrome	54
	Pivoting arm	7018230.243	Matte Black	78
	All metal construction Coordinates with Edgemere® bath faucet collection	7018230.278	Legacy Bronze	83
6	Easy to install Limited lifetime warranty on function and finish	7018230.295	Brushed Nickel	77

Inspired by the continuous movement of water, the **Fluent Collection** adds an easy elegance to your bathroom design. It's the perfect way to bring the beauty of nature indoors.



List Price Guide 2024-1 AmericanStandard.com

Sink



Widespread Faucet 7186801



Monoblock Faucet 7186101



Centerset Faucet 7186201

Bath



Bathtub Faucets T186901, T186900



Tub Spouts

Shower







Bath/Shower Trim Kits TU186502, TU186508



Diverter Valve Trim Kit T186430



Showerhead 1660604

Accessories



C Series 18" Towel Bar 8337018



C Series 24" Towel Bar 8337024




C Series Towel Ring 8337190



C Series Toilet Paper Holder 8337230



C Series Double Robe Hook 8337210





Universal Deck Plate

- Met
- Put

etal construction	2000102P.013	Polished Nickel	70
tty plate included	2000102P.278	Legacy Bronze	76
	2000102P.295	Brushed Nickel	70
	2000102P.GN0	Brushed Cool Sunrise	75

2000102P.002



50



Fluent® 4-Inch Centerset 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With **Lever Handles**

- Brass construction
- 1/4-turn washerless ceramic disc valve cartridges
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Cast brass spout
- Metal lever handles
- Metal Speed Connect® pop-up drain



7186201.002	Polished Chrome	220
7186201.278	Legacy Bronze	331
7186201.295	Brushed Nickel	308

Polished Chrome





Sink and Bath Faucets



Fluent® Bathtub Faucet With Lever Handles and Personal Shower for Flash® Rough-In Valve

- Brass construction
- All personal showers feature 5' (152 cm) long hose
- Metal lever handles

Description

- Personal shower with 1.8 gpm/6.8 L/min maximum flow
- For use with Flash® bathtub faucet rough-in valve R910
- Installs with Flash® rough valve platform







Fluent® Bathtub Faucet With Lever Handles for Flash® Rough-In Valve



35





- Brass construction
- Metal lever handles
- Less personal shower
- For use with Flash® bathtub faucet rough-in valve R900
- Installs with Flash® rough valve platform

			MAP 0
₫	T186900.295	Brushed Nickel	651
ÁDÀ	T186900.002	Polished Chrome	465



Flash® Bathtub Filler Rough-In Valve With **Personal Shower**

- Brass construction and washerless 1/4-turn ceramic disc valves cartridge
- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat
- 14 gpm/59.2 L/min maximum flow rate at 40 psi
- •8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness
- Includes hand shower rough-in




No Finish

List Price Guide 2024-1

322



Flash® Bathtub Filler Rough-In Valve



- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or ½" (13 mm) copper sweat connections
- 14 gpm/52.9 L/min maximum flow rate at 40 psi
- 8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness

R900 No Finish









AmericanStandard.com

Bath/Shower Trim Kits and Valves

HOW **ORDER** Choose desired trim kit.





Choose rough-in valve with desired connection.





Fully installed Bath/Shower

Trim kit with cartridge

Description

Flash® Shower Rough-In Valve

Fluent® 2.5 gpm/9.5 L/min Tub and Shower Trim Kit With Showerhead, Double Ceramic **Pressure Balance Cartridge With Lever**

Handle



- 7" (178 mm) showerhead, 2.5 gpm/9.5 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- Metal slip-on diverter tub spout
- For use with Flash® shower rough-in valves

SKU# Color/Finish **List Price** TU186502.002 Polished Chrome 268 TU186502.278 386 Legacy Bronze TU186502.295 **Brushed Nickel** 361












• Includes Double Ceramic pressure balance



- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves













Fluent® Valve Only Trim Kit With Double Ceramic Pressure Balance Cartridge With Lever Handle

- Includes Double Ceramic pressure balance cartridge
- Brass wall escutcheon
- Metal lever handle
- For use with Flash® rough-in valves



TU186500.002 TU186500.295 Polished Chrome **Brushed Nickel**

284

AmericanStandard.com



212




List Price Guide 2024-1

Bath/Shower Trim Kits and Valves



Fluent® 1.8 gpm/6.8 L/min Tub and Shower Trim Kit With Water-Saving Showerhead, Double Ceramic Pressure Balance Cartridge With Lever Handle










- Includes Double Ceramic pressure balance cartridge
- Water-saving 7" (178 mm) showerhead, 1.8 gpm/6.8 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle


Description

- Metal slip-on diverter tub spout
- For use with Flash® shower rough-in valves




















- Water-saving 7" (178 mm) showerhead, 1.8 gpm/6.8 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves



uent

Fluent		Bath/Show	<i>i</i> er Irim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
	 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			(SR)
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
	• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With Stub-Outs With Screwdriver Stops • ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits	RU102SS	No Finish	103 SR
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring	RU107	No Finish	72
	System • ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			(SR)

Fluent®		Bath/Show	er Trim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103
m .	• ½" (13 mm) PEX cold expansion inlets/Universal			



- ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960)
 Cast DZR brass valve body
 Flow rate: 5.1 gpm @ 45 psi*
 Back-to-back capability
 Includes flush plug with stainless steel ring
 Includes screwdriver stops for easy servicing at

- the valve
 For use with TU series pressure balance bath/shower trim kits

*When combined with Double Ceramic pressure balance cartridge.

List Price Guide 2024-1 AmericanStandard.com

Color/Finish

No Finish

No Finish

125

SR

SR

List Price



Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold **Expansion System**

- 1/2" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960)
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability

Description

- Includes flush plug with stainless steel ring
 Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With **Screwdriver Stops for Cold Expansion**

- **System** • 1/2" (13 mm) PEX cold expansion elbow inlets/
- Universal outlets (ASTM F1960) Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at the valve
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets

- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

• 1/2" (13 mm) CPVC inlets/Universal outlets

RU109

SKU#

RU108E

RU108ESS

No Finish

95





Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver Stops

- 1/2" (13 mm) CPVC inlets/Universal outlets
- · Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at the valve
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

RU109SS

No Finish

125





SKU# Color/Finish **List Price** Description Fluent® Single-Handle Diverter Valve Trim T186430.002 Polished Chrome 111 ÁDA T186430.295 **Brushed Nickel** 155 Metal lever handle • Less valve (must be purchased separately) • Trim kit for valve bodies R422, R422S, R423 and 2-Way In-Wall Diverter Rough-In Valve With R422 No Finish 231 2 Discrete Functions SR Ø • Durable cast brass valve body - excellent for high use applications with prolonged water use • Controls water flow between 2 outlets (shower or sprays) • ½" (13 mm) NPT inlets/outlets • Trim must be ordered separately 2-Way In-Wall Diverter Rough-In Valve With R422S No Finish 231 2 Discrete/1 Shared Function SR OF • Durable cast brass valve body - excellent for high use applications with prolonged water use · Controls water flow between 2 outlets (shower or sprays) • 1/2" (13 mm) NPT inlets/outlets • Trim must be ordered separately R433 No Finish 262 3-Way In-Wall Diverter Rough-In Valve With 3 Discrete Functions SR O • Durable cast brass valve body - excellent for high use applications with prolonged water use • Controls water flow between 3 outlets (shower or • ½" (13 mm) NPT inlets/outlets • Trim must be ordered separately 3-Way In-Wall Diverter Rough-In Valve With R433S No Finish 262 3 Discrete/3 Shared Functions SR O • Durable cast brass valve body - excellent for high



- Durable cast brass valve body excellent for hig use applications with prolonged water use
- Controls water flow between 3 outlets (shower or sprays)
- 1/2" (13 mm) NPT inlets/outlets
- Trim must be ordered separately

Accessories

MAP Ø

	Description	SKU #	Color/Finish	List Price
	C Series 18-Inch Towel Bar	8337018.002	Polished Chrome	66
	Metal construction: Durable and long-lasting	8337018.013	Polished Nickel	92
	Concealed mounting: no exposed set screws Easy to install	8337018.243	Matte Black	75
	Limited lifetime warranty on function and finish	8337018.278	Legacy Bronze	100
		8337018.295	Brushed Nickel	92
			Polished Chrome Polished Nickel Matte Black Legacy Bronze	MAP Ø
	C Series 24-Inch Towel Bar	8337024.002	Polished Chrome	70
4	Metal construction: Durable and long-lasting	8337024.013	Polished Nickel	98
	Concealed mounting: no exposed set screws Easy to install	8337024.243	Matte Black	80
	Limited lifetime warranty on function and finish	8337024.278	Polished Nickel Matte Black Legacy Bronze Brushed Nickel Polished Chrome Polished Nickel Matte Black Polished Nickel Matte Black Regacy Bronze Brushed Nickel Regacy Bronze Polished Chrome Polished Nickel Regacy Bronze Polished Nickel Regacy Bronze Regacy Bronze Regacy Bronze Polished Nickel Regacy Bronze Polished Nickel Regacy Bronze Re	104
		8337024.295	Brushed Nickel	98
				MAP Ø
	C Series Towel Ring	8337190.002	Polished Chrome	41
	Metal construction: Durable and long-lasting Concealed mounting: no exposed set screws 7" (178 mm) diameter ring	8337190.013	Polished Nickel	57
		8337190.243	Matte Black	47
	Easy to install Limited lifetime warranty on function and finish	8337190.278	Legacy Bronze	61
	- Elimited meanine warranty on function and impir	8337190.295	Brushed Nickel	57
			Polished Chrome Polished Nickel Matte Black Legacy Bronze Brushed Nickel Polished Chrome Polished Nickel Matte Black Legacy Bronze Brushed Nickel Polished Chrome Polished Nickel Matte Black Legacy Bronze Brushed Nickel Matte Black Legacy Bronze Brushed Nickel Polished Chrome Polished Nickel Matte Black Legacy Bronze Brushed Nickel Matte Black Legacy Bronze Brushed Nickel Polished Chrome Polished Nickel Matte Black Legacy Bronze Brushed Nickel Matte Black Legacy Bronze	MAP Ø
	C Series Double Robe Hook	8337210.002	Polished Chrome	31
C III	Metal construction: Durable and long-lasting	8337210.013	Polished Nickel	43
	Concealed mounting: no exposed set screws Easy to install	8337210.243	Matte Black	35
	• Limited lifetime warranty on function and finish	8337210.278	Legacy Bronze	43
		8337210.295	Brushed Nickel	43
				MAP Ø
	C Series Toilet Paper Holder	8337230.002	Polished Chrome	53
	Metal construction: Durable and long-lasting	8337230.013	Polished Nickel	76
	Concealed mounting: no exposed set screws Easy to install	8337230.243	Matte Black	60
	Limited lifetime warranty on function and finish	8337230.278	Legacy Bronze	82
		8337230.295	Brushed Nickel	76





Enhanced by classic details, the traditional style of the **Glenmere Collection** will stand the test of time. Designed for durability, reliable performance, and lasting beauty in the busiest bathroom.



List Price Guide 2024-1 AmericanStandard.com

Sink



Widespread Faucet 7617807



Centerset Faucet 7617207



Monoblock Faucet 7617107

Shower







Bath/Shower Trim Kit TU617508





Bath/Shower Trim Kit TU617507

Accessories



24" Towel Bar 7617024



Towel Ring 7617190



Toilet Paper Holder 7617230



Double Robe Hook 7617210




Glenmere™ 8-Inch Widespread 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handles

- Metal construction
- Washerless ceramic disc valve cartridges
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Metal spout

Description

- Brass hybrid valves with reinforced flexible hose connections for 6" - 12" (152 - 305 mm) installations
- Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Metal lever handles
- Metal push pop up drain







Glenmere™ 4-Inch Centerset 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handles

- Metal construction
- Washerless ceramic disc valve cartridges
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Metal spout
- Metal lever handles
- Metal push pop up drain







Glenmere™ Single Hole Single-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handle

- Metal construction
- Washerless ceramic disc valve cartridges
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Metal spout
- Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Metal lever handle
- Includes optional deck plate
- Metal push pop up drain

7617107.002	Polished Chrome	243
7617107.243	Matte Black	316
7617107.278	Legacy Bronze	292
7617107 295	Brushed Nickel	292

Œ

List Price Guide 2024-1 AmericanStandard.com

Bath/Shower Trim Kits and Valves

HOW TO **ORDER**







Choose rough-in valve with desired connection.







202

263

242

242

Fully installed Bath/Shower




Trim kit with cartridge


Description

Flash® Shower Rough-In Valve












• Includes Double Ceramic pressure balance cartridge

• Water-saving showerhead, 1.8 gpm/6.8 L/min






- Metal lever handle
- IPS diverter tub spout











TU617507.002	Polished Chrome	170
TU617507.243	Matte Black	221
TU617507.278	Legacy Bronze	204
TU617507.295	Brushed Nickel	242







- **Lever Handle**
- Includes Double Ceramic pressure balance cartridge • Water-saving showerhead, 1.8 gpm/6.8 L/min
- maximum flow
- Shower arm and flange
- Metal wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves

No Finish

Color/Finish Description SKU# Flash® Shower Rough-In Valve With **RU101** No Finish **Universal Inlets/Outlets**

- 1/2" (13 mm) male NPT/Sweat inlets/outlets accept 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops

- 1/2" (13 mm) male NPT/Sweat inlets/outlets accept 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters
 Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With Stub-Outs

- 1/2" (13 mm) Stub-out inlets/outlets accept 1/2" press-connect fittings
- · Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With Stub-

- 1/2" (13 mm) Stub-out inlets/outlets accept 1/2" press-connect fittings
- Cast DZR brass valve body

Outs With Screwdriver Stops

- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring

- 1/2" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807)
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring

RU102

RU102SS

RU107

RU101SS

No Finish

72

List Price

72

103

SR

SR





No Finish

103



72



- · Cast DZR brass valve body

- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

d. 5.11.11.51.5		Batil, Ollott		iiu rairoo
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103
Ma	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960)			_



- ½

 (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960)

 Cast DZR brass valve body

 Flow rate: 5.1 gpm @ 45 psi*

 Back-to-back capability

 Includes flush plug with stainless steel ring

 Includes screwdriver stops for easy servicing at

- For use with TU series pressure balance bath/ shower trim kits

List Price Guide 2024-1 AmericanStandard.com

^{*}When combined with Double Ceramic pressure balance cartridge.

Bath/Shower Trim Kits and Valves

dicillicie		Dalii/Sillow	ei iiiiii kits a	iiu vaives
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold Expansion System	RU108E	No Finish	95
	• ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108ESS	No Finish	125
POOP	V2" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets	RU109	No Finish	95
	• ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			SR
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver Stops	RU109SS	No Finish	125 SR
	• ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at			



- Includes screwdriver stops for easy servicing at the valve

 Cartridge ships with trim

 For use with TU series pressure balance bath/ shower trim kits



$\textbf{Glenmere}^{^{\text{\tiny{TM}}}}$

Bath/Shower Trim Kits and Valves

	Description	SKU #	Color/Finish	List Price
	Glenmere™ 24-inch Towel Bar	7617024.002	Polished Chrome	57
	All metal construction	7617024.243	Matte Black	84
1	Concealed mounting	7617024.278	Legacy Bronze	75
		7617024.295	Brushed Nickel	65
	Glenmere™ Towel Ring	7617190.002	Polished Chrome	41
	•7" (178 mm) diameter ring	7617190.243	Matte Black	60
	All metal construction Concealed mounting	7617190.278	Legacy Bronze	54
		7617190.295	Brushed Nickel	47
	Glenmere [™] Robe Hook	7617210.002	Polished Chrome	31
	All metal construction	7617210.243	Matte Black	46
	Concealed mounting	7617210.278	Legacy Bronze	42
		7617210.295	Brushed Nickel	36
	Glenmere™ Toilet Paper Holder	7617230.002	Polished Chrome	50
	All metal construction	7617230.243	Matte Black	74
	Concealed mounting	7617230.278	Legacy Bronze	68
		7617230.295	Brushed Nickel	46

Practical by design, the **Reliant 3 Collection** boasts ergonomic features for enhanced functionality without sacrificing style, and superior engineering for dependable use.



List Price Guide 2024-1 AmericanStandard.com

Sink



Centerset Faucets

Shower















Bath/Shower Trim Kit TU385502


Bath/Shower Trim Kit TU385508



Shower Trim Kit TU385500

Accessories







C Series 24" Towel Bar 8337024



C Series Towel Ring 8337190




C Series Toilet Paper Holder 8337230



C Series Double Robe Hook 8337210

List Price Guide 2024-1 AmericanStandard.com





- Water-conserving 0.5 gpm/1.9 L/min pressurecompensating aerator
- 47 mm ceramic disc valve cartridge with an adjustable Hot Limit Safety Stop
- Cast brass waterway
- Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Red/Blue index button included
- Indexed Red/Blue metal lever handle
- Metal Speed Connect® pop-up drain



Reliant 3® 4-Inch Centerset Single-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handle







Color/Finish

Polished Chrome

List Price

177

177

247

7385007.002

SKU#



Water-conserving 1.2 gpm/4.5 L/min pressure-

- compensating aerator • 47 mm ceramic disc valve cartridge with an
- adjustable Hot Limit Safety Stop
- Cast brass waterway with flexible supply hoses
 Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Red/Blue index button included
- Indexed Red/Blue metal lever handle
- Less drain

Description

- Less pop-up rod
- With pop-up hole



7385004.002

Polished Chrome





Reliant 3® 4-Inch Centerset Single-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With **Lever Handle**

- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- 47 mm ceramic disc valve cartridge with an adjustable Hot Limit Safety Stop
- Cast brass waterway with flexible supply hoses
- Braided flexible supply hoses with 3/8" (10 mm) compression connectors

- · Less drain



7385004.295

Brushed Nickel



• Red/Blue index button included

- Indexed Red/Blue metal lever handle
- Less pop-up rod
- Less pop-up hole



Polished Chrome

199




Bathroom Faucet 0.5 gpm/1.9 L/min With **Lever Handle** • Water-conserving 0.5 gpm/1.9 L/min pressure-


Reliant 3® 4-Inch Centerset Single-Handle

- compensating aerator spray • 47 mm ceramic disc valve cartridge with adjustable Hot Limit Safety Stop
- All metal construction
- Vandal-resistant non aerator spray
- Cast brass waterway
- Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Red/Blue index button included
- Indexed Red/Blue metal lever handle
- Metal Speed Connect® pop-up drain



199






- 47 mm ceramic disc valve cartridge with adjustable Hot Limit Safety Stop
- All metal construction
- · Vandal-resistant non aerator spray
- Cast brass waterway
- Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Red/Blue index button included
- Indexed Red/Blue metal lever handle
- Grid drain
- Less pop-up hole





7385053.002 Polished Chrome







- Water-conserving 1.2 gpm/4.5 L/min pressure-
- compensating aerator spray • 47 mm ceramic disc valve cartridge with adjustable Hot Limit Safety Stop
- All metal construction
- · Cast brass waterway
- 3/8" (10 mm) copper supplies with 1/2" (13 mm) male adapters
- Metal lever handle
- Red/Blue index button included
- Less Drain
- Less pop-up hole

214

List Price Guide 2024-1 AmericanStandard.com

Bath/Shower Trim Kits and Valves

HOW TO ORDER

Choose desired trim kit.





Choose rough-in valve with desired connection.







Fully installed Bath/Shower


Trim kit with cartridge

Flash® Showe	r Kougn-In	vaive
--------------	------------	-------

Description	SKU #	Color/Finish	List Price
Reliant 3® 2.5 gpm/9.5 L/min Tub and	TU385502.002	Polished Chrome	195








- Includes Double Ceramic pressure balance cartridge
- "Easy Clean" 4-1/2" (115 mm) showerhead, 2.5 gpm/9.5 L/min maximum flow
- Shower arm and flange
- Metal wall escutcheon
- Slip-on diverter tub spout
- For use with Flash® shower rough-in valves









TU385501.002 TU385501.295 Polished Chrome 156 **Brushed Nickel** 205



• Includes Double Ceramic pressure balance cartridge

- "Easy Clean" 4-1/2" (115 mm) showerhead, 2.5 • Shower arm and flange
- Metal wall escutcheon
- Metal lever handle
 For use with Flash® shower rough-in valves



TU385500.002 TU385500.295 Polished Chrome **Brushed Nickel**

109 142



Reliant 3® Valve Only Trim Kit With Double **Ceramic Pressure Balance Cartridge With Lever Handle**

- Includes Double Ceramic pressure balance cartridge
- Metal wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves









Reliant 3® 1.75 gpm/6.6 L/min Tub and **Shower Trim Kit With Double Ceramic Pressure Balance Cartridge With Lever** Handle

- Includes Double Ceramic pressure balance cartridge
- Water-saving 3-¾" (96 mm) 1.75 gpm/6.6 L/min maximum flow
- Shower arm and flange
- Metal wall escutcheon
- Metal lever handle
- Slip-on diverter tub spout
- For use with Flash® shower rough-in valves



TU385508.002

Polished Chrome

195

Bath/Shower Trim Kits and Valves

monant o		Datily Offortor	min rato ai	ia vaivoo
	Description	SKU #	Color/Finish	List Price
A.	Flash® Shower Rough-In Valve With Universal Inlets/Outlets • ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters	RU101	No Finish	72 SR
	Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
	• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With Stub- Outs With Screwdriver Stops	RU102SS	No Finish	103
	• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			SR
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring System	RU107	No Finish	72
	• ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			эн



		2000.0000		
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	 ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With	RU107ESS	No Finish	125
	Screwdriver Stops for Crimp Ring System 1/2" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits			SR
AT. a	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System • ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960)	RU108	No Finish	72 SR
	 Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/shower trim kits			

^{*}When combined with Double Ceramic pressure balance cartridge.





shower trim kits

Accessories

Reliant 3®

	Description	SKU #	Color/Finish	List Price
	C Series 18-Inch Towel Bar	8337018.002	Polished Chrome	66
	Metal construction: Durable and long-lasting	8337018.002 Polished Chrome	92	
	 Concealed mounting: no exposed set screws Easy to install 	8337018.243	Matte Black	75
	Limited lifetime warranty on function and finish	8337018.278	Legacy Bronze	100
		8337018.295	Brushed Nickel	92
				MAP Ø
	C Series 24-Inch Towel Bar	8337024.002	Polished Chrome	70
			Polished Nickel	98
	Concealed mounting: no exposed set screws	8337024.243	Matte Black	80
	Limited lifetime warranty on function and finish	8337024.278	Legacy Bronze	104
		8337024.295		98
				MAP Ø
	C Series Towel Ring	8337190.002	Polished Chrome	41
	•	8337190.013	Polished Nickel	57
	 Concealed mounting: no exposed set screws 	8337190.243	Polished Chrome Polished Nickel Polished Nickel Matte Black Polished Nickel	47
	Easy to install	8337190.278		61
(())	• Limited lifetime warranty on function and finish	8337190.295	Brushed Nickel	57
				MAP Ø
	C Series Double Robe Hook	8337210.002	Polished Chrome	31
	Metal construction: Durable and long-lasting	8337210.013	Polished Nickel	43
	Concealed mounting: no exposed set screws Easy to install	8337210.243	Matte Black	35
	Limited lifetime warranty on function and finish	8337210.278	Legacy Bronze	43
		8337210.295	Brushed Nickel	43
				MAP Ø
	C Series Toilet Paper Holder	8337230.002	Polished Chrome	53
_	Metal construction: Durable and long-lasting	8337230.013	Polished Nickel	76
	C Series 24-Inch Towel Bar Metal construction: Durable and long-lasting Concealed mounting: no exposed set screws Easy to install Limited lifetime warranty on function and finish C Series Towel Ring Mattal construction: Durable and long-lasting Metal construction: Durable and long-lasting Concealed mounting: no exposed set screws T' (178 mm) diameter ring Easy to install Limited lifetime warranty on function and finish C Series Double Robe Hook Metal construction: Durable and long-lasting Sa37190.278 C Series Double Robe Hook Metal construction: Durable and long-lasting Easy to install Limited lifetime warranty on function and finish C Series Double Robe Hook Metal construction: Durable and long-lasting Concealed mounting: no exposed set screws Easy to install Limited lifetime warranty on function and finish C Series Toilet Paper Holder Metal construction: Durable and long-lasting Concealed mounting: no exposed set screws Easy to install Limited lifetime warranty on function and finish C Series Toilet Paper Holder Metal construction: Durable and long-lasting Concealed mounting: no exposed set screws Easy to install Limited lifetime warranty on function and finish C Series Toilet Paper Holder Metal construction: Durable and long-lasting Concealed mounting: no exposed set screws Easy to install Limited lifetime warranty on function and finish Limited lifetime warranty on fu	60		
		8337230.278	Legacy Bronze	82
		8337230.295	Brushed Nickel	76
				MAP O



Lending stoic confidence to a modern setting, the **Serin Collection** features an arched faucet and substantial lever handles for a look that is as expressive as it is enduring.



List Price Guide 2024-1 AmericanStandard.com

Sink



Widespread Faucet 2064801



Widespread Faucet 2064831



Monoblock Faucet 2064101



Vessel Faucet 2064152



Wall-Mount Faucet 2064451

Bath



Contemporary Freestanding Bathtub Faucet T064951





Slip-on Diverter Fixed Mounted Tub Spout 8888087 Bidet Fitting 2064401



Monoblock Bidet Fitting 2064011

Shower





Bath/Shower Trim Kit TU064508





Shower Trim Kit TU064507



Shower Trim Kit TU064500



2-Handle Integrated Shower Diverter Trim TU064740



Single-Handle Diverter Valve Trim Kit T064430

Accessories



C Series 18" Towel Bar 8337018



C Series 24" Towel Bar 8337024



C Series Towel Ring 8337190




C Series Toilet Paper Holder 8337230



C Series Double Robe Hook 8337210

AmericanStandard.com

Sink and Bath Faucets





2064801.002

SKU#

Polished Chrome

Color/Finish

List Price 448





Bathroom Faucet 1.2 gpm 4.5 L/min With **Lever Handles**

- Brass construction
- Washerless ceramic disc valve cartridge
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Brass sprout

Description

- Cast brass valve bodies with flexible hose connections for 6"-12" (152-305 mm) installations
- Metal lever handles.
- Metal Speed Connect® pop-up drain



2064831.002 2064831.295 Polished Chrome **Brushed Nickel**

448





Serin® 2-Handle 8-Inch Widespread Bathroom Faucet 1.2 gpm 4.5 L/min With **Lever Handles**



- Washerless ceramic disc valve cartridge
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Brass sprout
- Cast brass valve bodies with flexible hose connections for 6"-12" (152-305 mm) installations
- Metal lever handles
- Metal Speed Connect® pop-up drain



2064101.002 2064101.295

Polished Chrome **Brushed Nickel**

343

481







Serin® Single Hole Single-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handle

- Brass construction
- Washerless ceramic disc valve cartidges
- Water-conserving 1.2 gpm/4.5 L/min pressure-
- compensating aerator
- Cast brass spout
- Braided flexible hoses with 3/8" (10mm) compression connectors
- Adjustable Hot Limit Safety Stop
- Red/Blue index buttons included
- Metal lever handle
- Metal Speed Connect® pop-drain




2064LDH101.002

Polished Chrome

319







- Washerless ceramic disc valve cartidges
- Water-conserving 1.0 gpm/3.8 L/min pressurecompensating aerator

Serin® Single Hole Single-Handle Bathroom

- Cast brass spout
- Braided flexible hoses with 3/8" (10mm)
- compression connectors
- Adjustable Hot Limit Safety Stop
- Red/Blue index buttons included
- Metal lever handle
- Less pop-up drain and hole



List Price Guide 2024-1

Serin®

Sink and Bath Faucets





Serin® Single Hole Single-Handle Vessel Sink Faucet 1.2 gpm/4.5 L/min With Lever Handle



2064152.002

Polished Chrome

412



- Brass construction
- Washerless ceramic disc valve cartridges
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Cast brass spout
- Braided flexible hoses with 3/8" (10 mm) compression connectors
- Red/Blue index buttons included
- Metal lever handle
- Grid drain



2064151.002

Polished Chrome

378





Serin® Single Hole Single-Handle Vessel Sink Faucet 1.2 gpm/4.5 L/min With Lever Handle



- Washerless ceramic disc valve cartridges
 Washerless ceramic disc valve cartridges
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Cast brass spout
- Braided flexible hoses with 3/8" (10 mm) compression connectors
- Red/Blue index buttons included
- Metal lever handle
- Less drain



2064451.002

Polished Chrome

448







Serin® 2-Handle Wall Mount Faucet 1.2 gpm/4.5 L/min With Lever Handles

- Brass construction
- Washerless ceramic disc valve cartridges
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Brass spout
- Cast brass valve body
- Metal lever handles
- Grid drain



Sink and Bath Faucets

Description

SKU#

2064461.002

Color/Finish

List Price

448

Serin® Single-Handle Wall Mount Faucet 1.2 gpm/4.5 L/min With Lever Handles



Brass construction

- Washerless ceramic disc valve cartridge
- Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator
- Brass sprout
- · Cast brass valve body
- Metal lever handles
- Grid drain




Polished Chrome





Contemporary Round Freestanding Bathtub Filler With Lever Handle Faucet for Flash® Rough-In Valve



- Personal shower features 59" (1499 mm) long hose with 1.8 gpm/6.8 L/min maximum flow
- Metal lever handle
- Overall height: 44-¾" (1137 mm)
 Spout reach: 11-¼" (286 mm)
- Metal hand shower
- Shower bracket pivots 60°
 For use with Flash® freestanding tub faucet roughin valve (sold separately)



T064951.002 T064951.243 T064951.295 T064951.GN0 Polished Chrome 1,187 Matte Black 1,780 **Brushed Nickel** 1,662

Brushed Cool

Sunrise



1,781



Flash® Freestanding Bathtub Filler Rough-In Valve

- Brass construction
- ½" (13 mm) copper inlets
- Level adjustable
- Test plugs included
- Must order trim separately

R950

No Finish

230





Flash® Freestanding Bathtub Filler Rough-In Valve With Screwdriver Stops

- Brass construction
- 1/2" (13 mm) copper inlets
- Level adjustable
- Test plugs included
- Must order trim separately
- Includes screwdriver stops for easy servicing at the valve

R950SS

No Finish

265




List Price Guide 2024-1

Serin®

Bath/Shower Trim Kits and Valves









Choose rough-in valve with desired connection.








Trim kit with cartridge

Description

Flash® Shower Rough-In Valve

Color/Finish **List Price**






TU064508.002 TU064508.295 Polished Chrome **Brushed Nickel**




402



- Water-saving 4-¾" (120mm) 3-function showerhead, 1.75 gpm/6.6 L/min maximum flow
- Shower arm and flange
- · Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves








TU064507.002

Polished Chrome

356







- Inculdes Double Ceramic pressure balance cartridge
- Water-saving 4-¾" (120mm) 3-function showerhead, 1.75 gpm/6.6 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves





Serin® Valve Only Trim Kit With Double **Ceramic Pressure Balance Cartridge With** Lever Handle




TU064500.002

Polished Chrome

264 356







- Metal lever handle
- For use with Flash® shower rough-in valves





TU064500.295

Brushed Nickel



Serin		Bath/Show	er Trim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets • ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits	RU101	No Finish	72 SR
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops • ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/ shower trim kits	RU101SS	No Finish	103
	Flash® Shower Rough-In Valve With Stub-Outs • ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits	RU102	No Finish	72 SR
	Flash® Shower Rough-In Valve With Stub-Outs With Screwdriver Stops • ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits	RU102SS	No Finish	103
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring System • ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits	RU107	No Finish	72 SR



SCIIII		Daul/Sliuwei	IIIIII KIIS ai	iu vaives
	Description	SKU #	Color/Finish	List Price
	Flash [®] Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	 ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125 SR
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion	RU108	No Finish	72
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			SR
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver	RU108SS	No Finish	103
	Stops for Cold Expansion System • ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/ shower trim kits			[SR]


 $^{{}^{\}star}\text{When combined}$ with Double Ceramic pressure balance cartridge.

Bath/Shower Trim Kits and Valves

Sellii		Daul/Silowei	IIIIII KIIS a	iiu vaives
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold Expansion System	RU108E	No Finish	95 SR
	• ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108ESS	No Finish	125
	• ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets	RU109	No Finish	95
	• ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver	RU109SS	No Finish	125
	Stops • ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			(SR)

Color/Finish **List Price** Description T064WDXH602.002 Polished Chrome 405 Serin® Tub and Shower Trim Kit, Double **Ceramic Pressure Balance Cartridge With** MAP O **Lever Handle**





- Shower arm and flange
- Brass wall escutcheon with built-in diverter
- Metal lever handle
- Brass tub spout
- Red/Blue indicator ring
- For use with rough-in valve R116SS
- Brass wall escutcheon with built-in diverter





Temperature Control Rough-In Valve With Integral Diverter

- Ceramic disc valve provides a lifetime of smooth handle operation and drip-free performance
- Hot Limit Safety Stop protects from accidental scalding
- Durable brass construction
- Limited lifetime warranty on function and finish

R116SS

No Finish

184





Serin® Fixture-Mounted Bidet Fitting

- Cast brass valve bodies
- Washerless ceramic disc valve cartridges
- Vacuum breaker
- Metal lever handle
- Metal Speed Connect® pop-up drain

ADA

2064401.002

Polished Chrome

766





- Cast brass spout
- Braided flexible hoses with 3/8" (10 mm) compression connectors
- Metal lever handle
- Metal Speed Connect® pop-up drain



2064011.002

Polished Chrome

363







AmericanStandard.com





Flash® 3-Way Shared Diverter Cartridge

• For use with RU531 valve

M970730-0070A

No Finish

79

Serin			Bath/Showe	er Trim Kits and	l Valves
	Description		SKU #	Color/Finish	List Price
	Serin® Single-Handle Diverter Valve Trim Kit • Metal lever handle • Less valve (must be purchased separately) • For use with rough-in valves R422, R422S, R433 and R433S • Controls water flow between 2 or 3 outlets (shower or sprays)	ÁDA	T064430.002 T064430.295	Polished Chrome Brushed Nickel	118 163 MAP Ø
	 2-Way In-Wall Diverter Rough-In Valve With 2 Discrete Functions Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 2 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately 		R422	No Finish	231
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete/1 Shared Function • Durable cast brass valve body – excellent for high use applications with prolonged water use • Controls water flow between 2 outlets (shower or sprays) • ½" (13 mm) NPT inlets/outlets • Trim must be ordered separately		R422S	No Finish	231
	 3-Way In-Wall Diverter Rough-In Valve With 3 Discrete Functions Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 3 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately 		R433	No Finish	262
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete/3 Shared Functions • Durable cast brass valve body – excellent for high use applications with prolonged water use • Controls water flow between 3 outlets (shower or sprays)		R433S	No Finish	262




AmericanStandard.com

- ½" (13 mm) NPT inlets/outlets Trim must be ordered separately


List Price Guide 2024-1

Serin®

Serin Flash® Pressure Balance Bath/Shower System



Serin Flash Pressure Balance Shower System



Serin Pressure Balance Bath/Shower System

				LIST PRICE FOR SYSTE
	DESCRIPTION	QTY	SKU #	002
Α	Serin Flash 2-Handle Integrated Shower Diverter Trim	1	TU064740	264
В	10" Modern Rain Showerhead	1	1660683	296
)	12" Wall-Mount Right Angle Shower Arm	1	1660194	101
)	3-Function Modern Slide Bar Kit	1	1662647	312
E	Serin Tub Spout	1	8888421	130
quir	red Components - Choose From Rough-In Valve 1 or 2 (not shown)			
1	3-Way Discrete (Non-Shared) Functionality – Requires Flash 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge	1	RU531	385
2	3-Way (Shared) Functionality – Requires Flash 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, also requires 3-way shared function cartridge M970730-0070A (sold separately)	1	RU531 + M970730-0070A	385 + 79 = 464
,	3-Way Discrete (Non-Shared) Ba	ath/Sho	ower System Total	1,488
			,	

Serin Pressure Balance Shower System

				LIST PRICE FOR SYSTEM
	DESCRIPTION	QTY	SKU #	002
Α	Serin Flash 2-Handle Integrated Shower Diverter Trim	1	TU064740	249
В	10" Modern Rain Showerhead	1	1660683	296
С	12" Wall-Mount Right Angle Shower Arm	1	1660194	101
D	3-Function Modern Slide Bar Kit	1	1662647	312
Requir	ed Components - Choose From Rough-In Valve 1 or 2 (not shown)			
1	2-Way Discrete (Non-Shared) Functionality – Requires Flash 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge	1	RU521	355
2	2-Way (Shared) Functionality – Requires Flash 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, also requires 2-way shared function cartridge M970720-0070A (sold separately)	1	RU521 + M970720-0070A	355 + 79 = 434
	2-Way Discrete (Non-Shared) E	Bath/Sho	ower System Total	1,313
			ower System Total	1,392

$\textbf{Serin}^{\text{\tiny{\$}}}$

Accessories

	Description	SKU #	Color/Finish	List Price
	C Series 18-Inch Towel Bar	8337018.002	Polished Chrome	66
	Metal construction: Durable and long-lasting	8337018.013	Polished Nickel	92
	Concealed mounting: no exposed set screws Easy to install	8337018.243	Matte Black	75
	 Limited lifetime warranty on function and finish 	8337018.278	Legacy Bronze	100
		8337018.295	Brushed Nickel	92
				MAP Ø
	C Series 24-Inch Towel Bar	8337024.002	Polished Chrome	70
	Metal construction: Durable and long-lasting	8337024.013	Polished Nickel	98
	Concealed mounting: no exposed set screws Easy to install	8337024.243	Matte Black	80
	 Limited lifetime warranty on function and finish 	8337024.278	Legacy Bronze	104
		8337024.295	Brushed Nickel	98
				MAP Ø
	C Series Towel Ring	8337190.002	Polished Chrome	41
	Metal construction: Durable and long-lasting	8337190.013	Polished Nickel	57
	 Concealed mounting: no exposed set screws 7" (178 mm) diameter ring 	8337190.243	Matte Black	47
	Easy to install Limited lifetime warranty on function and finish	8337190.278	Legacy Bronze	61
	- Entitled metalic warranty of function and milion	8337190.295	Brushed Nickel	57
				MAP Ø
	C Series Double Robe Hook	8337210.002	Polished Chrome	31
€ Tr	Metal construction: Durable and long-lasting	8337210.013	Polished Nickel	43
	Concealed mounting: no exposed set screws Easy to install	8337210.243	Matte Black	35
	 Limited lifetime warranty on function and finish 	8337210.278	Legacy Bronze	43
		8337210.295	Brushed Nickel	43
				MAP Ø
		8337230.002	Polished Chrome	53
	C Series Toilet Paper Holder			
	Metal construction: Durable and long-lasting	8337230.013	Polished Nickel	76
	Metal construction: Durable and long-lasting Concealed mounting: no exposed set screws Easy to install	8337230.013 8337230.243	Polished Nickel Matte Black	76 60
	Metal construction: Durable and long-lasting Concealed mounting: no exposed set screws			



Studio® S

Bathroom Faucets

The urban-inspired **Studio S Collection** is defined by soft contours, superior performance, and lasting durability. It's the perfect fusion of style and function for today's modern bathroom.



List Price Guide 2024-1 AmericanStandard.com

Studio® S **Bathroom Faucets**

Sink



Widespread Faucet 7105857



Vessel Faucet 7105172



Monoblock Faucet 7105121

Bath



Widespread Faucet

7105801

Bathtub Faucet T105900



Contemporary Freestanding Bathtub Faucet T064951



Tub Spouts

Shower









Bath/Shower Trim Kit TU105508



T105901

Bath/Shower Trim Kit TU105507



Bath/Shower Trim Kit TU105500



2-Handle Integrated Shower Diverter Trim TU105740



Diverter Trim Kit T105430

Accessories



Studio S 18" and 24" Towel Bars 7105018, 7105024



Studio S 24" Double Towel Bar 7105224



Studio S Towel Ring 7105190



Studio S Toilet Paper Holder 7105230



Studio S Double Robe Hook 7105210

Sink and Bath Faucets

List Price

496

744

695

496

MAP OF

496

744

695

MAP OF


496

744

695

744

MAP SR O



• Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator

 Valve bodies with integrated flexible hose connections for 6"-12" (152-305 mm) installation


Metal knob handles


• Brass Push Pop-Up Drain

Polished Chrome 496 744 695 Brushed Nickel









- · Brass construction and washerless ceramic disc valve cartridge
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Braided flexible hoses with 3/8" (10 mm) compression connectors
- Metal lever handle
- Brass push pop-up drain



7105121.002	Polished Chrome	345
7105121.243	Matte Black	516
7105121.295	Brushed Nickel	410
7105121.GN0	Brushed Cool Sunrise	518



List Price Guide 2024-1


Studio® S

Sink and Bath Faucets






Studio® S Single Hole Single-Handle Vessel Sink Faucet 1.2 gpm/4.5 L/min With Lever Handle



- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Braided flexible hoses with 3/8" (10 mm) compression connectors
- Metal Lever Handle
- Metal grid drain

Description








Universal Deck Plate

- Metal construction
- Putty plate included








Studio® S Bathtub Faucet With Lever Handles and Personal Shower for Flash® Rough-In Valve


- Brass construction
- Metal lever handles
- Personal shower with 1.8 gpm/6.8 L/min maximum flow
- Personal showers feature 5' (152 cm) long hose
- For use with Flash® bathtub faucet rough-in valve R910
- Valve sold separately



Sunrise







- · Less personal shower
- For use with Flash® bathtub faucet rough-in valve R900
- Valve sold separately

T105900.002	Polished Chrome	422
T105900.243	Matte Black	633
T105900.295	Brushed Nickel	590
T105900.GN0	Brushed Cool Sunrise	633







• Brass construction and washerless 1/4-turn ceramic disc valves cartridge

- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat connections
- 14 gpm/59.2 L/min maximum flow rate at 40 psi
- 8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness
- Includes hand shower rough-in

No Finish R910



AmericanStandard.com

184

SR

Sink and Bath Faucets

No Finish



Flash® Bathtub Filler Rough-In Valve

- Brass construction and washerless 1/4-turn ceramic disc valve cartridges
- ½" (13 mm) copper inlets


Description

- Connections to spout can be made via flexible hoses (provided) or ½" (13 mm) copper sweat connections
- 14 gpm/52.9 L/min maximum flow rate at 40 psi
- 8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness



SKU#

R900





Contemporary Round Freestanding Bathtub Filler With Lever Handle Faucet for Flash® Rough-In Valve

- Brass construction and 1/4-turn washerless ceramic disc valve cartridge
- Personal shower features 59" (1499 mm) long hose with 1.8 gpm/6.8 L/min maximum flow
- Metal lever handle
- Overall height: 44-3/4" (1137 mm)
- Spout reach: 11-1/4" (286 mm)
- Metal hand shower
- Shower bracket pivots 60°
- For use with Flash® freestanding tub faucet roughin valve (sold separately)

Flash® Freestanding Bathtub Filler Rough-In Valve



- 1/2" (13 mm) copper inlets
- Test plugs included
- Must order trim separately

- Brass construction
- · Level adjustable

Flash® Freestanding Bathtub Filler Rough-

In Valve With Screwdriver Stops

- Brass construction
- 1/2" (13 mm) copper inlets
- Level adjustable
- Test plugs included
- Must order trim separately
- Includes screwdriver stops for easy servicing at

R950

No Finish

230







R950SS

No Finish

SR

List Price Guide 2024-1

Bath/Shower Trim Kits and Valves

Choose desired trim kit.





Choose rough-in valve with desired connection.




TU105508.GN0





Brushed Cool

Sunrise





Description

Flash [®]	Shower	Rough-In	Valve
--------------------	--------	----------	-------


ÁDÀ







- gpm/6.8 L/min maximum flow • 12" (300 mm) shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- Slip-on diverter tub spout
- For use with Flash® shower rough-in valves







List Price

385

564

526

578


















- 12" (300 mm) shower arm and flange
- · Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves





Sunrise











- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves

TU105500.002	Polished Chrome	254
TU105500.243	Matte Black	367
TU105500.295	Brushed Nickel	342
TU105500.GN0	Brushed Cool	381





Bath/Shower Trim Kits and Valves

Studio 5		Balli/Silow	er irim kits a	nu vaives
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
	 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			SR
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
	• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi" Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			SR
	Flash® Shower Rough-In Valve With Stub- Outs With Screwdriver Stops	RU102SS	No Finish	103
	• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring	RU107	No Finish	72
	System • ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			[SR]

Studio® S

Bath/Shower Trim Kits and Valves

Studio		Batil, Ollow	ei iiiiii kits a	iid vaivoo
	Description	SKU #	Color/Finish	List Price
	Flash [®] Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125 SR
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72 SR
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/shower trim kits			

^{*}When combined with Double Ceramic pressure balance cartridge.


SKU#

RU108E

No Finish

Description

Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold **Expansion System**



- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With **Screwdriver Stops for Cold Expansion**

- **System** • 1/2" (13 mm) PEX cold expansion elbow inlets/
- Universal outlets (ASTM F1960) Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
 Back-to-back capability
- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at the valve
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits



No Finish

125





Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets

- 1/2" (13 mm) CPVC inlets/Universal outlets
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

RU109

No Finish

95









- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at the valve
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

RU109SS 125 No Finish





355


Studio® S

Studio® S 2-Handle Integrated Shower **Diverter Trim Only**



SKU#

RU521



Bath/Shower Trim Kits and Valves

Color/Finish

- - Sunrise



Metal wall escutcheon

Description

- Metal lever handles
 Works with Flash® 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, required and sold separately
- Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521 ships with a 2-way Discrete cartridge
- 2-Way Shared capability requires Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521, plus a 2-Way Shared pressure balance cartidge #M970720-0070A, sold separately
- Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531 ships with a 3-Way Discrete cartridge
- 3-Way Shared capability requires Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531, plus a 3-Way Shared pressure balance cartidge #M970730-0070A, sold separately
- · 3-way diverter with shared flow requires cartidge M970730-0070A (sold separately)



Flash® 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge

- Made of casted DZR brass to resist corrosion
- For use with Flash® 2-Handle Integrated Shower
- 1/2" NPT Inlets/Outlets
- Valve ships with a 2-Way Discrete pressure balance
- 2-Way Shared functionality requires RU521 valve, plus purchase of 2-Way Shared cartridge RP# M970720-0070A, sold separately
 • Compatible with Delancey®, Serin®, Studio® S,
- Town Square® S, Times Square® and Townsend® trims
- Trim sold separately

For use with BU521 valve



Flash® 2-Way Shared Diverter Cartridge

M970720-0070A

RU531

No Finish

No Finish

No Finish

79

385

MAP OD



Flash® 3-Way Integrated Shower Diverter **Rough-In Valve with Pressure Balance** Valve Cartridge

- Made of casted DZR brass to resist corrosion
- For use with Flash® 2-Handle Integrated Shower **Diverter Trim**
- 1/2" NPT Inlets/Outlets
- Valve ships with a 3-Way Discrete pressure balance cartidge
- 3-Way Shared functionality requires RU531 valve, plus purchase of 3-Way Shared cartridge RP# M970730-0070A, sold separately
- Compatible with Delancey®, Serin®, Studio® S, Town Square® S, Times Square® and Townsend®
- Trim sold separately

Flash® 3-Way Shared Diverter Cartridge

• For use with RU531 valve

M970730-0070A

No Finish

79



AmericanStandard.com

List Price Guide 2024-1

Bath/Shower Trim Kits and Valves

Studio [®] S			Bath/Showe	er Irim Kits and	d V alves
	Description		SKU#	Color/Finish	List Price
	Studio® S Single-Handle Diverter Valve	ÁDĄ	T105430.002	Polished Chrome	119
	Trim Kit	9	T105430.243	Matte Black	180
	Metal lever handleRemovable plaster quard		T105430.295	Brushed Nickel	165
	Valve sold separately		T105430.GN0	Brushed Cool Sunrise	179
					MAP SR Ø
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete Functions		R422	No Finish	231
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 2 outlets (shower or sprays) '½" (13 mm) NPT inlets/outlets Trim must be ordered separately				[SR] ${\cal Q}$
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete/1 Shared Function		R422S	No Finish	231
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 2 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately				SR Ø
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete Functions		R433	No Finish	262
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 3 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately				SR Q
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete/3 Shared Functions		R433S	No Finish	262
	Durable cast brass valve body – excellent for high use applications with prolonged water use				$[sr] \mathcal{Q}$



- use applications with prolonged water use

 Controls water flow between 3 outlets (shower or sprays)

 ½" (13 mm) NPT inlets/outlets


 Trim must be ordered separately




List Price Guide 2024-1 AmericanStandard.com

Studio S Flash® Pressure Balance Bath/Shower System

Studio® S



Studio S Flash Pressure Balance Shower System




Studio S Pressure Balance Bath/Shower System

				LIST PRICE I	OR SYSTE
	DESCRIPTION	QTY	SKU #	002	295
Α	Studio S Flash 2-Handle Integrated Shower Diverter Trim	1	TU105740	261	364
В	10" Modern Rain Showerhead	1	1660683	296	443
С	12" Wall-Mount Right Angle Shower Arm	1	1660194	101	152
D	Spectra Handheld® Slide Bar Kit	1	1660774	247	334
Е	Studio S Tub Spout	1	8888316	93	130
equi	red Components - Choose From Rough-In Valve 1 or 2 (not shown)				
1	3-Way Discrete (Non-Shared) Functionality – Requires Flash 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge	1	RU531	38	35
2	3-Way (Shared) Functionality – Requires Flash 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, also requires 3-way shared function cartridge M970730-0070A (sold separately)	1	RU531 + M970730-0070A	385 + 7	9 = 464
	,				
	3-Way Discrete (Non-Shared) Ba	ath/Sho	ower System Total	1,383	1,808

Studio S Pressure Balance Shower System

		QTY		LIST PRICE	OR SYSTEM	
	DESCRIPTION		SKU #	002	295	
Α	Studio S Flash 2-Handle Integrated Shower Diverter Trim	1	TU105740	261	364	
В	10" Modern Rain Showerhead	1	1660683	296	443	
С	12" Wall-Mount Right Angle Shower Arm	1	1660194	101	152	
D	Spectra Handheld Slide Bar Kit	1	1660774	247	334	
Requir	red Components - Choose From Rough-In Valve 1 or 2 (not shown)					
1	2-Way Discrete (Non-Shared) Functionality – Requires Flash 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge	1	RU521	3	55	
2	2-Way (Shared) Functionality – Requires Flash 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, also requires 2-way shared function cartridge M970720-0070A (sold separately)	1	RU521 + M970720-0070A	355 + 7	9 = 434	
	2-Way Discrete (Non-Shared) B	ath/Sho	ower System Total	1,260	1,648	
	, , , , ,		ower System Total	1,339	1,727	

Studio[®] S Accessories







Add an element of design drama to your bathroom with the **Town Square S Collection**. Rich, architectural lines reflect traditional elegance, superior craftsmanship, and lasting beauty.



List Price Guide 2024-1 AmericanStandard.com

Sink



Widespread Faucet 7455801



Monoblock Faucet 7455107



Centerset Faucet 7455207



Wall Mount Faucet 7455451

Bath



Bathtub Faucet T455900



Bathtub Faucet T455901



Freestanding Bathtub Faucet T455951

Shower







Bath/Shower Trim Kits TU455508, TU455502





Shower Trim Kits TU455507, TU455501



Shower Trim Kit TU455500



2-Handle Integrated Shower Diverter Trim Kit TU455740



Diverter Valve Trim Kit T455430



Fixed Showerhead 1660516

Accessories



Town Square S 18" Towel Bar 7455018



Town Square S 24" Towel Bar 7455024



Town Square S Towel Ring 7455190



Town Square S Toilet Paper Holder 7455230




Town Square S Double Robe Hook 7455210

AmericanStandard.com

Town Square® S

Sink and Bath Faucets



compensating aerator Braided flexible hoses with 3/8" (10 mm)


compression connections

Metal lever handles

Grid drain



List Price Guide 2024-1 AmericanStandard.com





Flash® Bathtub Filler Rough-In Valve With **Personal Shower**

- Brass construction and washerless 1/4-turn ceramic disc valves cartridge
- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat connections
- 14 gpm/59.2 L/min maximum flow rate at 40 psi
- 8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck
- Includes hand shower rough-in



Flash® Bathtub Filler Rough-In Valve

- Brass construction and washerless 1/4-turn ceramic disc valve cartridges
- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or ½" (13 mm) copper sweat connections
- 14 gpm/52.9 L/min maximum flow rate at 40 psi
- *8"-16" (203-406 mm) flexible installation
 *Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness

R910

No Finish

322



R900 No Finish



AmericanStandard.com List Price Guide 2024-1

Sink and Bath Faucets







- $\bullet\,1\!\!/_{\!2}"$ (13 mm) copper inlets
- Level adjustable
- Test plugs included
- Must order trim separately

No Finish

230



Flash® Freestanding Bathtub Filler Rough-In Valve With Screwdriver Stops

- Brass construction
- 1/2" (13 mm) copper inlets
- · Level adjustable
- Test plugs included
- · Must order trim separately
- Includes screwdriver stops for easy servicing at the valve

R950SS

No Finish


265





Bath/Shower Trim Kits and Valves

HOW TO ORDER







Choose rough-in valve with desired connection.





SKU#

Chrome

Fully installed Bath/Shower



Color/Finish


Description

Flash® Shower Rough-In Valve

ÁDÀ

Town Square® S 2.5 gpm/9.5 L/min Tub	TU455502.002	Polished Chromo
and Shower Trim Kit With Single Function Showerhead, Double Ceramic Pressure	TU455502.013	Polished Nickel
Balance Cartridge With Lever Handle	TU455502.278	Legacy Bronze
 Includes Double Ceramic pressure balance cartridge 	TU455502.295	Brushed Nickel







- Brass shower arm • Metal wall escutcheon
- Metal lever handle
- Metal slip-on diverter tub spout
- For use with Flash® shower rough-in valves, sold separately











- Brass shower arm
- Metal wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves, sold separately

ADA	TU455501.002	Polished Chrome	384
	TU455501.013	Polished Nickel	525
	TU455501.278	Legacy Bronze	561
	TU455501.295	Brushed Nickel	525



List Price

477


654

701 654

MAP SRI OD







Cartridge With Lever Handle

- Metal lever handle
- For use with Flash® shower rough-in valves, sold separately


TU455500.002	Polished Chrome	267
TU455500.013	Polished Nickel	360
TU455500.243	Matte Black	374
TU455500.278	Legacy Bronze	384
TU455500.295	Brushed Nickel	360
TU455500.GN0	Brushed Cool	401

Sunrise






Bath/Shower Trim Kits and Valves












- Includes Double Ceramic pressure balance cartridge
- Water-saving 6-1/4" (160 mm) single function showerhead, 1.8 gpm/6.8 L/min maximum flow
- Brass shower arm
- Metal wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves, sold







Bath/Shower Trim Kits and Valves

own Square [®]	5	Bath/Show	er Trim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash [®] Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
	 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			SR
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver	RU101SS	No Finish	103
	Stops • ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/ shower trim kits			[SR]
	Flash [®] Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash [®] Shower Rough-In Valve With Stub- Outs With Screwdriver Stops	RU102SS	No Finish	103
	 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			[SR]
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring System	RU107	No Finish	72 SR





*When combined with Double Ceramic pressure balance cartridge.



Bath/Shower Trim Kits and Valves

iown Square [®] S		Bath/Shower Irim Kits and Valves		
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72
	 ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/shower trim kits			

^{*}When combined with Double Ceramic pressure balance cartridge.

Town Square®	S	Bath/Show	er Trim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold Expansion System	RU108E	No Finish	95 (SR)
	 ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			
	Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108ESS	No Finish	125
	• ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets	RU109	No Finish	95
	• ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			SR



shower trim kits

Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver Stops

- ½" (13 mm) CPVC inlets/Universal outlets
 Cast DZR brass valve body
 Flow rate: 5.1 gpm @ 45 psi*
 Back-to-back capability
 Includes flush plug with stainless steel ring
 Includes screwdriver stops for easy servicing at the valve
 Cartridge ships with trim
 For use with TU series pressure balance bath/ shower trim kits

RU109SS No Finish 125







Bath/Shower Trim Kits and Valves





Flash® 3-Way Shared Diverter Cartridge

• For use with RU531 valve

M970730-0070A

No Finish

79



List Price Guide 2024-1




Town Square® S Single-Handle Diverter Valve Trim Kit

- Metal lever handle
- Less valve

Description

- Valve must be purchased separately
- For use with rough-in valves R422, R422S, R433 and R433S



ÁDA

R422






 Durable cast brass valve body – excellent for high use applications with prolonged water use

2-Way In-Wall Diverter Rough-In Valve With

- Controls water flow between 2 outlets (shower or sprays)
- 1/2" (13 mm) NPT inlets/outlets
- Trim must be ordered separately



No Finish



231



- Durable cast brass valve body excellent for high use applications with prolonged water use
- Controls water flow between 2 outlets (shower or sprays)
- ½" (13 mm) NPT inlets/outlets
- Trim must be ordered separately

R422S No Finish 231






3-Way In-Wall Diverter Rough-In Valve With 3 Discrete Functions

- Durable cast brass valve body excellent for high use applications with prolonged water use
- Controls water flow between 3 outlets (shower or sprays)
- 1/2" (13 mm) NPT inlets/outlets
- Trim must be ordered separately

	R433	No Finish	262
--	------	-----------	-----



3-Way In-Wall Diverter Rough-In Valve With 3 Discrete/3 Shared Functions



- Controls water flow between 3 outlets (shower or sprays)
- 1/2" (13 mm) NPT inlets/outlets
- Trim must be ordered separately

R433S No Finish 262





AmericanStandard.com List Price Guide 2024-1

	Description	SKU #	Color/Finish	List Price
	Town Square® S 18-Inch Towel Bar	7455018.002	Polished Chrome	70
	Brass bar	7455018.013	Polished Nickel	96
	All metal construction Concealed mounting: no exposed set screws	7455018.243	Matte Black	98
	Coordinates with Town Square® S bath faucet collection	7455018.278	Legacy Bronze	104
	Limited lifetime warranty on function and finish	7455018.295	Brushed Nickel	96
		7455018.GN0	Brushed Cool Sunrise	105
				MAP Ø
	Town Square® S 24-Inch Towel Bar	7455024.002	Polished Chrome	76
	Brass bar	7455024.013	Polished Nickel	105
	All metal construction Concealed mounting: no exposed set screws	7455024.243	Matte Black	106
	 Coordinates with Town Square® S bath faucet 	7455024.278	Legacy Bronze	112
	collection • Limited lifetime warranty on function and finish	7455024.295	Brushed Nickel	105
		7455024.GN0	Brushed Cool Sunrise	114
				MAP Ø
	Town Square® S Towel Ring	7455190.002	Polished Chrome	45
	Part of the coordinated Town Square S® collection	7455190.013	Polished Nickel	61
	 Concealed mounting with no exposed screws for a 	7455190.243	Matte Black	63
	seamless appearanceBushing on towel ring to prevent scratching and	7455190.278	Legacy Bronze	66
	squeaking • Easy to install	7455190.295	Brushed Nickel	61
	T' (178 mm) diameter ring Limited lifetime warranty on function and finish	7455190.GN0	Brushed Cool Sunrise	68
				MAP Ø
	Town Square® S Double Robe Hook	7455210.002	Polished Chrome	32
-8	All metal construction	7455210.013	Polished Nickel	45
	Concealed mounting: no exposed set screws Coordinates with Town Square S® bath faucet	7455210.243	Matte Black	45
	collection	7455210.278	Legacy Bronze	45
	Easy to install Limited lifetime warranty on function and finish	7455210.295	Brushed Nickel	45
	 Solid metal construction is durable and long- lasting 	7455210.GN0	Brushed Cool	48
			Sunrise	
				MAP Ø
	Town Square® S Toilet Paper Holder	7455230.002	Polished Chrome	57
6	All metal construction	7455230.013	Polished Nickel	80
	 Concealed mounting: no exposed set screws Coordinates with Town Square® S bath faucet 	7455230.243	Matte Black	80
	collection • Easy to install	7455230.278	Legacy Bronze	86
	Limited lifetime warranty on function and finish	7455230.295	Brushed Nickel	80
		7455230.GN0	Brushed Cool Sunrise	86
				MAP Ø
	Town Square® S 24-Inch Train Rack	7455260.002	Polished Chrome	496
95.	• 24" (600 mm) length	7455260.013	Polished Nickel	695
1	All metal construction Concealed mounting: no exposed set screws	7455260.278	Legacy Bronze	744
	 Coordinates with Town Square® S bath faucet 	7455260.295	Brushed Nickel	695
	collection • Limited lifetime warranty on function and finish			man 60
	- -			MAP



AmericanStandard.com List Price Guide 2024-1

Inspired by vintage industrial design, the **Townsend Collection** lends character to your bathroom, displaying a sense of hand-forged craftsmanship and unparalleled beauty.



Sink



Widespread Faucet 7353801

Widespread Faucet 7353841

Monoblock Faucet 7353101

Bath



Bathtub Faucet T353900



Bathtub Faucet T353901



Tub Spouts

Shower







Bath/Shower Trim Kits TU353508, TU353502





Bath/Shower Trim Kits TU353507, TU353501



Bath/Shower Trim Kits TU353500



2-Handle Integrated Shower Diverter Trim Kit TU353740



Single-Handle Diverter Valve Trim Kit TU353430



Showerhead 1660509

Accessories



Townsend 18" and 24" Towel Bars 7353018, 7353024



Townsend 24" Double Towel Bar 7353224



Townsend Towel Ring 7353190



Townsend Toilet Paper Holder 7353230



Townsend Double Robe Hook 7353210

Sink and Bath Faucets







7353101P.295

7353101P.GN0

Brushed Nickel

Brushed Cool


Sunrise

63

69

AmericanStandard.com

Sink and Bath Faucets





- · Less personal shower
- For use with Flash® bathtub faucet rough-in valve R900
- Valve sold separately

T353900.002	Polished Chrome	559
T353900.013	Polished Nickel	782
T353900.278	Legacy Bronze	836
T353900.295	Brushed Nickel	782





Flash® Bathtub Filler Rough-In Valve With **Personal Shower**

- Brass construction and washerless 1/4-turn ceramic disc valves cartridge
- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat connections
- 14 gpm/59.2 L/min maximum flow rate at 40 psi
- 8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness
- Includes hand shower rough-in

R910	No Finish





Flash® Bathtub Filler Rough-In Valve

- Brass construction and washerless ¼-turn ceramic disc valve cartridges
- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat connections
- 14 gpm/52.9 L/min maximum flow rate at 40 psi
- 8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness

R900 No Finish



184



AmericanStandard.com

Bath/Shower Trim Kits and Valves

HOW TO **ORDER**

Choose desired trim kit.





Choose rough-in valve with desired connection.





Fully installed Bath/Shower

Trim kit with cartridge

Description

Flash®	Shower	Roug	h-In	Valv
--------	--------	------	------	------

ADA

ÁDÀ

Townsend® 2.5 gpm/9.5L/min Tub and
Shower Trim Kit With Rain Showerhead,
Double Ceramic Pressure Balance
Cartridge With Lever Handle



- •6" (152 mm) showerhead, 2.5gpm/9.5 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- Slip-on diverter tub sprout
- For use with Flash® shower rough-in valves

SKU #	Color/Finish	List Price
TU353502.002	Polished Chrome	342
TU353502.013	Polished Nickel	467
TU353502.278	Legacy Bronze	499
TU353502.295	Brushed Nickel	467
















- cartridge •6" (152 mm) showerhead, 2.5gpm/9.5 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves















- Brass wall escutcheon
- Metal lever handle
- Less valve
- For use with Flash® shower rough-in valves

TU353500.002	Polished Chrome	239
TU353500.013	Polished Nickel	322
TU353500.243	Matte Black	347
TU353500.278	Legacy Bronze	342
TU353500.295	Brushed Nickel	322
TU353500.GN0	Brushed Cool	









Bath/Shower Trim Kits and Valves










- Water-saving showerhead 1.75gpm/ 6.6 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle

Description

- Slip-on diverter tub sprout
- For use with Flash® shower rough-in valves
















Townsend® 1.75 gpm/6.6 L/min Shower Trim Kit With Water-Saving Showerhead, **Double Ceramic Pressure Balance Cartridge With Lever Handle**

- Includes Double Ceramic pressure balance
- Water-saving showerhead 1.75gpm/ 6.6 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves









Townsend®		Bath/Show	er Trim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
	• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With	RU101SS	No Finish	103
	Universal Inlets/Outlets With Screwdriver Stops			SR
	• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With Stub- Outs With Screwdriver Stops	RU102SS	No Finish	103
	• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With PEX	RU107	No Finish	72
	Inlets/Universal Outlets for Crimp Ring System			SR
	• ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			



Townsend [®]		Bath/Show	er Trim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	 ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72 SR
	 ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103



Stops for Cold Expansion System

- ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960)
 Cast DZR brass valve body
 Flow rate: 5.1 gpm @ 45 psi*
 Back-to-back capability
 Includes flush plug with stainless steel ring
 Includes screwdriver stops for easy servicing at the valve

- the valve
- For use with TU series pressure balance bath/ shower trim kits

*When combined with Double Ceramic pressure balance cartridge.

AmericanStandard.com List Price Guide 2024-1

iownsena		Bath/Show	er Irim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold Expansion System	RU108E	No Finish	95 (SR)
	 ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			
	Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108ESS	No Finish	125 SR
proe-	 ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets	RU109	No Finish	95
	• ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			[SR]
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver	RU109SS	No Finish	125
	Stops • ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability			SR



- Back-to-back capability
 Includes flush plug with stainless steel ring
 Includes screwdriver stops for easy servicing at the valve
 Cartridge ships with trim
 For use with TU series pressure balance bath/shower trim kits

*When combined with Double Ceramic pressure balance cartridge.

Townsend®2-Handle Integrated Shower **Diverter Trim Only**

- Metal wall escutcheon

Description

- Metal lever handles
 Works with Flash® 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, required and sold separately
- Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521 ships with a 2-way Discrete cartridge
- 2-Way Shared capability requires Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521, plus a 2-Way Shared pressure balance cartidge #M970720-0070A, sold separately
- Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531 ships with a 3-Way Discrete cartridge
- 3-Way Shared capability requires Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531, plus a 3-Way Shared pressure balance cartidge #M970730-0070A, sold separately
- 3-way diverter with shared flow requires cartidge M970730-0070A (sold separately)

SKU #	Color/Finish	List Price
TU353740.002	Polished Chrome	261
TU353740.013	Polished Nickel	364
TU353740.243	Matte Black	378
TU353740.278	Legacy Bronze	390
TU353740.295	Brushed Nickel	364
TU353740.GN0	Brushed Cool Sunrise	392





- Made of casted DZR brass to resist corrosion
- For use with Flash® 2-Handle Integrated Shower Diverter Trim
- 1/2" NPT Inlets/Outlets
- Valve ships with a 2-Way Discrete pressure balance cartidge
- 2-Way Shared functionality requires RU521 valve, plus purchase of 2-Way Shared cartridge RP#
- M970720-0070A, sold separately
 Compatible with Delancey®, Serin®, Studio® S, Town Square® S, Times Square® and Townsend® trims
- Trim sold separately




ÁDA

No Finish

355







• For use with RU521 valve

M970720-0070A

No Finish



Flash® 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge

- Made of casted DZR brass to resist corrosion
- For use with Flash® 2-Handle Integrated Shower **Diverter Trim**
- 1/2" NPT Inlets/Outlets
- Valve ships with a 3-Way Discrete pressure balance cartidge
- 3-Way Shared functionality requires RU531 valve, plus purchase of 3-Way Shared cartridge RP# M970730-0070A, sold separately
- Compatible with Delancey®, Serin®, Studio® S, Town Square® S, Times Square® and Townsend® trims
- Trim sold separately

RU531 385 No Finish





Flash® 3-Way Shared Diverter Cartridge

• For use with RU531 valve

M970730-0070A

No Finish

79



AmericanStandard.com

Bath/Shower Trim Kits and Valves


iownsena			Bath/Showe	er Irim Kits and	i vaives
	Description		SKU #	Color/Finish	List Price
	Townsend® Single-Handle Diverter Valve	ÁDÁ	T353430.002	Polished Chrome	119
	Trim Kit	\circ	T353430.013	Polished Nickel	165
	 Metal lever handle Less valve (must be purchased separately) 		T353430.278	Legacy Bronze	178
	 For use with rough-in valves R422, R422S, R433 and R433S 		T353430.295	Brushed Nickel	165
					MAP SR Ø
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete Functions		R422	No Finish	231
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 2 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately				SR Ø
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete/1 Shared Function		R422S	No Finish	231
	 Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 2 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately 				SRÌ 💯
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete Functions		R433	No Finish	262
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 3 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately				SR Q
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete/3 Shared Functions		R433S	No Finish	262
	Durable cast brass valve body – excellent for high use applications with prolonged water use				SR Q



- use applications with prolonged water use
 Controls water flow between 3 outlets (shower or sprays)
 ½" (13 mm) NPT inlets/outlets
 Trim must be ordered separately



Townsend® Accessories



AmericanStandard.com List Price Guide 2024-1

Bathroom Accessories

Every bathroom deserves accessories that offer functionality and the perfect finishing touch. These essential pieces are designed with attention to detail, reflecting the nuances of our collections and adding distinction to this personal space.



Bathroom Accessories

Bathroom Accessories Overview

CONTEMPORARY

Aspirations™

Aspirations



Aspirations Towel Ring 7061190

Aspirations Double Robe Hook 7061210

Studio® S

Studio S



Studio S Towel Ring 7105190

Studio S Double Robe Hook 7105210

TRADITIONAL

Delancey® Glenmere™ Town Square® S Delancey Glenmere Crawford, Town Square S

Delancey Towel Ring 7052190

Delancey Double Robe Hook 7052210

Glenmere Towel Ring 7617190

Glenmere Robe Hook 7617210

Town Square S Towel Ring 7455190

Town Square S Robe Hook 7455210

TRANSITIONAL

C Series **Edgemere®** Townsend® Colony PRO®, Edgemere Townsend Fluent®, Reliant 3®

C Series Towel Ring 8337190

C Series Double Robe Hook 8337210

Edgemere Towel Ring

Edgemere Robe Hook 7018210

7018190

Townsend Towel Ring 7353190

Townsend Double Robe Hook 7353210

Aspirations™

Contemporary Bathroom Accessories

MAP SR

Aspirations		Contemporary	Bathroom Acce	SSUITES
	Description	SKU #	Color/Finish	List Price
	Aspirations™ 24-Inch Towel Bar	7061024.002	Polished Chrome	67
2	Metal construction: Durable and long-lasting	7061024.243	Matte Black	94
	 Coordinates with Aspirations[™] bath faucet collection 	7061024.295	Brushed Nickel	94
	Concealed mounting: no exposed screws for a seamless appearance Easy to install Limited lifetime warranty on function and finish			MAP
	Aspirations [™] 18-Inch Towel Bar	7061018.002	Polished Chrome	64
	Metal construction: durable and long-lasting	7061018.243	Matte Black	90
	 Coordinates with Aspirations[™] bath faucet collection 	7061018.295	Brushed Nickel	90
	Concealed mounting: no exposed screws for a seamless appearance Easy to install Limited lifetime warranty on function and finish			MAP SR
	Aspirations™ Towel Ring	7061190.002	Polished Chrome	45
	Metal construction: Durable and long-lasting	7061190.243	Matte Black	63
	 Coordinates with Aspirations[™] bath faucet collection 	7061190.295	Brushed Nickel	63
	Concealed mounting: no exposed screws for a seamless appearance Easy to install Limited lifetime warranty on function and finish			MAP
	Aspirations™ Double Robe Hook	7061210.002	Polished Chrome	29
	• Metal construction: Durable and long-lasting	7061210.243	Matte Black	41
	 Coordinates with Aspirations[™] bath faucet collection 	7061210.295	Brushed Nickel	41
1	 Concealed mounting: no exposed screws for a seamless appearance Easy to install Limited lifetime warranty on function and finish 			MAP
	Aspirations™ Toilet Paper Holder	7061230.002	Polished Chrome	49
<u> </u>	Metal construction: Durable and long-lasting	7061230.243	Matte Black	69
	 Coordinates with Aspirations™ bath faucet collection Concealed mounting: no exposed screws for a 	7061230.295	Brushed Nickel	69



- Concealed mounting: no exposed screws for a seamless appearance
 Easy to install
 Limited lifetime warranty on function and finish

Contemporary Bathroom Accessories

		o o mo mpor any		000000
	Description	SKU#	Color/Finish	List Price
	Studio [®] S 18-Inch Towel Bar	7105018.002	Polished Chrome	65
W	Brass bar	7105018.243	Matte Black	100
	All metal construction Concealed mounting: no exposed set screws	7105018.295	Brushed Nickel	90
	Coordinates with Studio® S bath faucet collection Limited lifetime warranty on function and finish	7105018.GN0	Brushed Cool Sunrise	98
				MAP SR Ø
	Studio® S 24-Inch Towel Bar	7105024.002	Polished Chrome	68
Q_	Brass bar	7105024.243	Matte Black	106
	All metal construction Concealed mounting: no exposed set screws	7105024.295	Brushed Nickel	96
	Coordinates with Studio® S bath faucet collection Limited lifetime warranty on function and finish	7105024.GN0	Brushed Cool Sunrise	102
				MAP SR Ø
	Studio® S Towel Ring	7105190.002	Polished Chrome	41
(E)	Coordinates with Studio® S bath faucet collection	7105190.243	Matte Black	63
	 Concealed mounting with no exposed screws for a seamless appearance 	7105190.295	Brushed Nickel	57
	Easy to install Limited lifetime warranty on function and finish	7105190.GN0	Brushed Cool Sunrise	62
				MAP SRI Ø
	Studio® S Double Robe Hook	7105210.002	Polished Chrome	31
n	Solid metal construction is durable and long-	7105210.243	Matte Black	47
65	lasting • Concealed mounting: no exposed set screws	7105210.295	Brushed Nickel	43
	Coordinates with Studio® S bath faucet collection Easy to install Limited lifetime warranty on function and finish	7105210.GN0	Brushed Cool Sunrise	47
	· · · · · · · · · · · · · · · · · · ·			MAP SR Ø
	Studio® S 24-Inch Double Towel Bar	7105224.002	Polished Chrome	137
0	Brass bar	7105224.243	Matte Black	205
	All metal construction Concealed mounting: no exposed set screws	7105224.295	Brushed Nickel	192
	Coordinates with Studio® S bath faucet collection Limited lifetime warranty on function and finish			MAP Ø
	Studio® S Toilet Paper Holder	7105230.002	Polished Chrome	52
	All metal construction	7105230.243	Matte Black	82
	Concealed mounting: no exposed set screws Coordinates with Studio® S bath faucet collection	7105230.295	Brushed Nickel	74
	Easy to install Limited lifetime warranty on function and finish	7105230.GN0	Brushed Cool Sunrise	78

Delancey®

Traditional Bathroom Accessories

Defancey		iraditional E	Bathroom Acc	essories
	Description	SKU#	Color/Finish	List Price
	Delancey® 18-Inch Towel Bar	7052018.002	Polished Chrome	76
	Brass bar	7052018.013	Polished Nickel	105
	 All metal construction Concealed mounting: no exposed set screws 	7052018.278	Legacy Bronze	113
	Coordinates with Delancey bath faucet collection Limited lifetime warranty on function and finish	7052018.295	Brushed Nickel	105
	· Limited metime warranty on function and finish	7052018.GN0	Brushed Cool Sunrise	114
				MAP SR 9
	Delancey® 24-Inch Towel Bar	7052024.002	Polished Chrome	82
	Brass bar	7052024.013	Polished Nickel	113
4	• All metal construction • Concealed mounting: no exposed set screws	7052024.278	Legacy Bronze	122
	 Coordinates with Delancey® bath faucet collection 	7052024.295	Brushed Nickel	113
	• Limited metime warranty on function and finish	7052024.GN0	Brushed Cool Sunrise	123
				MAP SR Ø
	Delancey® Towel Ring	7052190.002	Polished Chrome	47
	• 7-1/4" (185 mm) diameter ring	7052190.013	Polished Nickel	65
	All metal construction Concealed mounting; no exposed set screws	7052190.278	Legacy Bronze	70
	 Coordinates with Delancey® bath faucet collection 	7052190.295	Brushed Nickel	65
	squeaking Limited lifetime warranty on function and finish	7052190.GN0	Brushed Cool Sunrise	71
	• All metal construction • Concealed mounting: no exposed set screws • Coordinates with Delancey® bath faucet collection • Limited lifetime warranty on function and finish Delancey® Towel Ring • 7052024.278 T052024.295 Brushed Nickel 7052024.GN0 Brushed Cool Sunrise Delancey® Towel Ring • 7-1/4" (185 mm) diameter ring • All metal construction • Concealed mounting: no exposed set screws • Coordinates with Delancey® bath faucet collection • Bushing on towel ring to prevent scratching and squeaking • All metal construction • T052190.278 T052190.278 T052190.278 Legacy Bronze 7052190.278 Legacy Bronze 7052190.295 Brushed Nickel 7052190.295 Brushed Nickel 7052190.295 Brushed Nickel 7052190.295 Brushed Nickel	MAP SR Ø		
	Delancey® Double Robe Hook	7052210.002	Polished Chrome	35
WH	All metal construction	7052210.013	Polished Nickel	49
		7052210.278	Legacy Bronze	52
W F	 Easy to install 	7052210.295	Brushed Nickel	49
	Solid metal construction is durable and long-	7052210.GN0	• .	53
				MAP SR Ø
	Delancey® Toilet Paper Holder	7052230.002	Polished Chrome	64
0	All metal construction	7052230.013	Polished Nickel	89
	 Concealed mounting: no exposed set screws Coordinates with Delancey® bath faucet collection 	7052230.278	Legacy Bronze	96
	Easy to install Limited lifetime warranty on function and finish	7052230.295	Brushed Nickel	89
	- Emilied medine warranty on function and imist	7052230.GN0	Brushed Cool Sunrise	96



$Glenmere^{^{\intercal_{M}}}$

Traditional Bathroom Accessories

	Description	SKU #	Color/Finish	List Price
	Glenmere™ 24-inch Towel Bar	7617024.002	Polished Chrome	57
	• All metal construction	7617024.243	Matte Black	84
0	Concealed mounting	7617024.278	Legacy Bronze	75
		7617024.295	Brushed Nickel	65
	Glenmere™ Towel Ring	7617190.002	Polished Chrome	41
	• 7" (178 mm) diameter ring	7617190.243	Matte Black	60
	All metal construction Concealed mounting	7617190.278	Legacy Bronze	54
		7617190.295	Brushed Nickel	47
	Glenmere™ Robe Hook	7617210.002	Polished Chrome	31
	All metal construction Concealed mounting	7617210.243	Matte Black	46
		7617210.278 7617210.295	Legacy Bronze Brushed Nickel	42 36
	Glenmere™ Toilet Paper Holder	7617230.002	Polished Chrome	50
	All metal construction	7617230.243	Matte Black	74
	Concealed mounting	7617230.278	Legacy Bronze	68
		7617230.295	Brushed Nickel	46

AmericanStandard.com List Price Guide 2024-1

Traditional Bathroom Accessories

TOWIT Square S		irauruonai L	allii oolii Acci	53301153
	Description	SKU #	Color/Finish	List Price
	Town Square® S 18-Inch Towel Bar	7455018.002	Polished Chrome	70
	• Brass bar	7455018.013	Polished Nickel	96
	All metal construction Concealed mounting: no exposed set screws	7455018.243	Matte Black	98
	Coordinates with Town Square® S bath faucet collection	7455018.278	Legacy Bronze	104
	Limited lifetime warranty on function and finish	7455018.295	Brushed Nickel	96
		7455018.GN0	Brushed Cool Sunrise	105
				MAP SR Ø
	Town Square® S 24-Inch Towel Bar	7455024.002	Polished Chrome	76
	• Brass bar	7455024.013	Polished Nickel	105
	All metal construction Concealed mounting: no exposed set screws	7455024.243	Matte Black	106
	 Coordinates with Town Square® S bath faucet 	7455024.278	Legacy Bronze	112
	collection • Limited lifetime warranty on function and finish	7455024.295	Brushed Nickel	105
		7455024.GN0	Brushed Cool Sunrise	114
				MAP SR Ø
	Town Square® S Towel Ring	7455190.002	Polished Chrome	45
Section 1	Part of the coordinated Town Square S® collection	7455190.013	Polished Nickel	61
	 Concealed mounting with no exposed screws for a 	7455190.243	Matte Black	63
	seamless appearanceBushing on towel ring to prevent scratching and	7455190.278	Legacy Bronze	66
//)	squeaking • Easy to install	7455190.295	Brushed Nickel	61
	• 7" (178 mm) diameter ring	7455190.GN0	Brushed Cool	68
	Limited lifetime warranty on function and finish	7455190.GN0	Sunrise	00
				MAP SR Ø
	Town Square® S Double Robe Hook	7455210.002	Polished Chrome	32
	All metal construction	7455210.013	Polished Nickel	45
	Concealed mounting: no exposed set screws Coordinates with Town Square S® bath faucet	7455210.243	Matte Black	45
Lee	collection	7455210.278	Legacy Bronze	45
	Easy to installLimited lifetime warranty on function and finish	7455210.295	Brushed Nickel	45
	 Solid metal construction is durable and long- lasting 	7455210.GN0	Brushed Cool Sunrise	48
				MAP SR Ø
	Town Square® S Toilet Paper Holder	7455230.002	Polished Chrome	57
4	All metal construction	7455230.013	Polished Nickel	80
	Concealed mounting: no exposed set screws Coordinates with Town Square® S bath faucet	7455230.243	Matte Black	80
	collection	7455230.278	Legacy Bronze	86
	Easy to install Limited lifetime warranty on function and finish	7455230.295	Brushed Nickel	80
		7455230.GN0	Brushed Cool Sunrise	86
				MAP SR Ø
	Town Square® S 24-Inch Train Rack	7455260.002	Polished Chrome	496
65.	• 24" (600 mm) length	7455260.013	Polished Nickel	695
	All metal construction Concealed mounting: no exposed set screws	7455260.278	Legacy Bronze	744
	 Coordinates with Town Square® S bath faucet 	7455260.295	Brushed Nickel	695
	collection • Limited lifetime warranty on function and finish			MAP O
	•			

	Description	SKU#	Color/Finish	List Price
	C Series 18-Inch Towel Bar	8337018.002	Polished Chrome	66
	Metal construction: Durable and long-lasting	8337018.013	Polished Nickel	92
	Concealed mounting: no exposed set screws Easy to install	8337018.243	Matte Black	75
	 Limited lifetime warranty on function and finish 	8337018.278	Legacy Bronze	100
		8337018.295	Brushed Nickel	92
				MAP Ø
	C Series 24-Inch Towel Bar	8337024.002	Polished Chrome	70
~	Metal construction: Durable and long-lasting	8337024.013	Polished Nickel	98
	Concealed mounting: no exposed set screws Easy to install	8337024.243	Matte Black	80
	 Limited lifetime warranty on function and finish 	8337024.278	Legacy Bronze	104
		8337024.295	Brushed Nickel	98
				MAP Ø
	C Series Towel Ring	8337190.002	Polished Chrome	41
	Metal construction: Durable and long-lasting	8337190.013	Polished Nickel	57
	 Concealed mounting: no exposed set screws 7" (178 mm) diameter ring 	8337190.243	Matte Black	47
	Easy to install I imited lifetime warranty on function and finish	8337190.278	Legacy Bronze	61
		8337190.295 Brushed Nickel	Brushed Nickel	57
				MAP Ø
	C Series Double Robe Hook	8337210.002	Polished Chrome	31
A THE	• 7" (178 mm) diameter ring • Easy to install • Limited lifetime warranty on function and finish C Series Double Robe Hook • Metal construction: Durable and long-lasting • Concealed mounting: no exposed set screws • Easy to install • Limited lifetime warranty on function and finish 8337190.2	8337210.013	Polished Nickel	43
		8337190.013 Polished 8337190.243 Matte Bla 8337190.278 Legacy B 8337190.295 Brushed I 8337210.002 Polished 8337210.013 Polished 8337210.243 Matte Bla 8337210.278 Legacy B	Matte Black	35
	 Limited lifetime warranty on function and finish 	8337210.278	Legacy Bronze	43
		8337210.295	Brushed Nickel	43
				MAP Ø
	C Series Toilet Paper Holder	8337230.002	Polished Chrome	53
	Metal construction: Durable and long-lasting	8337230.013	Polished Nickel	76
	Concealed mounting: no exposed set screws Easy to install	8337230.243	Matte Black	60
	Limited lifetime warranty on function and finish	8337230.278	Legacy Bronze	82
		8337230.295	Brushed Nickel	76



MAP Ø

AmericanStandard.com List Price Guide 2024-1

Edgemere®

Transitional Bathroom Accessories

	Description	SKU #	Color/Finish	List Price
	Edgemere® 18-Inch Towel Bar	7018018.002	Polished Chrome	66
	• Brass bar	7018018.243	Matte Black	95
30	All metal construction Concealed mounting: no exposed set screws	7018018.278	Legacy Bronze	100
To	Concealed mounting: no exposed set screws Coordinates with Edgemere® bath faucet collection Limited lifetime warranty on function and finish	7018018.295	Brushed Nickel	93
				\mathscr{D}
	Edgemere® 24-Inch Towel Bar	7018024.002	Polished Chrome	74
	Brass bar	7018024.243	Matte Black	108
	•All metal construction •Concealed mounting: no exposed set screws	7018024.278	Legacy Bronze	108
V _C	Coordinates with Edgemere® bath faucet collection Limited lifetime warranty on function and finish	7018024.295	Brushed Nickel	101
				\mathscr{D}
	Edgemere® Towel Ring	7018190.002	Polished Chrome	49
	• 7-1/4" (185 mm) diameter ring	7018190.243	Matte Black	71
-	All metal construction Concealed mounting: no exposed set screws	7018190.278	Legacy Bronze	74
/	Coordinates with Edgemere® bath faucet collection Limited lifetime warranty on function and finish	7018190.295	Brushed Nickel	68
				\mathscr{Q}
	Edgemere® Double Robe Hook	7018210.002	Polished Chrome	36
- 6	All metal construction	7018210.243	Matte Black	52
3610 E	 Concealed mounting: no exposed set screws 		_	
8	Coordinates with Edgemere® bath faucet collection	7018210.278	Legacy Bronze	54
	Coordinates with Edgemere® bath faucet collection Easy to install Limited lifetime warranty on function and finish Solid metal construction is durable and long-lasting	7018210.278 7018210.295	Legacy Bronze Brushed Nickel	54 51
	Coordinates with Edgemere® bath faucet collection Easy to install Limited lifetime warranty on function and finish Solid metal construction is durable and long-		9 ,	51
	Coordinates with Edgemere® bath faucet collection Easy to install Limited lifetime warranty on function and finish Solid metal construction is durable and long-lasting Edgemere® Toilet Paper Holder Pivoting arm	7018210.295	Brushed Nickel	51 <i>Q</i>
	Coordinates with Edgemere® bath faucet collection Easy to install Limited lifetime warranty on function and finish Solid metal construction is durable and long-lasting Edgemere® Toilet Paper Holder	7018210.295	Brushed Nickel Polished Chrome	51 9 54

Townsend®

Transitional Bathroom Accessories

	Description	SKU #	Color/Finish	List Price
	Townsend® 18-Inch Towel Bar	7353018.002	Polished Chrome	76
	Brass bar	7353018.013	Polished Nickel	104
	All metal construction	7353018.243	Matte Black	110
	Concealed mounting: no exposed set screws Coordinates with Townsend® bath faucet collection	7353018.278	Legacy Bronze	112
	Limited lifetime warranty on function and finish	7353018.295	Brushed Nickel	104
		7353018.293 7353018.GN0	Brushed Cool	114
		7333016.GNU	Sunrise	
				MAP Q
	Townsend® 24-Inch Towel Bar	7353024.002	Polished Chrome	81
	Brass bar	7353024.013	Polished Nickel	112
	All metal construction Concealed mounting: no exposed set screws	7353024.243	Matte Black	117
	Coordinates with Townsend® bath faucet collection Limited lifetime warranty on function and finish	7353024.278	Legacy Bronze	120
	Emiliou mounto warranty of function and milon	7353024.295	Brushed Nickel	112
		7353024.GN0	Brushed Cool Sunrise	122
				MAP SR Ø
	Townsend® Towel Ring	7353190.002	Polished Chrome	50
(Pecal	Part of the coordinated Townsend® collection	7353190.013	Polished Nickel	70
	 Concealed mounting with no exposed screws for a seamless appearance 	7353190.243	Matte Black	72
/	Bushing on towel ring to prevent scratching and	7353190.278	Legacy Bronze	76
	squeaking • Easy to install	7353190.295	Brushed Nickel	70
\\ \	6-7/8" (175 mm) diameter ring Limited lifetime warranty on function and finish	7353190.GN0	Brushed Cool	75
			Sunrise	MAP Ø
	Townsend® Double Robe Hook	7353210.002	Polished Chrome	35
	All metal construction	7353210.013	Polished Nickel	49
	Concealed mounting: no exposed set screws Coordinates with Townsend® bath faucet collection	7353210.243	Matte Black	51
	Easy to install Limited lifetime warranty on function and finish	7353210.278	Legacy Bronze	52
	 Solid metal construction is durable and long- 	7353210.295	Brushed Nickel	49
	lasting	7353210.GN0	Brushed Cool	53
			Sunrise	MAP (0)
		7050001000	D. II. J. O.	
	Townsend® 24-Inch Double Towel Bar	7353224.002	Polished Chrome	149
	Brass bar All metal construction	7353224.013	Polished Nickel	210
No	Concealed mounting: no exposed set screws Coordinates with Townsend® bath faucet collection	7353224.243	Matte Black	216
	Limited lifetime warranty on function and finish	7353224.278	Legacy Bronze	225
		7353224.295	Brushed Nickel	210
		7353224.GN0	Brushed Cool Sunrise	224 MAP Q
	Townsend® Toilet Paper Holder	7353230.002	Polished Chrome	60
	• Pivoting arm	7353230.013	Polished Nickel	84
	All metal construction Coordinates with Townsend® bath faucet collection	7353230.243	Matte Black	88
	Easy to install	7353230.278	Legacy Bronze	89
	 Limited lifetime warranty on function and finish 			
	,	7353230.295	Brushed Nickel	84

americanstandard.com List Price Guide 2024-1

Showering Options

Transform your shower into an experience. The **Spectra Versa® Retrofit Shower System** allows you to use your existing shower valve, so there is no need to drill or alter your plumbing. Spectra Versa is a great option for that quick shower overhaul you've been planning.



Showering Options

Spectra Versa® Retrofit Shower System

30-Minute Makeover From Everyday Shower to Personal Spa Experience

Transform your shower into an experience, in minutes. Spectra Versa Retrofit allows you to use your existing shower valve, so there is no need to drill or alter your plumbing. Spectra Versa is a great option for that quick shower overhaul you've been planning.



Easy to InstallSpectra Versa Retrofit eliminates the need to drill holes and damage tiles



AquaToggle™ Easily switch between four spray functions with one hand



Easy Glide Holder
Adjust height and angle
of hand shower for
personal preference



3-Function Rotary Handle DiverterSwitch between showerhead and hand shower for use alone or together.



AmericanStandard.com List Price Guide 2024-1

Showering Options

Spectra® Shower Collection

Technology and Flexibility for Showering Perfection

The full Spectra Shower Portfolio offers flexibility along with total control. Technically advanced, functionally flexible and easy to install, you can choose the Spectra Showering System that will accommodate every member of the family, in the perfect style and finish.

Spectra Technology







Spectra® eTouch

Mount the waterproof remote anywhere in the shower. Simply click to experience and change the four spray patterns. Adjust the shower spray with a simple touch. Tap the outer ring of the 7"showerhead to change the four-function spray patterns.

Spectra Spray Patterns




DrenchFull body coverage




SensitiveGentle, soothing coverage



JetTargeted coverage



MassagePulsating coverage



PowerWash® Sweeping coverage


Shower Systems

Showering Options



Spectra Versa® 24-Inch 4-Function 1.8 gpm/6.8 L/min Shower System With Rain Showerhead

Description



• Easy installation for retrofit, renovation or new construction eliminates drilling or damage to tile

Enjoy using showerhead and hand shower, alone or together

 Hand shower features Drench, PowerWash®, Sensitive, and Massage spray functions

 Rotary diverter easily switches between water outlets or combines both

 Maintains flow rate of 1.8 gallons per minute even when using both showerhead and handshower


• Rubber nozzles wipe clean with your fingertip

SKU #	Color/Finish	List Price
1029070000	Polished Chrome	500
1029072430	Matte Black	700
1029072780	Legacy Bronze	700
1029072950	Brushed Nickel	700
102907GN00	Brushed Cool Sunrise	750









• Easy installation for retrofit, renovation or new construction eliminates drilling or damage to tile

Enjoy using showerhead and hand shower, alone or together

 Hand shower features Drench, PowerWash®, Sensitive, and Massage spray functions

 Rotary diverter easily switches between water outlets or combines both

 Maintains flow rate of 1.8 gallons per minute even when using both showerhead and handshower
 Rubber nozzles wipe clean with your fingertip Œ

1029110000

Polished Chrome

466





Spectra Versa® 5-Inch Showerhead Arm Extension

- Raises Rain shower head 5" to fully experience a drenching sensation
- Simple solution for taller members of the household
- Easy installation on slide bar
- Available in three finishes to match Spectra Versa® System

9035888.002	Polished Chrome	55
9035888.278	Legacy Bronze	84
9035888.295	Brushed Nickel	72



AmericanStandard.com

Spectra Versa® 24-Inch 4-Function 1.8 gpm/6.8 L/min Hand Shower Kit

Description



1029120000

SKU#

Polished Chrome

Color/Finish

411

List Price



- System includes 7" four-spray showerhead, hand shower, diverter, slide bar with Easy Glide tab, 69" metal shower hose, adhesive tape and screws
- · Easy installation for retrofit, renovation or new construction eliminates drilling or damage to tile
- Enjoy using showerhead and hand shower, alone or together
- Hand shower features Drench, PowerWash®, Sensitive, and Massage spray functions
- Rotary diverter easily switches between water outlets or combines both
- Maintains flow rate of 1.8 gallons per minute even when using both showerhead and handshower
- Rubber nozzles wipe clean with your fingertip

2-in-1 Hand Showers

Showering Options



Spectra® Duo 1.8 gpm/6.8 L/min 2-in-1 **Hand Shower**



SKU#

• 2-in-1 design, with a wide showerhead and hand shower combination

• 4-function hand shower adjusts from drench to sensitive to PowerWash® to massage

- AquaToggle[™] easily changes sprays for hand shower DivertPaddle[™] allows for an easy switch between
- spray heads
- Pressure-compensating flow control device • Includes check valve
- Includes 59" (1499 mm) metal hose
- · Limited lifetime warranty
- 1.8 gpm/6.8 L/min maximum flow rate

9038254.002	Polished Chrome	173
9038254.013	Polished Nickel	234
9038254.243	Matte Black	250
9038254.278	Legacy Bronze	247
9038254.295	Brushed Nickel	234
9038254.GN0	Brushed Cool Sunrise	260

Color/Finish



List Price





- Pressure-compensating flow control device
- · Showerhead only
- 3 AA batteries included for showerhead
- 1.8 gpm/6.8 L/min maximum flow
- 5-year limited warranty
- · Easy Clean Spray Nozzles simplify the cleaning process for your showerhead

9138073.002 Œ 9138073.013

9138073.243

9138073.278

Polished Chrome Polished Nickel Matte Black 155



Legacy Bronze 148 **Brushed Nickel** 137 Brushed Cool 167 Sunrise



111

137





Spectra® Fixed Traditional 7-1/4-Inch 1.8 gpm/6.8 L/min Water-Saving Fixed **Showerhead**

- 7-1/4" (184 mm) easy clean showerhead
- 4-functions adjust from drench to sensitive to jet to massage
- Pressure-compensating flow control device
- · Showerhead only
- 1.8 gpm/6.8 L/min maximum flow
- Limited lifetime warranty
- · Beautiful finishes that are scratch and tarnish



1660516.002	Polished Chrome	93
1660516.013	Polished Nickel	130
1660516.278	Legacy Bronze	141
1660516.295	Brushed Nickel	130





Town Square® S 6-1/4-Inch 2.5 gpm/9.5 L/ min Fixed Showerhead

- Easy to clean
- 6-1/4" (160 mm) single function showerhead
- Showerhead only
- Pressure-compensationg flow control device
- 2.5 gpm/9.5 L/min maximum flow rate
- Drenching single-function shower flow
- Easy to clean spray nozzles won't clog
- Pressure-compensating flow control device



AmericanStandard.com List Price Guide 2024-1





• Pressure-compensating flow control device

• Easy to clean spray nozzles won't clog · WaterSense Certified to help save water • 1.8 gallons per minute (1.8 gpm/6.8 L/min.)



- 7" (178 mm) diameter head Showerhead only

maximum flow rate • 6-1/8" showerhead Showerhead only

- Pressure-compensating flow control device
- •2.5 gpm/9.5 L/min maximum flow rate


1660604.002


Polished Chrome

95









- Adjusts from massage to full/massage combination to full spray to hydrofocus concentrating spray to hydrofocus/full combination to pause
- Pressure-compensating flow control device
- Showerhead only
- •2.0 gpm/7.6 L/min maximum flow
- 5 spray patterns to select the type of spray best suited to your needs
- Pressure-compensating flow control device provides a consistent flow over a wide pressure



1660206.002 1660206.295 Polished Chrome **Brushed Nickel**

57

76



3-Function 4-3/4-Inch 1.8 gpm/6.8 L/min Water-Saving Showerhead

- Showerhead only
- 4-3/4" (121 mm) diameter easy clean showerhead
- Adjusts from gentle rain to hard rain to massage
- Pressure-compensating flow control device
- 1.75 gpm/6.6L/min. flow restrictor



1660652.002 1660652.295 Polished Chrome **Brushed Nickel**

113 171





List Price Guide 2024-1

Color/Finish

SKU#

List Price





FloWise™ Modern 2.0 gpm/7.6 L/min Water-Saving Fixed Showerhead

- FloWise[™] 3-function showerhead with 2.0 gpm/7.6 L/min maximum flow
- Showerhead only

Description

- Up to 40% water savings
- Three spray settings: Turbine spray at 1.5 gpm maximum flow rate, Full spray at 2.0 gpm maximum flow rate, and Combination spray at 2.0 gpm maximum flow rate
- Auto return feature defaults to 1.5 gpm ultra watersaving mode
- Angle adjustable
- Pressure-compensating flow control device





FloWise™ Square 2.0 gpm/7.6 L/min Water-Saving Fixed Showerhead

- FloWise[™] 3-function showerhead with 2.0 gpm/7.6 L/min maximum flow
- Showerhead only
- Up to 40% water savings
- Three spray settings: Turbine spray at 1.5 gpm maximum flow rate, Full spray at 2.0 gpm maximum flow rate, and Combination spray at 2.0 gpm maximum flow rate
- Auto return feature defaults to 1.5 gpm ultra watersaving mode
- Angle adjustable
- Pressure-compensating flow control device
- · Auto return feature defaults at 1.5 gpm






1660813.002


Polished Chrome

Polished Chrome









- Showerhead only
- Up to 40% water savings
- Three spray settings: Turbine spray at 1.5 gpm maximum flow rate, Full spray at 2.0 gpm maximum flow rate, and Combination spray at 2.0 gpm maximum flow rate
 • Auto return feature defaults to 1.5 gpm ultra water-
- saving mode
- Angle adjustable
- Pressure-compensating flow control device



œ



1660113.002

Polished Chrome

Oil Rubbed Bronze

125





FloWise™ Traditional 2.0 gpm/7.6 L/min Water-Saving Fixed Showerhead

- FloWise[™] 3-function showerhead with 2.0 gpm/7.6 L/min maximum flow
- Up to 40% water savings
- Three spray settings: Turbine spray at 1.5 gpm maximum flow rate, full spray at 2.0 gpm maximum flow rate, and combination spray at 2.0 gpm maximum flow rate
- · Auto return feature defaults to 1.5 gpm ultra watersaving mode
- Angle adjustable
- Pressure-compensating flow control device



AmericanStandard.com List Price Guide 2024-1



Flowise™ Square 1.5 gpm/5.7 L/min Water-



1660811.002

SKU#

Polished Chrome

Color/Finish

List Price





Saving Fixed Showerhead

- FloWise[™] single function showerhead with 1.5 gpm/5.7 L/min maximum flow
- Showerhead only

Description

- 40% water savings
- Turbine spray at maximum 1.5 gpm flow rate
- Angle adjustable
- Pressure-compensating flow control device
 FloWise™ showerheads use our exclusive turbine technology to deliver an invigorating shower experience while saving water. These innovative heads can save a family up to 8,000 gallons of





1660710.002

Polished Chrome

Polished Chrome





FloWise™ 1.5 gpm/5.7 L/min Water-Saving Fixed Showerhead

- FloWise[™] single function showerhead with 1.5 gpm/5.7 L/min maximum flow
- Showerhead only
- 40% water savings
- Turbine spray at maximum 1.5 gpm flow rate
- Angle adjustable
- Pressure-compensating flow control device
- FloWise[™] showerheads use our exclusive turbine technology to deliver an invigorating shower experience while saving water. These innovative heads can save a family up to 8,000 gallons of





Spectra® Rain 11-Inch 1.8 gpm/6.8 L/min Water-Saving Rain Showerhead

- Showerhead only
- 11" (280 mm) easy clean showerhead
- Single function drench spray
- Pressure-compensating flow control device
- Drenching shower spray that mimics the feeling of rain
- Easy to clean spray nozzles
- · Beautiful finishes that are scratch and tarnish



9038001.002 9038001.243 Matte Black 9038001.278 Legacy Bronze 9038001.295 **Brushed Nickel** 9038001.GN0 **Brushed Cool**



197

286

271

296



Modern 10-Inch 2.5 gpm/9.5 L/min Rain Showerhead

- · Showerhead only
- · Easy clean showerhead
- · Sleek, thin profile Brass construction
- Pressure-compensating flow control device
- 2.5 gpm/9.5 L/min maximum flow rate
- 10" Diameter
- Drenching Rain Water Flow

1660683.002	Polished Chrome
1660683.243	Matte Black
1660683.295	Brushed Nickel

1660683.GN0







Studio® S 8-Inch 2.5 gpm/9.5 L/min Rain **Showerhead**

- · Showerhead only
- Easy clean showerhead
- · Sleek, thin profile
- Pressure-compensating flow control device
- 2.5 gpm/9.5 L/min maximum flow rate
- Easy clean shower head for simple removal of calcium and lime build up
- Brass construction

Polished Chrome 1660527.002 109 1660527.243 Matte Black 164 1660527.295 **Brushed Nickel** 153


Sunrise





Fixed Showerheads

Showering Options













- · Easy clean showerhead
- · Sleek, thin profile
- Pressure-compensating flow control device
- 1.8 gpm/6.8 L/min maximum flow

AmericanStandard.com

Body Side Sprays

Showering Options



Extender Round Body Spray

- Extender body sprays with 1.5 gpm/5.7 L/min maximum flow
- Flush mount

Description

- · Easy to clean spray face
- Spray face automatically extends when water is turned on and retracts when water is off
- Three functions: widespray, massage and combination
- Includes exclusive rough-in that must be installed during rough-in installation and before the wall is
- Angle adjustable. Spray position adjusts up to 15° in any direction
- 1-piece installation with no loose parts to lose or reassemble on site



Color/Finish

Matte Black

Brushed Nickel

Polished Chrome

SKU#

1660130.002

1660130.243

1660130.295



List Price

177

257

265



Extender Square Body Spray

- Extender body sprays with 1.5 gpm/5.7 L/min maximum flow
- Flush mount
- Easy to clean spray face
- Spray face automatically extends when water is turned on and retracts when water is off
- Three functions: widespray, massage and
- Includes exclusive rough-in that must be installed during rough-in installation and before the wall is
- Angle adjustable. Spray position adjusts up to 15° in any direction
- 1-piece installation with no loose parts to lose or reassemble on site

1660140.002 Polished Chrome 177 1660140.295 **Brushed Nickel** 265



Shower Arms

Showering Options


	Description	SKU #	Color/Finish	List Price
	5-Inch Wall Mount Standard Showerhead	1660240.002	Polished Chrome	29
	Arm	1660240.013	Polished Nickel	38
	Fits virtually all showerheadsAvailable in a variety of durable finishes	1660240.243	Matte Black	43
	•	1660240.278	Legacy Bronze	45
		1660240.295	Brushed Nickel	38
•		1660240.GN0	Brushed Cool Sunrise	44
				2
	5-Inch Wall Mount Modern Showerhead Arm	1660241.002	Polished Chrome	30
		1660241.013	Polished Nickel	38
	Brass Construction ½" NPT Thread	1660241.243	Matte Black	45
	• For use with 1660.681, 1660.683, 1660.688	1660241.278	Legacy Bronze	45
		1660241.295	Brushed Nickel	41
•		1660241.GN0	Brushed Cool Sunrise	45
				\mathscr{Q}
	Townsend® Showerhead Arm and Flange	1660245.002	Polished Chrome	30
	Standard shower arm with design matching	1660245.013	Polished Nickel	41
3	Townsend showerhead arm • Recommend to be paired with the townsend	1660245.243	Matte Black	43
-	collection	1660245.278	Legacy Bronze	45
	 Multiple finishes available to match showerheads and trims 	1660245.295	Brushed Nickel	41
		1660245.GN0	Brushed Cool Sunrise	45
				${\mathscr Q}$
	3-Inch Ceiling Mount Rain Showerhead	1660103.002	Polished Chrome	32
	Arm	1660103.013	Polished Nickel	46
	Brass construction '½" NPT Thread	1660103.243	Matte Black	47
	Ceiling mount shower arm	1660103.278	Legacy Bronze	52
1		1660103.295	Brushed Nickel	46
		1660103.GN0	Brushed Cool Sunrise	48
				\mathscr{Q}
	6-Inch Ceiling Mount Rain Showerhead	1660186.002	Polished Chrome	46
	Arm	1660186.013	Polished Nickel	63
	 Durable brass construction is ideal for prolonged contact with water 	1660186.243	Matte Black	66
	 Standard ½ in. NPT works with many different showerheads 	1660186.278	Legacy Bronze	95
III.	Available in other finishes matching your other	1660186.295	Brushed Nickel	63
- 11	fittings			

AmericanStandard.com List Price Guide 2024-1

Shower Arms

Showering Options

	Description	SKU #	Color/Finish	List Price
	Rain 12-Inch Ceiling Mount Rain	1660190.002	Polished Chrome	70
	Showerhead Arm	1660190.013	Polished Nickel	104
4	 Extendable shower arm for ceiling application Durable brass construction is ideal for prolonged 	1660190.243	Matte Black	102
	contact with water	1660190.278	Legacy Bronze	127
	 Standard ½ in. NPT works with many different showerheads 	1660190.295	Brushed Nickel	104
	Easy to installAvailable in other finishes matching your other fittings	1660190.GN0	Brushed Cool Sunrise	105
1	 Extendable shower arm for ceiling application 2 ½" ceiling flange 			\mathscr{D}
	Rain 12-Inch Wall Mount Right Angle Rain	1660194.002	Polished Chrome	101
	Showerhead Arm	1660194.013	Polished Nickel	152
•	 Extendable shower arm for wall mount application Standard ½ in. NPT works with many different 	1660194.243	Matte Black	146
	showerheads • Right angle bend	1660194.278	Legacy Bronze	187
	Fits virtually all showerheads	1660194.295	Brushed Nickel	152
	 Available in other finishes matching your other fittings 	1660194.GN0	Brushed Cool Sunrise	152
				\mathscr{D}
	18-Inch Wall Mount Right Angle	1660118.002	Polished Chrome	127
	Showerhead Arm	1660118.013	Polished Nickel	177
	 Durable brass construction is ideal for prolonged contact with water 	1660118.243	Matte Black	184
	 Standard ½ in. NPT works with many different 	1660118.295	Brushed Nickel	177
'	 showerheads Available in other finishes matching your other fittings 	1660118.GN0	Brushed Cool Sunrise	191
				\mathscr{D}
	Rain 12-Inch Wall Mount Shepherd's Hook	1660198.002	Polished Chrome	103
	Rain Showerhead Arm • Curved showerhead arm to use with rain	1660198.295	Brushed Nickel	154





- · Variable spray adjusts from a conventional spray to a gentle aerated flow to a massage action
- Easy to clean spray face
- Pressure-compensating flow control device
- Includes check valve
- 2.5 gpm/9.5 L/min maximum flow rate

Polished Chrome

143

List Price

99

123


143

136

123



2.5 gpm/9.5 Lpf 3-Function Hand Shower With Pause Feature



- Pressure-compensating flow control device
- Easy Clean Spray Nozzles: Allows for easy cleaning of lime and calcium build up
- Includes check valve
- •2.5 gpm/9.5 Lpm maximum flow rate

ADA

1660767.002


Polished Chrome

65





1.5 gpm/5.7 Lpf 3-Function Hand Shower With Pause Feature



- Pressure-compensating flow control device
- · Easy Clean Spray Nozzles: Allows for easy cleaning of lime and calcium build up
- Includes check valve
- 1.5 gpm/5.7 Lpm maximum flow rate



1660766.002

Polished Chrome

65



HydroFocus® 2.0 gpm/7.6 L/min 4-1/2-Inch 5-Function Hand Shower

- Hand shower only requires hose and wall connection
- 4-1/2" (114 mm) easy clean face
- Adjusts from massage to full/massage combination to full spray to hydrofocus concentrating spray to hydrofocus/full combination to pause
- Pressure-compensating flow control device
- Includes check valve
- 2.0 gpm/5.6 L/min maximum flow rate
- Pressure Compensating Flow Control Device provides a consistent flow over a wide pressure
- · Variety of 5 Spray Patterns allows each user to select the type of spray best suited to their needs



1660207.002 1660207.295

Polished Chrome **Brushed Nickel**

117







SKU# Color/Finish **List Price** Description 1660506.002 Polished Chrome Minimalist 2.5 gpm/9.5 L/min Single 136





- Easy to clean spray faceIncludes check valve
- •2.5 gpm/9.5 L/min maximum flow rate
- Brass handle







Minimalist 1.8 gpm/6.8 L/min Single **Function Water-Saving Hand Shower**

- Hand shower only requires hose and wall connection
- Single function
- Easy to clean spray face
- Includes check valve
- 1.8 gpm/6.8 L/min maximum flow




1660609.002	Polished Chrome	136
1660609.243	Matte Black	201
1660609.295	Brushed Nickel	189
1660609.GN0	Brushed Cool Sunrise	204





Square Minimalist 1.8 gpm/6.8 L/min Single Function Water-Saving Hand Shower



- Single function
- Easy to clean spray face
 Adjusts from gentle rain to hard rain to massage
 Includes check valve
 1.8 gpm/6.8 L/min maximum flow

- Full spray pattern
- No-clog nozzles
- California Energy Commission certified






Polished Chrome **Brushed Nickel**

181







Spectra® Handheld 1.8 gpm/6.8 L/min 30-Inch 4-Function Slide Bar Kit

- 4-function Spectra® Handheld (9038154)
- Hose (8888035)

Description

- Wall supply (8888037)
 30" (762 mm) round slide bar (1660730)
 Double check valves
 1.8 gpm/6.8 L/min maximum flow rate

- Spectra® hand shower
- 59" (1500 mm) shower hose







Traditional 1.8 gpm/6.8 L/min Single **Function Slide Bar Kit**

- Traditional handheld shower (1660142)
- Traditional slide bar (1660773)
- 60" shower hose (8888035)
- Wall supply (8888037)
- Double check valves
- 1.8 gpm/6.8 L/min maximum flow rate
- Water-saving: WaterSense® certified
- Pressure-compensating flow control device:
 Provides consistent flow over a wide pressure
- Lightweight, ergonomic design: For a sure grip even with wet, soapy hands
- Simple height adjustment: Allows positioning of the personal shower anywhere along the bar

166260	7.002	Polished Chrome	432
166260	7.243	Matte Black	605
166260	7.295	Brushed Nickel	571
166260	7.GN0	Brushed Cool	648

2064724.002

2064724.295





Polished Chrome

Brushed Nickel

Serin® 2.5 gpm/9.5 L/min 3-Function Slide Bar Kit

- 3-function adjustable hand shower (1660510)
- Hose (8888035)
- Wall supply (8888037)
- Slide bar
- Double check valves
 2.5 gpm/9.5 L/min hand showers
- Lightweight, ergonomic design: For a sure grip even with wet, soapy hands
- Simple spray pattern adjustment
- Simple height adjustment for slide bar





369

AmericanStandard.com List Price Guide 2024-1 Description SKU# Color/Finish **List Price** 1662647.002 Polished Chrome 312



1.8 gpm/6.8 L/min 30-Inch 3-Function Slide

- 3-function hand shower 4" (102 mm) diameter (1660147) • Hose (8888035)

- Hose (8888035)
 Round brass wall supply
 Includes double check valves
 30" (762 mm) round shower slide bar with shower bracket with round escutcheon
 1.8 gpm/6.8 L/min maximum flow rate
 A wall supply with ½" (13 mm) NPT female inlet
 ½" (13 mm) NPSM male outlet
 59" (1500 mm) shower hose

MAP Ø

Hand Shower Kits

Showering Options











- SKU# **List Price** 1660771.002 148 1660771.278 234 197 1660771.295 **Brushed Nickel**

• 4-function Spectra® Handheld (9038154) • Hose (8888035)


Description

- Shower arm bracket (8888096)

- Includes check valve
 1.8 gpm/6.8 L/min maximum flow
 AquaToggle™ easily changes sprays for hand shower
- Features a lightweight, ergonomic design for a sure grip even with wet, soapy hands
- Shower bracket attaches to all standard shower

AmericanStandard.com List Price Guide 2024-1

Silde Bars				Showering (options
	Description		SKU #	Color/Finish	List Price
	Round 30-Inch Shower Slide Bar	ADA	1660730.002	Polished Chrome	99
	Adjustable gliding bracket for personal showers Adjustable above halder	•	1660730.013	Polished Nickel	123
	Adjustable shower holderSlide bars for hands free showering		1660730.243	Matte Black	143
	Adjustable setting for any heightAvailable in four different finishes		1660730.278	Legacy Bronze	136
			1660730.295	Brushed Nickel	123
			1660730.GN0	Brushed Cool Sunrise	149
					MAP Ø
	Traditional 30-Inch Shower Slide Bar		1660773.002	Polished Chrome	174
	Adjustable bracket for personal showers		1660773.013	Polished Nickel	242
7	 Adjustable shower holder can be set at any height or position along the bar and angles up to 45 		1660773.243	Matte Black	244
	degrees		1660773.278	Legacy Bronze	261
			1660773.295	Brushed Nickel	242
			1660773.GN0	Brushed Cool Sunrise	261
					MAP Ø
	Standard 24-Inch Shower Slide Bar		1660225.002	Polished Chrome	144
M	Adjustable bracket for personal showers		1660225.243	Matte Black	202
7	 Adjustable shower holder can be set at any height or position along the bar and angles up to 45 		1660225.295	Brushed Nickel	215
	degrees		1660225.GN0	Brushed Cool Sunrise	216
					MAP Ø
•	Chandand 2C Inab Chauser Clide Day		1660236.002	Polished Chrome	156
-	Standard 36-Inch Shower Slide Bar		1660236.GN0	Brushed Cool	234
	 Adjustable bracket for personal showers Adjustable shower holder can be set at any height or position along the bar and angles up to 45 degrees 		1000250.GNU	Sunrise	MAP Ø



- Matching square wall brackets
 Durable brass construction is ideal for prolonged
- contact with water
- Standard ½" (13 mm) NPT works with many different showerheads

Polished Chrome

Color/Finish



Right angle bendFits virtually all showerheads

Round 30-Inch Shower Slide Bar

Adjustable bracket for personal showers

1660330.002

SKU#

1660230.002

Polished Chrome

List Price Guide 2024-1

183






AmericanStandard.com

Round wall flange

Shower System Accessories

Showering Options



Shower System Accessories

Description

Showering Options

Color/Finish

Sunrise

Polished Chrome

Matte Black

Brushed Nickel

Brushed Cool

Polished Chrome

Polished Nickel

Brushed Nickel

Brushed Cool

Polished Chrome

Sunrise

Matte Black

Sunrise



Wall Supply	8888037.002	Polished Chrome	49
• ½" (13 mm) female thread NPT	8888037.013	Polished Nickel	68
• ½" (13 mm) NPSM male hose thread • Includes check valve	8888037.243	Matte Black	74
Durable cast brass construction - Excellent for high use applications with prolonged water use	8888037.278	Legacy Bronze	68
Limited Lifetime warranty on function and finish	8888037.295	Brushed Nickel	68
	8888037.GN0	Brushed Cool	74

SKU#

8888068.002

8888068.243

8888068.295

8888068.GN0

8888069.002

8888069.013

8888069.243

8888069.295

8888069.GN0

8888038.002

8888038.295



61

92

86

92

List Price



Round Wall Supply

- 1/2" (13 mm) female thread NPT
- 1/2" (13 mm) NPSM male hose thread
- Includes check valve
- Round wall supply



88

125

123

125

132

85



Square Wall Supply


- 1/2" (13 mm) female thread NPT
- 1/2" (13 mm) NPSM male hose thread
- Includes check valve
- Square brass elbow





Wall Supply Bracket

- 1/2" (13 mm) female thread NPT
- ½" (13 mm) NPSM male hose thread
- Includes check valve
- Integral bracket holds the hand shower at a convenient angle





	Description		SKU #	Color/Finish	List Price
	Delancey® 8-1/8-Inch Slip-On Diverter Tub	3	8888105.002	Polished Chrome	109
	Spout	9	8888105.013	Polished Nickel	154
0	 For ½" (13 mm) copper pipe 8-1/8" (207 mm) length to center of spout outlet 		8888105.278	Legacy Bronze	165
	Slip-On connection		8888105.295	Brushed Nickel	154
	All metal construction		8888105.GN0	Brushed Cool Sunrise	164
					MAP Ø
	Delancey® 8-1/8-Inch IPS Diverter Tub	@	8888104.002	Polished Chrome	109
	Spout		8888104.013	Polished Nickel	154
0	 For ½" (13 mm) IPS connection 8-1/8" (207 mm) length to center of spout outlet 		8888104.278	Legacy Bronze	165
	IPS connection All metal construction		8888104.295	Brushed Nickel	154
	- All metal constituction		8888104.GN0	Brushed Cool Sunrise	164
					MAP Ø
	Delancey® 8-1/8-Inch Slip-On Non-Diverter		8888107.002	Polished Chrome	99
	Tub Spout		8888107.013	Polished Nickel	138
	 For ½" (13 mm) copper pipe 8-1/8" (207 mm) length to center of spout outlet 		8888107.278	Legacy Bronze	148
	Slip-On connection All metal construction		8888107.295	Brushed Nickel	138
	• All metal construction		8888107.GN0	Brushed Cool Sunrise	149
					MAP Ø
	Delancey® 8-1/8-Inch IPS Non-Diverter Tub		8888106.002	Polished Chrome	99
	Spout		8888106.013	Polished Nickel	138
	 For ½" (13 mm) IPS connection 8-1/8" (207 mm) length to center of spout outlet 		8888106.278	Legacy Bronze	148
	IPS connection All metal construction		8888106.295	Brushed Nickel	138
	• All metal construction		8888106.GN0	Brushed Cool Sunrise	149
					MAP Ø
	Deluxe 4-Inch Diverter Tub Spout		8888055.002	Polished Chrome	49
	 ½" (13 mm) IPS connection 4" length to center of stream straightener All metal construction 		8888055.295	Brushed Nickel	68
			00000000000	D. II. J. O.	
	Deluxe 5-1/8-Inch Diverter Tub Spout		8888022.002	Polished Chrome	114
	• ½" (13 mm) IPS connection • 5-1/8" length to center of stream straightener • All metal construction				MAP Ø
	Fluent® 6-1/2-Inch Slip-On Diverter Tub Spout		8888009.002	Polished Chrome	98
	• For ½" (13 mm) copper pipe				MAP Ø
	• 6-1/2" (165 mm) length to center of spout outlet				

iub Spouts				Snowering	options
	Description		SKU#	Color/Finish	List Price
	Serin® 6-3/4-Inch Brass Tub Spout		8888421.002	Polished Chrome	130
	• ½" (13 mm) IPS connection • 6-¾" (171 mm) length to center of spout outlet • All metal construction				MAP Q
	Serin® 4-7/8-Inch Slip-On Diverter Tub Spout		8888087.002	Polished Chrome	100
	 For ½" (13 mm) copper pipe 4-7/8" (124 mm) length to center of spout outlet All metal construction 				MAP D
	Slip-On Non-Diverter Tub Spout		8888056.002	Polished Chrome	38
	 For ½" (13 mm) copper pipe All metal construction 				
	4-Inch Slip-On Diverter Tub Spout		8888026.002	Polished Chrome	38
Par	 For ½" (13 mm) copper pipe All metal construction 				
	Studio® S 6-Inch Slip-On Diverter Tub	@	8888318.002	Polished Chrome	100
	Spout		8888318.243	Matte Black	149
	 For ½" (13 mm) copper pipe 6" (152 mm) length to center of spout outlet 		8888318.295	Brushed Nickel	139
	Metal construction		8888318.GN0	Brushed Cool Sunrise	150 MAP Q
	Studio® S 6-Inch IPS Diverter Tub Spout	@	8888319.002	Polished Chrome	100
	• ½" (13 mm) IPS connection	030	8888319.243	Matte Black	149
	6" (152 mm) length to center of spout outlet Metal construction		8888319.295	Brushed Nickel	139
			8888319.GN0	Brushed Cool	150
				Sunrise	MAP Q
	Studio® S 6-Inch Slip-On Non-Diverter Tub		8888316.002	Polished Chrome	93
	Spout		8888316.243	Matte Black	140
00	 For ½" (13 mm) copper pipe 6" (152 mm) length to center of spout outlet 		8888316.295	Brushed Nickel	130
	Metal construction		8888316.GN0	Brushed Cool Sunrise	140
	Studio [®] S 6-Inch IPS Non-Diverter Tub		8888317.002	Polished Chrome	93
	Spout		8888317.243	Matte Black	140
a constant	 ½" (13 mm) IPS connection 6" (152 mm) length to center of spout outlet 		8888317.295	Brushed Nickel	130
	Metal construction		8888317.GN0	Brushed Cool Sunrise	140

List Price Guide 2024-1 AmericanStandard.com

Brushed Cool Sunrise

	Description		SKU #	Color/Finish	List Price
	Town Square® S 6-3/4-Inch Slip-On	Œ	8888109.002	Polished Chrome	125
	Diverter Tub Spout		8888109.013	Polished Nickel	175
	 For ½" (13 mm) copper pipe 6-¾" (171 mm) length to center of outlet 		8888109.243	Matte Black	175
1	• All metal construction		8888109.278	Legacy Bronze	188
			8888109.295	Brushed Nickel	175
			8888109.GN0	Brushed Cool	188
				Sunrise	MAP (9)
	Town Square® S 6-3/4-Inch IPS Diverter	@	8888108.002	Polished Chrome	125
	Tub Spout		8888108.013	Polished Nickel	175
	 ½" (13 mm) IPS connection 6-¾" (171 mm) length to center of outlet 		8888108.243	Matte Black	175
3	All metal construction		8888108.278	Legacy Bronze	188
			8888108.295	Brushed Nickel	175
			8888108.GN0	Brushed Cool	188
				Sunrise	MAP O
	Town Square® S 6-3/4-Inch Slip-On Non-		8888111.002	Polished Chrome	112
	Diverter Tub Spout		8888111.013	Polished Nickel	157
	 For ½" (13 mm) copper pipe 6-¾" (171 mm) length to center of outlet 		8888111.243	Matte Black	157
	• All metal construction		8888111.278	Legacy Bronze	170
			8888111.295	Brushed Nickel	157
			8888111.GN0	Brushed Cool	168
				Sunrise	MAP Ø
	Town Square® S 6-3/4-Inch IPS Non-		8888110.002	Polished Chrome	112
	Diverter Tub Spout		8888110.013	Polished Nickel	157
	 ½" (13 mm) IPS connection 6-¾" (171 mm) length to center of outlet 		8888110.243	Matte Black	157
	• All metal construction		8888110.278	Legacy Bronze	170
			8888110.295	Brushed Nickel	157
			8888110.GN0	Brushed Cool	168
				Sunrise	MAP (0)
	Townsend® 6-1/2-Inch Slip-On Diverter Tub	Œ	8888093.002	Polished Chrome	96
	Spout		8888093.013	Polished Nickel	135
	 For ½" (13 mm) copper pipe 6-½" (165 mm) length to center of spout outlet 		8888093.243	Matte Black	140
L ST	All metal construction		8888093.278	Legacy Bronze	144
			8888093.295	Brushed Nickel	135
			8888093.GN0	Brushed Cool	144
				Sunrise	MAP 0
	Townsend® 6-1/2-Inch IPS Diverter Tub	@	8888098.002	Polished Chrome	96
	Spout		8888098.013	Polished Nickel	135
	• ½" (13 mm) IPS connection		8888098.278	Legacy Bronze	144
T-SP	 6-1/2" (165 mm) length to center of spout outlet All metal construction 		8888098.295	Brushed Nickel	135
					MAP D

Drains and P-Traps

Parts

	Description		SKU #	Color/Finish	List Price
	Push Pop-up Drain With Overflow	ADA	8888095.002	Polished Chrome	58
	• 1-1/4" (32 mm) tailpiece		8888095.013	Polished Nickel	82
			8888095.278	Legacy Bronze	87
			8888095.295	Brushed Nickel	82
					${\mathscr Q}$
	Push Pop-up Drain Without Overflow	ĄDĄ	8888112.002	Polished Chrome	58
6	• 1-1/4" (32 mm) tailpiece	9	8888112.013	Polished Nickel	82
			8888112.278	Legacy Bronze	87
			8888112.295	Brushed Nickel	82
					${\mathscr Q}$
	Drain Tailpiece		8888113.002	Polished Chrome	32
	• 1-1/4" (32 mm) diameter		8888113.013	Polished Nickel	33
	Compatible with all American Standard drains		8888113.278	Legacy Bronze	35
9			8888113.295	Brushed Nickel	33 <i>Q</i>
	Decorative P-Trap		8888114.002	Polished Chrome	201
	• 1-1/4" (32 mm) diameter slip fit inlet		8888114.013	Polished Nickel	283
	Brass constructionRemovable trap eye for easy cleaning		8888114.278	Legacy Bronze	304
			8888114.295	Brushed Nickel	283 <i>9</i>
	Decorative P-Trap		7720018.002	Polished Chrome	133
	• Fully plated drain with 17 gauge tube • 1-1/4" x 1-1/4" (32 x 32 mm) trap with 9" (229 mm) drain tube • Includes flange and reducer seal to attach 1-1/4" (3. mm) drain tube to 1-1/2" (38 mm) wall drain	2	7720018.295	Brushed Nickel	186



- IAPMO (UPC) Approved
 Fits most standard bathroom sinks
 No special tools required for installation

Lavatory Faucets

	Description	SKU #	Color/Finish	List Pric
8	1.5 gpm/5.7 L/ min Pressure-Compensating	M922887-0020A	Polished Chrome	19
ecity O Na.1	Vandal-Resistant Aerator With Key 15/16" (8 mm) male threads 1.5 gpm/5.7 L/min maximum Available in Chrome Includes aerated spray and key	M922887-2950A	Brushed Nickel	19
	1.5 gpm/5.7 L/min Pressure-Compensating Vandal-Resistant Aerator With Key • 55/64" (21 mm) female threads • 1.5 gpm/5.7 L/min maximum • Available in Chrome • Includes aerated spray and key	M922888-0020A	Polished Chrome	17
	1.0 gpm/3.8 L/min Pressure-Compensating Aerator • 15/16" (24 mm) male threads • 1.0 gpm/3.8 L/min maximum • Specify color when ordering • Includes aerated spray	M922991-0020A	Polished Chrome	8
	1.0 gpm/3.8 L/min Pressure-Compensating Aerator • 55/64" (21 mm) female threads •1.0 gpm/3.8 L/min maximum • Available in Chrome • Includes aerated spray	M922992-0020A	Polished Chrome	8
	1.0 gpm/3.8 L/min Pressure-Compensating Vandal-Resistant Aerator With Key • For use on metering lavatory faucet series 1340 including pillar tap • 15/16" (24 mm) male threads • 1.0 gpm/3.8 L/min maximum • Available in Chrome • Includes aerated spray and key	M922996-0020A	Polished Chrome	19
	1.0 gpm/3.8 L/min Pressure-Compensating Vandal-Resistant Aerator With Key • For use on metering spread and center set lavatory faucet series 1340 • 55/64" (21 mm) female threads • 1.0 gpm/3.8 L/min maximum • Available in Chrome • Includes aerated spray and key	M922997-0020A	Polished Chrome	19
	O.5 gpm/1.9 L/min Pressure-Compensating Non-Aerated Spray 15/16" (24 mm) male threads 0.5 gpm/1.9 L/min maximum Available in Chrome Includes non-aerated spray	M922901-0020A	Polished Chrome	10

Lavatory Faucets

	Description	SKU #	Color/Finish	List Price
	0.5 gpm/1.9 L/min Pressure-Compensating Non-Aerated Spray	M922903-0020A	Polished Chrome	11
The state of the s	 55/64" (21 mm) female threads 0.5 gpm/1.9 L/min maximum Available in Chrome Includes non-aerated spray 			
	0.5 gpm Non-Aerated Spray With Key	066508-0020A	Polished Chrome	19
	 For use on 605X, 2506 & 250B, 5500, 6500, 7295, 1340 series faucets Vandal resistant 			
	15/16" (24 mm) male threads0.5 gpm/1.9 L/min maximum			
0	 Available in Chrome Includes non-aerated spray and key 			
	0.5 gpm Non-Aerated Spray	066074-0020A	Polished Chrome	19
9	 For use on 6500, 6502, 6503, 6532 series spread lavatory faucets 			



- Vandal-resistant
 55/64" (21 mm) female threads
 0.5 gpm/1.9 L/min maximum
 Available in Chrome

	Description	SKU #	Color/Finish	List Price
	Flat Aerator Kit	M962818-0070A	No Finish	32
1	Flat Aerator Kit 1.2 GPM Compatible with Berwick and Times Square			
	lavatory faucets			
MO				
	Extension Kit	M960131-0070A	No Finish	42
	• Extends shank 2-1/4" (57 mm)			
	 For use on 4" centersets with ½" (13 mm) male inlet shanks 			
	 For use on top mount kitchens with ½" (13 mm) male inlet shanks 			
6	 For use on 4" center-set faucets with ½" male inlet shanks and top mount faucets with ½" (13 mm) 			
0	male inlet shanks • Includes 2 extensions			
	Deep Rough-in Kit for Pressure Balance Valve	M970649-0020A	Polished Chrome	43
	For All TU series pressure balance valve trim kits	M970649-2430A	Matte Black	64
	used in conjunction with Flash® shower rough-in	M970649-2780A	Legacy Bronze	52
	valves • Provides additional ¾" (19 mm) rough-in depth	M970649-2950A	Brushed Nickel	47
	 Includes two 4" (102 mm) screws for trim kit installation and handle adaptor screw Specify color when ordering 			
	Pressure Balance Cartridge for Flash®	M970654-0070A	No Finish	37
6 7 C	Suitable for both standard installation & BTB solution			
	Includes removal ring to aid in removal of cartridge from valve			
	Removal Ring	M970648-0070A	No Finish	7
	Aids in removing cartridge from valve			
\circ				
	Retaining Ring	M970452-0070A	No Finish	11
	• For use with all Flash® shower rough-in valves			
	Secure cartridges/test cap to valve body Made of stainless steel			
	Service Stops	M970451-0070A	No Finish	15
	 For use with all Flash® shower rough-in valves Set of two 			

Parts

Flash® Rough-In Valves

	Description	SKU #	Color/Finish	List Price
	Flush Plug Assembly	M970545-0070A	No Finish	11
	● Two way flush plug assembly			
	Conversion Kit for TRIMendous® Trim Kits	M970645-0070A	No Finish	83
	Converts TRIMendous® trim kits to work with all Flash® shower rough-in valves For use with the following T series trim kits: Berwick®, Colony® PRO, Edgemere®, Fluent®, Patience®, Serin®, Studio® S, Times Square®, Town Square® S, Townsend® NOT for use with the following TRIMendous® trim kits: Portsmouth®, Quentin®, Reliant 3®, Town Square® (T555520 series), Colony Soft®, Seva®, Studio Available in Chrome			
	Locking Cam Screw Set	M970453-0070A	No Finish	11
66	 For use with all Flash® shower rough-in valves Used for thin wall applications Set of two 			
	Cartridge Removal Tool	M970652-0070A	No Finish	57
	Universal cartridge removal tool for shower valves			



Cartridges and Rough-In Kits

Parts

•	•			
	Description	SKU #	Color/Finish	List Price
	Temperature Control Pressure Balance	A954440-0070AP	No Finish	39
	Valve Cartridge • For bath/shower pressure balance valves • Ships standard with R111 series valves • Protects against scalding	A954440-0070A	No Finish	42
	Volume and Temperature Control	023529-0070A/H	No Finish	25
	Pressure Balance Valve Cartridge	023529-0070A	No Finish	29
	 For bath/shower pressure balance valves Ships standard with R121 series valves 	023529-0070AP	No Finish	25
	Back-to-Back Volume and Temperature Control Pressure Balance Valve Cartridge	952377-0070A	No Finish	31
	For use in back-to-back installations to reverse hot and cold lines without removing R121 series rough valve body For bath/shower pressure balance valves			
	Temperature Control Pressure Balance	M952100-0070A/H	No Finish	27
	Valve Cartridge	M952100-0070AP	No Finish	33
	 For use on R110, R120, R115, R125 rough-in valves Ships standard with R111/R121 series valves Protects against scalding 	M952100-0070A	No Finish	34
	Flash® 2-Way Shared Diverter Cartridge	M970720-0070A	No Finish	79
	• For use with RU521 valve			
	Flash® 3-Way Shared Diverter Cartridge	M970730-0070A	No Finish	79
	• For use with RU531 valve			
	Modernization Plate	M961819-0020A	Polished Chrome	72
	 For all trim kits used in conjunction with RU series valves Metal construction for durability Specify color when ordering 			

Cartridges and Rough-In Kits


 neagn mane			
Description	SKU#	Color/Finish	List Price
Deep Rough-In Kit	M961818-0020A	Polished Chrome	42
For single control pressure balance bath/showers For all trim kits used in conjunction with R111 or R121 series valves Includes hardware to provide an additional ¾" (19 mm) rough-in depth Specify color when ordering	M961818-2950A	Brushed Nickel	45
Deep Rough-In Kit	M962262-0070A	No Finish	35
 For use with Cadet 3275 series 2-handle bath/shower (metal lever handle) Includes hardware to provide an additional ¾" (19 mm) rough-in depth No finish Kit includes two extension nuts, two handle adapter extensions and two 8-18 x ½ phillips pan head screws 			
Deep Rough-In Kit	M962263-0070A	No Finish	99
 For use with Cadet 3375 series 3-handle bath/shower (metal lever handle) Includes hardware to provide an additional ¾" (19 mm) rough-in depth No finish Kit includes two extension nuts, three handle adapter extensions, three 8-18 x ½ phillips pan head screws and 1 valve nut extension 			
Thermostat and Volume Control Valve Deep Rough-In Kit	963434-0020A	Polished Chrome	151
For use with R510, R520, R531 RU521 and RU531 series valves Maximum ¾" (19 mm) extension Available in Chrome Kit includes deep rough-in and hex key			
R700 Series Thermostat and Volume Control Valve Deep Rough-In Kit	066078-0070A	No Finish	86
For use with R701 and R711 series on/off volume control valves Maximum ¾" (19 mm) extension Brass construction for durability			
Diverter Extension Kit	963554-0020A	Polished Chrome	42
For use with R422 and R433 valves, shared and discrete Maximum ¾" (19 mm) extension Specify color when ordering Kit includes spindle, escutcheon and spring clip	963554-2950A	Brushed Nickel	50

AmericanStandard.com List Price Guide 2024-1

Warranties

American Standard product warranty information is available online by visiting: **americanstandard.com/warranty** or scan the **QR code** below.





American Standard







2023 Commercial Fittings and Fixtures List Price Guide



2023 LIXIL Builder Advantage Program Brochure



2023 AS Distributor Support Programs Brochure

For American Standard Customer Care

Call 1-800-442-1902 - Monday - Friday, 8:00 am - 7:00 pm EST

Visit www.AmericanStandard.com

Front Cover: AquaWash* Slim Non-Electric SpaLet* Bidet Seat With Manual Operation Inside Back Cover: Colony*3 Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Back Cover: Colony* PRO Single Handle Pull-Down Kitchen Faucet